(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 6 November 2003 (06.11.2003)

PCT

(10) International Publication Number WO 03/091247 A2

(51) International Patent Classification⁷: C07D 407/12, 309/08, 211/66, 211/96, 409/14, 417/14, 413/12, 213/74, 401/04, 407/14, A61K 31/496, 31/4535, A61P 35/00

(21) International Application Number: PCT/US03/13123

(22) International Filing Date: 25 April 2003 (25.04.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/375,598 25 April 2002 (25.04.2002) US 60/380,713 15 May 2002 (15.05.2002) US 60/392,021 27 June 2002 (27.06.2002) US

(71) Applicant (for all designated States except US): PHAR-MACIA CORPORATION [US/US]; A Corporation of the State of Delaware, P.O. Box 1027, Chesterfield, Missouri 63006 (US).

(72) Inventors; and


(75) Inventors/Applicants (for US only): BARTA, Thomas, E. [US/US]; 1133 Maple Avenue, Apt. 3-W., Evanston, IL 60202 (US). BECKER, Daniel, P. [US/US]; 1800 Maplewood Lane, Glenview, IL 60025 (US). BEDELL, Louis, J. [US/US]; 208 E. Marion Ave., Prospect, IL 60070 (US). BOEHM, Terri, L. [US/US]; 928 Cleta Drive, Ballwin, MO 63021 (US). BROWN, David, L. [US/US]; 15504 Twingate, Chesterfield, MO 56017 (US). CARROLL, Jeffery, N. [US/US]; 306 N. Rapp, Columbia, IL 62236 (US). CHEN, Yiyuan [CN/US]; 10101 Old Orchard Court, Apt. 3B, Skokie, IL 60076 (US). FOBIAN, Yvette [US/US]; 580 Eagles Nest Ct., Wildwood, MO 63011 (US). FRESKOS, John, N. [US/US]; 7572 York, Clayton, MO 63105 (US). GASIECKI, Alan, F. [US/US]; 105 Alexandria Drive, Vernon Hills, IL 60061 (US). GRAP-PERHAUS, Margaret [US/US]; 518 Nancy Court, Troy,

IL 62294 (US). HEINTZ, Robert, M. [US/US]; 603 Nancy Place, Ballwin, MO 63021 (US). HOCKERMAN, Susan, L. [US/US]; 6906 Kenton Avenue, Lincolnwood, IL 60712 (US). KASSAB, Darren, J. [US/US]; 5 Park City Court, O'Fallon, Missouri 63366 (US). KHANNA, Ish, Kumar [US/US]; 1821 S. Falcon Dr., Libertyville, IL 60048 (US). KOLODZIEJ, Stephen, A. [US/US]; 2448 Clarjon Road, Ballwin, MO 63021 (US). MASSA, Mark [US/US]; 622 Buckhurst Drive, Ballwin, MO 63021 (US). MCDONALD, Joseph [US/US]; 1716 Ridge Estates Dr., Wildwood, MO 63011 (US). MISCHKE, Brent, V. [US/US]; 25 White River Lane, Defiance, MO 63341 (US). MISCHKE, Deborah, A. [US/US]; 25 White River Lane. Defiance, MO 63341 (US). MULLINS, Patrick, B. [US/US]; 9209 Coral, S.t Louis, MO 63123 (US). NAGY, Mark [US/US]; 16518 Westknoll Cove, Chesterfield, MO 63017 (US). NORTON, Monica, B. [US/US]; 7777 Gissler Avenued, St. Louis, MO 63117 (US). RICO, Joseph, G. [US/US]; 524 Wetherby Terrace Drive, St. Louis, MO 63021 (US). SCHMIDT, Michelle, A. [US/US]; 417 Hickory Manor, Belleville, il 62223 (US). STEHLE, Nathan, W. [US/US]; 1335 16Th Avenue, #9, Grafton, WI 53024 (US). TALLEY, John, J. [US/US]; 122 Hamilton St., Apt. 2, Cambridge, Massachusetts 02139 (US), VERNIER, William, F. [US/US]; 4717 Walsh Street, St. Louis, MO 63109 (US). VILLAMILL, Clara, I. [US/US]; 813 Long Road, Glenville, IL 60025 (US). WANG, Lijuan, Jane [US/US]; 919 Crown Point Est. Drive, Wildwood, MO 63021 (US). WYNN, Thomas, A. [US/US]; 5739 N. Winthrop Ave. Apt. #2, Chicago, IL 60660 20902 (US).

- (74) Agents: GRYTE, David, M.; Harness, Dickey & Pierce, P.L.C., Suite 400, 7700 Bonhomme, St. Louis, MO 63105 et al. (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,

[Continued on next page]

(54) Title: PIPERIDINYL-AND PIPERAZINYL-SULFONYLMETHYL HYDROXAMIC ACIDS AND THEIR USE AS PROTEASE INHIBITORS



(57) Abstract: This invention is directed generally to proteinase (also known as "protease") inhibitors, and more particularly, to piperidinyl-and piperazinyl-sulfonylmethyl hydroxamic acids that inter alia, inhibit matrix metalloproteinase (also known as "matrix metalloprotease" or "MMP") activity and/or aggrecanase activity. Such hydroxamic acids generally correspond in

structure to formula (I), (Wherein A^1 , A^2 , Y, E^1 , E^2 , E^3 , and R^x are as defined in this specification), and further include salts of such compounds. This invention also is directed to compositions of such hydroxamic acids, intermediates for the syntheses of such hydroxamic acids, methods for making such hydroxamic acids, and methods for treating conditions (particularly pathological conditions) associated with MMP activity and/or aggrecanase activity.

,

LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM. ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU. J, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

BNSDOCID: <WO_____03091247A2_I_>

5

10

15

20

25

30

PIPERIDINYL- AND PIPERAZINYL-SULFONYLMETHYL HYDROXAMIC ACIDS AND THEIR USE AS PROTEASE INHIBITORS

FIELD OF THE INVENTION

"protease") inhibitors, and, more particularly, to piperidinyl- and piperazinyl-sulfonylmethyl hydroxamic acids and salts thereof that, *inter alia*, inhibit matrix metalloproteinase (also known as "matrix metalloprotease" or "MMP") activity and/or aggrecanase activity. This invention also is directed to compositions of such inhibitors, intermediates for the syntheses of such inhibitors, methods for making such inhibitors, and methods for treating conditions associated with proteinase activity (particularly pathological conditions associated with MMP activity and/or aggrecanase activity).

BACKGROUND OF THE INVENTION

- Connective tissue is a required component of all mammals. It provides rigidity, differentiation, attachments, and, in some cases, elasticity. Connective tissue components include, for example, collagen, elastin, proteoglycans, fibronectin, and laminin. These biochemicals make up (or are components of) structures, such as skin, bone, teeth, tendon, cartilage, basement membrane, blood vessels, cornea, and vitreous humor.
- [3] Under normal conditions, connective tissue turnover and/or repair processes are in equilibrium with connective tissue production. Degradation of connective tissue is carried out by the action of proteinases released from resident tissue cells and/or invading inflammatory or tumor cells.
- Matrix metalloproteinases, a family of zinc-dependent proteinases, make up a major class of enzymes involved in degrading connective tissue. Matrix metalloproteinases are divided into classes, with some members having several different names in common use. Examples are: MMP-1 (also known as collagenase 1, fibroblast collagenase, or EC 3.4.24.3); MMP-2 (also known as gelatinase A, 72kDa gelatinase, basement membrane collagenase, or EC 3.4.24.24), MMP-3 (also known as stromelysin 1

or EC 3.4.24.17), proteoglycanase, MMP-7 (also known as matrilysin), MMP-8 (also known as collagenase II, neutrophil collagenase, or EC 3.4.24.34), MMP-9 (also known as gelatinase B, 92kDa gelatinase, or EC 3.4.24.35), MMP-10 (also known as stromelysin 2 or EC 3.4.24.22), MMP-1 I (also known as stromelysin 3), MMP-12 (also known as metalloelastase, human macrophage elastase or HME), MMP-13 (also known as collagenase 111), and MMP-14 (also known as MT1-MMP or membrane MMP). See, generally, Woessner, J.F., "The Matrix Metalloprotease Family" in Matrix Metalloproteinases, pp.1-14 (Edited by Parks, W.C. & Mecham, R.P., Academic Press, San Diego, CA 1998).

- Excessive breakdown of connective tissue by MMPs is a feature of many [5] pathological conditions. Inhibition of MMPs therefore provides a control mechanism for tissue decomposition to treat these pathological conditions. Such pathological conditions generally include, for example, tissue destruction, fibrotic diseases, pathological matrix weakening, defective injury repair, cardiovascular diseases, pulmonary diseases, kidney diseases, liver diseases, and diseases of the central nervous system. Specific examples of such conditions include, for example, rheumatoid arthritis, osteoarthritis, septic arthritis, multiple sclerosis, a decubitis ulcer, corneal ulceration, epidermal ulceration, gastric ulceration, tumor metastasis, tumor invasion, tumor angiogenesis, periodontal disease, liver cirrhosis, fibrotic lung disease, emphysema, otosclerosis, atherosclerosis, proteinuria, coronary thrombosis, dilated cardiomyopathy, congestive heart failure, aortic aneurysm, epidermolysis bullosa, bone disease, Alzheimer's disease, defective injury repair (e.g., weak repairs, adhesions such as post-surgical adhesions, and scarring), chronic obstructive pulmonary disease, and post myocardial infarction. MMPs (particularly MMP-9) also have been reported to be associated with pathological conditions related to nitrosative and oxidative stress. See Gu, Zezong et al., "S-Nitrosylation of Matrix Metalloproteinases: Signaling Pathway to Neuronal Cell Death," Science, vol. 297, pp. 1186-90 (2002).
 - Matrix metalloproteinases also are involved in the biosynthesis of tumor necrosis factors (TNFs). Tumor necrosis factors are implicated in many pathological conditions. TNF- α , for example, is a cytokine that is presently thought to be produced initially as a 28 kD cell-associated molecule. It is released as an active, 17 kD form that can mediate a large number of deleterious effects *in vitro* and *in* vivo. TNF- α can cause

5

10

15

20

25

and/or contribute to the effects of inflammation (e.g., rheumatoid arthritis), autoimmune disease, graft rejection, multiple sclerosis, fibrotic diseases, cancer, infectious diseases (e.g., malaria, mycobacterial infection, meningitis, etc.), fever, psoriasis, cardiovascular diseases (e.g., post-ischemic reperfusion injury and congestive heart failure), pulmonary diseases (e.g., hyperoxic alveolar injury), hemorrhage, coagulation, radiation damage, and acute phase responses like those seen with infections and sepsis and during shock (e.g., septic shock and hemodynamic shock). Chronic release of active TNF- α can cause cachexia and anorexia. TNF- α also can be lethal.

- Inhibiting TNF (and related compounds) production and action is an
 important clinical disease treatment. Matrix metalloproteinase inhibition is one mechanism that can be used. MMP (e.g., collagenase, stromelysin, and gelatinase) inhibitors, for example, have been reported to inhibit TNF-α release. See, e.g., Gearing et al. Nature 376, 555-557 (1994). See also, McGeehan et al. See also, Nature 376, 558-561 (1994). MMP inhibitors also have been reported to inhibit TNF-α convertase, a
 metalloproteinase involved in forming active TNF-α. See, e.g., WIPO Int'l Pub. No. WO 94/24140. See also, WIPO Int'l Pub. No. WO 94/20824.
 - Matrix metalloproteinases also are involved in other biochemical processes in mammals. These include control of ovulation, post-partum uterine involution, possibly implantation, cleavage of APP (β -amyloid precursor protein) to the ainyloid plaque, and inactivation of (α_1 -protease inhibitor (α_1 -PI). Inhibiting MMPs therefore may be a mechanism that may be used to control of fertility. In addition, increasing and maintaining the levels of an endogenous or administered serine protease inhibitor (e.g., α_1 -PI) supports the treatment of pathological conditions such as emphysema, pulmonary diseases, inflammatory diseases, and diseases of aging (e.g., loss of skin or organ stretch and resiliency).
 - [9] Numerous metalloproteinase inhibitors are known. *See, generally*, Brown, P.D., "Synthetic Inhibitors of Matrix Metalloproteinases," in *Matrix Metalloproteinases*, pp. 243-61 (Edited by Parks, W.C. & Mecham, R.P., Academic Press, San Diego, CA 1998).

5

20

25

[10] Metalloproteinase inhibitors include, for example, natural biochemicals, such as tissue inhibitor of metalloproteinase (TIMP), α 2-macroglobulin, and their analogs and derivatives. These are high-molecular-weight protein molecules that form inactive complexes with metalloproteinases.

- [11] A number of smaller peptide-like compounds also have been reported to inhibit metalloproteinases. Mercaptoamide peptidyl derivatives, for example, have been reported to inhibit angiotensin converting enzyme (also known as ACE) in vitro and in vivo. ACE aids in the production of angiotensin II, a potent pressor substance in mammals. Inhibiting ACE leads to lowering of blood pressure.
- 10 [12] A wide variety of thiol compounds have been reported to inhibit MMPs.

 See, e.g., W095/12389. See also, W096/11209. See also, U.S. Patent No. 4,595,700. See also, U.S. Patent No. 6,013,649.
- A wide variety of hydroxamic acid compounds also have been reported to [13] inhibit MMPs. Such compounds reportedly include hydroxamic acids having a carbon backbone. See, e.g., WIPO Int'l Pub. No. WO 95/29892. See also, WIPO Int'l Pub. No. 15 WO 97/24117. See also, WIPO Int'l Pub. No. WO 97/49679. See also, European Patent No. EP 0 780 386. Such compounds also reportedly include hydroxamic acids having peptidyl backbones or peptidomimetic backbones. See, e.g, WIPO Int'l Pub. No. WO 90/05719. See also, WIPO Int'l Pub. No. WO 93/20047. See also, WIPO Int'l Pub. No. WO 95/09841. See also, WIPO Int'l Pub. No. WO 96/06074. See also, Schwartz et al., 20 Progr. Med. Chem., 29:271-334(1992). See also, Rasmussen et al., PharmacoL Ther., 75(1): 69-75 (1997). See also, Denis et al., Invest New Drugs, 15(3): 175-185 (1997). Various piperazinylsulfonylmethyl hydroxamic acids and piperidinylsulfonylmethyl hydroxamic acids have additionally been reported to inhibit MMPs. See, WIPO Int'l Pub. No. WO 00/46221. And various aromatic sulfone hydroxamic acids have been reported to 25 inhibit MMPs. See, WIPO Int'l Pub. No. WO 99/25687. See also, WIPO Int'l Pub. No. WO 00/50396. See also, WIPO Int'l Pub. No. WO 00/69821.
 - [14] It is often advantageous for an MMP inhibitor drug to target a certain MMP(s) over another MMP(s). For example, it is typically preferred to inhibit MMP-2, MMP-3, MMP-9, and/or MMP-13 (particularly MMP-13) when treating cancer, inhibiting of metastasis, and inhibiting angiogenesis. It also is typically preferred to inhibit MMP-13

30

when treating osteoarthritis. See, e.g., Mitchell et al., J Clin. Invest., 97:761-768 (1996). See also, Reboul et al., J Clin. Invest., 97:2011-2019 (1996). Normally, however, it is preferred to use a drug that has little or no inhibitory effect on MMP-1 and MMP-14. This preference stems from the fact that both MMP-1 and MMP-14 are involved in several homeostatic processes, and inhibition of MMP-1 and/or MMP-14 consequently tends to interfere with such processes.

- [15] Many known MMP inhibitors exhibit the same or similar inhibitory effects against each of the MMPs. For example, batimastat (a peptidomimetic hydroxamic acid) has been reported to exhibit IC₅₀ values of from about 1 to about 20 nM against each of MMP-1, MMP-2, MMP-3, MMP-7, and MMP-9. Marimastat (another peptidomimetic hydroxamic acid) has been reported to be another broad-spectrum MMP inhibitor with an enzyme inhibitory spectrum similar to batimastat, except that Marimastat reportedly exhibited an IC₅₀ value against MMP-3 of 230 nM. See Rasmussen et al., Pharmacol. Ther., 75(1): 69-75 (1997).
- 15 [16] Meta analysis of data from Phase I/II studies using Marimastat in patients with advanced, rapidly progressive, treatment-refractory solid tumor cancers (colorectal, pancreatic, ovarian, and prostate) indicated a dose-related reduction in the rise of cancer-specific antigens used as surrogate markers for biological activity. Although Marimastat exhibited some measure of efficacy via these markers, toxic side effects reportedly were observed. The most common drug-related toxicity of Marimastat in those clinical trials was musculoskeletal pain and stiffness, often commencing in the small joints in the hands, and then spreading to the arms and shoulder. A short dosing holiday of 1-3 weeks followed by dosage reduction reportedly permits treatment to continue. See Rasmussen et al., Pharmacol. Ther., 75(1): 69-75 (1997). It is thought that the lack of specificity of inhibitory effect among the MMPs may be the cause of that effect.
 - [17] Another enzyme implicated in pathological conditions associated with excessive degradation of connective tissue is aggrecanase, particularly aggrecanase-1 (also known as ADAMTS-4). Specifically, articular cartilage contains large amounts of the proteoglycan aggrecan. Proteoglycan aggrecan provides mechanical properties that help articular cartilage in withstanding compressive deformation during joint articulation. The loss of aggrecan fragments and their release into synovial fluid caused by proteolytic cleavages is a central pathophysiological event in osteoarthritis and rheumatoid arthritis.

30

5

10

これに愛聞して、問題でして

It has been reported that two major cleavage sites exist in the proteolytically sensitive interglobular domains at the N-terminal region of the aggrecan core protein. One of those sites has been reported to be cleaved by several matrix metalloproteases. The other site, however, has been reported to be cleaved by aggrecanase-1. Thus, inhibiting excessive aggrecanase activity provides an additional and/or alternative treatment method for inflammatory conditions. See generally, Tang, B. L., "ADAMTS: A Novel Family of Extracellular Matrix Proteases," Int'l Journal of Biochemistry & Cell Biology, 33, pp. 33-44 (2001). Such diseases reportedly include, for example, osteoarthritis, rheumatoid arthritis, joint injury, reactive arthritis, acute pyrophosphate arthritis, and psoriatic arthritis. See, e.g., European Patent Application Publ. No. EP 1 081 137 A1.

- In addition to inflammatory conditions, there also is evidence that inhibiting aggrecanase may be used for treating cancer. For example, excessive levels of aggrecanase-1 reportedly have been observed with a ghoma cell line. It also has been postulated that the enzymatic nature of aggrecanase and its similarities with the MMPs would support tumor invasion, metastasis, and angiogenesis. See Tang, Int'l Journal of Biochemistry & Cell Biology, 33, pp. 33-44 (2001).
- [19] Various hydroxamic acid compounds have been reported to inhibit aggrecanase-1. Such compounds include, for example, those described in European Patent Application Publ. No. EP 1 081 137 A1. Such compounds also include, for example, those described in WIPO PCT Int'l Publ. No. WO 00/09000. Such compounds further include, for example, those described in WIPO PCT Int'l Publ. No. WO 00/59874.
- [20] In view of the importance of hydroxamic acid compounds in the treatment of several pathological conditions (particularly those associated with MMP and/or aggrecanase activity) and the lack of enzyme specificity exhibited by two of the more potent hydroxamic acid MMP-inhibitor drugs that have been in clinical trials, there continues to be a need for hydroxamic acids having greater enzyme specificity (particularly hydroxamic acids exhibiting little or no inhibitory activity toward MMP-1 and/or MMP-14). The following disclosure describes hydroxamic acid compounds that tend to exhibit such desirable activities.

30

25

5

10

15

SUMMARY OF THE INVENTION

This invention is directed to, for example, compounds and salts thereof that [21] inhibit protease activity, particularly compounds that inhibit MMP-2, MMP-9, MMP-13, and/or aggrecanase, while generally exhibiting relatively little or no inhibition against MMP-1 and MMP-14 activity. This invention also is directed to, for example, a method 5 for inhibiting protease activity, particularly pathological MMP activity. Such a method is particularly suitable to be used with mammals, such as humans, other primates (e.g., monkeys, chimpanzees. etc.), companion animals (e.g., dogs, cats, horses. etc.), farm animals (e.g., goats, sheep, pigs, cattle, etc.), laboratory animals (e.g., mice, rats, etc.), and wild and zoo animals (e.g., wolves, bears, deer, etc.). 10

Briefly, therefore, this invention is directed, in part, to a compound that [22] corresponds in structure to Formula I (or a salt thereof):

HO N
$$A^1$$
 A^2 X E^1 - E^2 - E^3

Generally, Y, A¹, A², E¹, E², and E³ are defined as follows: 15

Y is nitrogen, carbon bonded to hydrogen, or carbon bonded to an R^x substituent.

A¹ and A², together with the carbon to which they are bonded, form [24] carbocyclyl or heterocyclyl. The carbocyclyl or heterocyclyl is optionally substituted with up to 3 independently selected R^{x} substituents. Alternatively, A^{1} and A^{2} are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylthioalkyl, carbocyclylalkylthioalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkenyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, 25 heterocyclylalkylthio, heterocyclylthioalkyl, and heterocyclylalkylthioalkyl. Each such substituent (if substitutable) optionally is substituted with up to 3 independently selected

RX substituents.

E¹ is carbocyclyl or heterocyclyl. The carbocyclyl or heterocyclyl (if substitutable at one or more positions other than the position occupied by -E²-E³) is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional the alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[27] Alternatively, E¹ is -E^{1A}-E^{1B}. Here, E^{1A} is -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^a)-S(O)₂-, -S(O)₂-N(R^a)-, -O-S(O)₂-, -S(O)₂-O-, -C(NH)-, -C(NOH)-, or a bond. E^{1B} is heterocylcylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[28] E² is -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^a)-S(O)₂-, -S(O)₂-, -C(NH)-, -C(NOH)-, or a bond.

[29] E³ is hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alky

5

10

15

20

25

30

ۇ بەر قۇرى

one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, hydroxylimino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, alkylsulfonyl, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, Ra-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, RaRa-amino, RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy, heterocyclyloxyalkoxy, heterocyclylsulfonyl, heterocyclylthio, and heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

20

5

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy are optionally substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino is optionally substituted with up to 2 independently selected alkyl; and

25

30

the imino is optionally substituted with hydroxy.

[31] Each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxyalkyl,

heterocyclylalkoxyalkyl, heterocyclylthioalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminoalkyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted:

5

on any substitutable carbon with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

on any substitutable amino nitrogen with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl;

10

15

- [32] This invention also is directed, in part, to a method for treating a condition associated with pathological matrix metalloprotease activity in a mammal having the condition or predisposed to having the condition. The method comprises administering an above-described compound or a pharmaceutically acceptable salt thereof to the mammal in an amount that is therapeutically-effective to treat the condition.
- This invention also is directed, in part, to a method for treating a condition associated with pathological TNF- α convertase activity in a mammal having the condition or predisposed to having the condition. The method comprises administering an above-described compound or a pharmaceutically acceptable salt thereof to the mammal in an amount that is therapeutically-effective to treat the condition.

20

'n.

[34] This invention also is directed, in part, to a method for treating a condition associated with pathological aggrecanase activity in a mammal having the condition or predisposed to having the condition. The method comprises administering an above-described compound or a pharmaceutically acceptable salt thereof to the mammal in an amount that is therapeutically-effective to treat the condition.

30

25

pathological condition in a mammal having the condition or predisposed to having the condition, wherein the pathological condition comprises tissue destruction, a fibrotic disease, pathological matrix weakening, defective injury repair, a cardiovascular disease, a pulmonary disease, a kidney disease, a liver disease, an ophthalmologic disease, and a central nervous system disease. The method comprises administering an above-described

compound or a pharmaceutically acceptable salt thereof to the mammal in an amount that is therapeutically-effective to treat the condition.

- pathological condition in a mammal having the condition or predisposed to having the condition, wherein the pathological condition comprises osteoarthritis, rheumatoid arthritis, septic arthritis, tumor invasion, tumor metastasis, tumor angiogenesis, a decubitis ulcer, a gastric ulcer, a corneal ulcer, periodontal disease, liver cirrhosis, fibrotic lung disease, otosclerosis, atherosclerosis, multiple sclerosis, dilated cardiomyopathy, epidermal ulceration, epidermolysis bullosa, aortic aneurysm, defective injury repair, an adhesion, scarring, congestive heart failure, post myocardial infarction, coronary thrombosis, emphysema, proteinuria, Alzheimer's disease, bone disease, and chronic obstructive pulmonary disease. The method comprises administering an above-described compound or a pharmaceutically acceptable salt thereof to the mammal in an amount that is therapeutically-effective to treat the condition.
- [37] This invention also is directed, in part, to pharmaceutical compositions comprising a therapeutically-effective amount of an above-described compound or a pharmaceutically-acceptable salt thereof.
- [38] This invention also is directed, in part, to a use of an above-described compound or a pharmaceutically acceptable salt thereof to prepare a medicament for treating a condition associated with pathological matrix metalloprotease activity.
- [39] This invention also is directed, in part, to a use of an above-described compound or a pharmaceutically acceptable salt thereof to prepare a medicament for treating a condition associated with pathological TNF- α convertase activity.
- [40] This invention also is directed, in part, to a use of an above-described compound or a pharmaceutically acceptable salt thereof to prepare a medicament for treating a condition associated with pathological aggrecanase activity.
- [41] This invention also is directed, in part, to a use of an above-described compound or a pharmaceutically acceptable salt thereof to prepare a medicament for treating tissue destruction, a fibrotic disease, pathological matrix weakening, defective injury repair, a cardiovascular disease, a pulmonary disease, a kidney disease, a liver disease, an ophthalmologic disease, and a central nervous system disease. The method

5

10

15

20

25

30

comprises administering an above-described compound or a pharmaceutically acceptable salt thereof to the mammal in an amount that is therapeutically-effective to treat the condition.

- [42] This invention also is directed, in part, to a use of an above-described compound or a pharmaceutically acceptable salt thereof to prepare a medicament for treating osteoarthritis, rheumatoid arthritis, septic arthritis, tumor invasion, tumor metastasis, tumor angiogenesis, a decubitis ulcer, a gastric ulcer, a corneal ulcer, periodontal disease, liver cirrhosis, fibrotic lung disease, otosclerosis, atherosclerosis, multiple sclerosis, dilated cardiomyopathy, epidermal ulceration, epidermolysis bullosa, aortic aneurysm, defective injury repair, an adhesion, scarring, congestive heart failure, post myocardial infarction, coronary thrombosis, emphysema, proteinuria, Alzheimer's disease, bone disease, and chronic obstructive pulmonary disease. The method comprises administering an above-described compound or a pharmaceutically acceptable salt thereof to the mammal in an amount that is therapeutically-effective to treat the condition.
- [43] Further benefits of Applicants' invention will be apparent to one skilled in the art from reading this patent.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

acquaint others skilled in the art with Applicants' invention, its principles, and its practical application so that others skilled in the art may adapt and apply the invention in its numerous forms, as they may be best suited to the requirements of a particular use. This detailed description and its specific examples, while indicating preferred embodiments of this invention, are intended for purposes of illustration only. This invention, therefore, is not limited to the preferred embodiments described in this patent, and may be variously modified.

A. Compounds of This Invention

[45] In accordance with this invention, it has been found that certain piperidinyland piperazinyl-sulfonylmethyl hydroxamic acid compounds and salts thereof tend to be effective for inhibiting proteases, particularly those associated with excessive (or otherwise pathological) breakdown of connective tissue. Specifically, Applicants have

30

5

10

15

٠,

found that these compounds and salts tend to be effective for inhibiting proteases (particularly MMP-2, MMP-9, MMP-13, other MMP's associated with pathological conditions, and/or aggrecanase) that are often particularly destructive to tissue if present or generated in abnormally excessive quantities or concentrations. Moreover, Applicants

have discovered that these compounds and salts tend to be selective toward inhibiting pathological protease activity, while avoiding excessive inhibition of other proteases (particularly MMP-1 and/or MMP-14) that are typically essential to normal bodily function (e.g., tissue turnover and repair).

A-1. Preferred Compound Structures

[46] As noted above, the compounds of this invention generally have a structure corresponding to Formula I:

HO
$$R^x$$
 $E^1-E^2-E^3$

In many preferred embodiments, such compounds generally correspond in structure to the following formula (IA):

HO N O O O
$$E^{1}-E^{2}-E^{3}$$
(IA).

In these formulas, Y, A¹, A², E¹, E², E³, and R^x are defined as follows:

General Description of Preferred Y Substituents

Y is generally (1) carbon bonded to hydrogen, (2) carbon bonded to an R^x substituent, or (3) nitrogen.

[48] If Y is carbon bonded to hydrogen, the compound corresponds in structure to Formula (IB-1):

20

HO
$$R^x$$

$$E^1-E^2-E^3$$
(IB-1).

[49] If, on the other hand, Y is bonded to an R^x substituent, the compound corresponds in structure to Formula (IB-2):

HO
$$R^x$$
 R^x
 $E^1-E^2-E^3$

In many such embodiments, the piperidine bridging the sulfonyl and E¹ is preferably not otherwise substituted with an R^x substituent. In that instance, the compound corresponds in structure to Formula (IB-3):

HO N
$$R^x$$
 $E^1-E^2-E^3$ (IB-3).

10

5

In some such embodiments, Y is preferably carbon bonded to halogen. In other such embodiments, Y is preferably carbon bonded to hydroxy. In those embodiments, the compound corresponds in structure to Formula (IB-4)

HO N OH
$$E^{1}-E^{2}-E^{3}$$
 (IB-4).

15

[50] If Y is nitrogen, the compound corresponds in structure to Formula (IB-5):

HO N H A¹ A² N
$$E^{1}-E^{2}-E^{3}$$
 (IB-5).

General Description of Preferred A¹ and A² Substituents

carbocyclyl or heterocyclyl. The carbocyclyl or heterocyclyl is, in turn, optionally substituted with up to 3 independently selected R^{X} substituents. The phrase "optionally substituted with up to 3 independently selected R^{X} substituents" means that the carbocyclyl or heterocyclyl may be either: (1) unsubstituted; or (2) substituted with 1, 2, or 3 R^{X} substituents. Those R^{X} substituents may be identical or different. The term "substituted" means that an R^{X} substituent is in the place of a hydrogen on the carbocyclyl or heterocyclyl. If the ring structure has fewer than 3 substitutable positions (*i.e.*, less than 3 hydrogens), then the number of optional R^{X} substituents on the ring structure will be up to the number of substitutable positions on the ring structure. To illustrate, if A^{1} and A^{2} (together with the carbon to which they are bonded) form dioxazolyl:

then the dioxazolyl is optionally substituted with up to one R^x substituent. In other words, the compound will correspond in structure to one of the following:

5

10

[52] In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form carbocyclyl. The carbocyclyl is optionally substituted with up to 3 independently selected $R^{\rm X}$ substituents.

- [53] In some preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted carbocyclyl.
 - [54] In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cycloalkenyl optionally substituted with up to 3 independently selected R^X substituents.
- [55] In some preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted cycloalkenyl.
 - [56] In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cycloalkyl optionally substituted with up to 3 independently selected R^X substituents.
- [57] In some preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted cycloalkyl.
 - [58] In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cyclopropyl optionally substituted with up to 3 independently selected $R^{\rm X}$ substituents.
- In some preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted cyclopropyl.
 - In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cyclobutyl optionally substituted with up to 3 independently selected $R^{\rm X}$ substituents.
- [61] In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form unsubstituted cyclobutyl.
 - [62] In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cyclopentyl optionally substituted with up to 3 independently selected R^{χ} substituents.


In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form unsubstituted cyclopentyl.

- In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cyclohexyl optionally substituted with up to 3 independently selected R^{χ} substituents.
- In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form unsubstituted cyclohexyl.
- In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form heterocyclyl. The heterocyclyl optionally is substituted with up to 3 independently selected $R^{\rm X}$ substituents.
- [67] In some preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted heterocyclyl.
- In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form heteroalkenyl. The heteroalkenyl optionally is substituted with up to 3 independently selected R^{χ} substituents.
- In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form unsubstituted heteroalkenyl.
- [70] In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form heterocycloalkyl. The heteroalkenyl optionally is substituted with up to 3 independently selected R^{χ} substituents.
- In some preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form unsubstituted heterocycloalkyl.
- [72] In some preferred embodiments, the A^1 moiety corresponds in structure to one of the following:


5


10


15





... 1/2 mg/k . . .






























°CF₃, ·CH₃, F₃C H_3C CH, CH₃ H₃C-ĊH₃ ĊH₃, .CH₃ `СН₃, CH₃ CH_3







[73] In some preferred embodiments, the A^1 moiety corresponds in structure to the following formula:



A''

Here, A' and A'' are independently selected from the group consisting of hydrogen and

5 halogen (preferably fluoro).

[74] In some preferred embodiments, the compound corresponds in structure to

the following formula:

HO N
$$E^{1}-E^{2}-E^{3}$$

Here, A is -O-, -N(H)-, -N(R^x)-, -S-, -S(O)-, or -S(O)₂-.

[75] In some preferred embodiments, A is -O-, *i.e.*, the compound corresponds in structure to the following formula:

HO N O O O
$$E^{1}-E^{2}-E^{3}$$
 (ID-1).

[76] In some preferred embodiments, A is -N(H)-, i.e., the compound corresponds in structure to the following formula:

HO N O O O
$$E^{1}-E^{2}-E^{3}$$
 (ID-2).

m

[77] In some preferred embodiments, A is $-N(R^x)$ -, *i.e.*, the compound corresponds in structure to the following formula:

[78] In some preferred embodiments, A is -S-, *i.e.*, the compound corresponds in structure to one of the following formula:

15

[79] In some preferred embodiments, A is -S(O)-, *i.e.*, the compound corresponds in structure to one of the following formula:

(ID-5).

[80] In some preferred embodiments, A is $-S(O)_2$ -, *i.e.*, the compound corresponds in structure to one of the following formula:

10

15

20

5

[81] A¹ and A² alternatively may be independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkylthio, heterocyclylalkyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl. Each such substituent (if

[82] In the above definition, where A¹ or A² can be hydrogen, the modifying phrase "if substitutable" excludes replacing that hydrogen with an R^x substituent. Other

substitutable) optionally is substituted with up to 3 independently selected R^X substituents.

contemplated A^1 or A^2 substituents that are not substitutable (i.e., have no hydrogens) include, for example, oxatriazolyl:

If the A¹ or A² substituent has less than 3 substitutable positions (i.e., less than 3 hydrogens), then the number of optional R^x substituents will be up to the number of substitutable positions on the A¹ or A² substituent.

[83] In some preferred embodiments, A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl. The heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\rm X}$ substituents.

10 Alternatively, in such embodiments, A¹ and A² are independently selected as follows:

A¹ is hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkylthio, heterocyclylalkyl, or heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^X substituents.

A² is alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^x substituents.

25

20

In some preferred embodiments, A¹ and A² are independently selected from the group consisting of alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkylthio, heterocyclylalkyl, heterocyclylalkylthio, heterocyclylalkyl, and heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^X substituents.

[85] In some preferred embodiments, one of A^1 and A^2 is hydrogen, e.g.,, the compound corresponds in structure to the following formula:

HO N
$$A^2$$
 $E^1-E^2-E^3$ (IE).

[86] In some preferred embodiments, A² is alkyl, and A¹ is hydrogen

15

20

5

10

General Description of Preferred E^1 , E^2 , and E^3 Substituents

heterocyclyl (if substitutable at one or more positions other than the position occupied by $-E^2-E^3$) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

25

In some preferred embodiments, E^1 is heterocyclyl. The heterocyclyl is (if substitutable at one or more positions other than the position occupied by $-E^2-E^3$) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl,

alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[89] In some preferred embodiments, E¹ is heterocyclyl. The heterocyclyl is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turm, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

In some preferred embodiments, E¹ is pyrazinyl, pyrimidinyl pyridazinyl, [90] furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, isopyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, isoimidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, dithiolyl, oxathiolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxatriazolyl, dioxazolyl, oxathiolyl, oxathiolanyl, pyranyl, dihydropyranyl, pyridinyl, piperidinyl, diazinyl, piperazinyl, triazinyl, oxazinyl, isoxazinyl, oxathiazinyl, oxadiazinyl, morpholinyl, azepinyl, oxepinyl, thiepinyl, diazepinyl, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, indoleninyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl, isobenzofuranyl, benzothienyl, isobenzothienyl, benzothiazolyl, benzothiadiazolyl, benzimidazolyl, benzotriazolyl, benzoxazinyl, benzisoxazinyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, or acridinyl. Each such substituent is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn,

5

10

15

20

25

optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

In some preferred embodiments, E¹ is pyrazinyl, pyrimidinyl pyridazinyl, [91] furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxatriazolyl, oxathiolyl, oxathiolanyl, pyranyl, dihydropyranyl, pyridinyl, piperidinyl, piperazinyl, triazinyl, oxazinyl, morpholinyl, azepinyl, diazepinyl, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, indoleninyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl, isobenzofuranyl, benzothienyl, isobenzothienyl, benzothiazolyl, benzothiadiazolyl, benzimidazolyl, benzotriazolyl, benzoxazinyl, benzisoxazinyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, or acridinyl. Each such substituent is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino. 25

In some preferred embodiments, E¹ is heterocycloalkyl. The [92] heterocycloalkyl is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the

30

5

10

15

20

group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[93] In some preferred embodiments, E¹ is piperazinyl.

[94] In some preferred embodiments, E¹ is heterocycloalkenyl. The

heterocycloalkenyl is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

In some preferred embodiments, E¹ is heteroaryl. The heteroaryl (if substitutable at one or more positions other than the position occupied by -E²-E³) is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[96] In some preferred embodiments, E¹ is pyrazinyl, pyrimidinyl pyridazinyl, furanyl, thienyl, pyrrolyl, isopyrrolyl, imidazolyl, isoimidazolyl, pyrazolyl, triazolyl, dithiolyl, oxathiolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, dioxazolyl, oxathiolyl, pyranyl, pyridinyl, diazinyl, triazinyl, tetrazolyl, oxazinyl, isoxazinyl, oxathiazinyl, oxadiazinyl, azepinyl, oxepinyl, thiepinyl, or diazepinyl. Each such substituent (if substitutable at one or more positions other than the position occupied by -E²-E³) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

28

15

20

25

30

[97] In some preferred embodiments, E¹ is pyrazinyl, pyrimidinyl pyridazinyl, furanyl, thienyl, pyrrolyl, isopyrrolyl, imidazolyl, isoimidazolyl, pyrazolyl, triazolyl, dithiolyl, oxathiolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, dioxazolyl, oxathiolyl, pyranyl, pyridinyl, diazinyl, triazinyl, tetrazolyl, oxazinyl, isoxazinyl, oxathiazinyl, oxadiazinyl, azepinyl, oxepinyl, thiepinyl, or diazepinyl.

[98] In some preferred embodiments, E¹ is pyrazinyl, pyrimidinyl pyridazinyl, furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, triazolyl, oxazolyl, isoxazolyl, thiazolyl; isothiazolyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxathiolyl, pyranyl, pyridinyl, triazinyl, tetrazolyl, oxazinyl, azepinyl, or diazepinyl. Each such substituent is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Such optional substituents, in turn, are optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

[99] In some preferred embodiments, E¹ is pyrazinyl, pyrimidinyl pyridazinyl, furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, triazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxathiolyl, pyranyl, pyridinyl, triazinyl, tetrazolyl, oxazinyl, azepinyl, or diazepinyl.

[100] In some preferred embodiments, E¹ is thienyl.

[101] In some preferred embodiments, E¹ is thiazolyl.

[102] In some preferred embodiments, E^1 is pyridinyl.

[103] In some preferred embodiments, E¹ is 5-member heteroaryl. The heteroaryl is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[104] In some preferred embodiments, E¹ is thienyl, thiazolyl, isothiazolyl, oxadiazolyl, or thiodiazolyl.

5

10

15

20

25

30

7

0.01

[105] In some preferred embodiments, E¹ is 6-member heteroaryl. The heteroaryl is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[106] In some preferred embodiments, E^1 is pyridinyl, pyrazinyl, pyrimidinyl, or pyridazinyl.

[107] In some preferred embodiments, E¹ is multi-ring heteroaryl. The heteroaryl is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[108] Examples of various contemplated compounds having a fused-ring heteroaryl at E¹ include, for example, those shown in Table 1A:

5

10

 $\textbf{Table 1A} \\ \textbf{Examples of Various Suitable Compounds Wherein E}^{1} \ \textbf{is Multi-Ring Heteroaryl} \\$

In **Table 1**, Z preferably is hydrogen, halogen, methyl, or trihalomethyl (particularly trifluoromethyl)..

[109] Alternatively, E¹ may be alkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino,

mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional the alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

- [110] In some preferred embodiments, E¹ is alkyl.
- [111] In some preferred embodiments, E¹ is methyl.
- [112] E^2 is generally -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^a)-S(O)₂-,
- 10 $-S(O)_2-N(R^a)-$, $-O-S(O)_2-$, $-S(O)_2-O-$, -C(NH)-, -C(NOH)-, or a bond.
 - [113] In some preferred embodiments, E^2 is -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^a)-S(O)₂-, -S(O)₂-N(R^a)-, -O-S(O)₂-, -S(O)₂-O-, -C(NH)-, or -C(NOH)-.
- [114] In some preferred embodiments, E² is -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^a)-S(O)₂-, -S(O)₂-N(R^a)-, -O-S(O)₂-, -S(O)₂-O-, -C(NH)-, or -C(NOH)-.
 - [115] In some preferred embodiments, E^2 is -C(O)-, -N(H)-, -S-, $-S(O)_2$ -, -O- $S(O)_2$ -, or -C(O)-N(H)-.
- [116] In some preferred embodiments, E^2 is -C(O)-, -C(O)-O-, -C(O)-N(R^a)-, -S(O)₂-, -S(O)₂-, -S(O)₂-, -C(NH)-, -C(NOH)-, or a bond.
 - [117] In some preferred embodiments, E² is a bond.
 - [118] In some preferred embodiments, E² is -O-.
 - [119] In some preferred embodiments, E² is -N(R^a)-.
 - [120] In some preferred embodiments, E^2 is -N(H)-.
- 25 [121] In some preferred embodiments, E² is -S-.
 - [122] In some preferred embodiments, E² is -S(O)₂-.
 - [123] In some preferred embodiments, E^2 is -C(O)-.
 - [124] In some preferred embodiments, E² is -O-S(O)₂-.
 - [125] In some preferred embodiments, E² is -C(O)-N(H)-.

- 5

In some preferred embodiments, -E¹-E² is -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(Rª)-, -C(O)-N(Rª)-, -N(Rª)-C(O)-, -C(O)-N(Rª)-N(Rª)-C(O)-, -S-, -S(O)-, -S(O)2-, -N(Rª)-S(O)2-, -S(O)2-N(Rª)-, -O-S(O)2-, -S(O)2-O-, -C(NH)-, -C(NOH)-, or alkyl. The alkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

10

15

5

[127] In some preferred embodiments, -E¹-E² is alkyl.

[128] In some preferred embodiments, $-E^1-E^2$ is methyl.

[129] In some preferred embodiments, E^1 - E^2 is -O-.

[130] E³ is generally hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

25

30

20

· Managhan Angalan A

[131] In some preferred embodiments, E³ is hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from

the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, and amino.

[133] In some preferred embodiments, E³ is hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, and amino.

[134] In some preferred embodiments, E³ is halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group

5

10

15

20

25

30

• ! ...: consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

[135] In some preferred embodiments, E³ is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, or alkoxyalkylthioalkyl; and more preferably alkyl, alkoxy, alkoxyalkyl, or alkoxyalkoxy. Each such substituent is, in turn, partially substituted with one or more independently selected halogen. The halogen are preferably selected from the group consisting of bromo, chloro, and fluoro; more preferably selected from the group consisting of chloro and fluoro; and even more preferably all fluoro.

[136] In some preferred embodiments, E³ is carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. As to such optional substituents:

the alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

the amino nitrogen is substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl.

[137] In some preferred embodiments, E³ is cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, each such substituent (if substitutable) is, in turn, substituted with one or more cyano.

[138] In some preferred embodiments, E³ is hydrogen, halogen, cyano, C₁-C₉-alkyl, C₁-C₉-alkoxy-C₁-C₉-alkyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyl-C₁-C₆-alkyl,

5

10

15

20

25

5

10

15

20

25

30

-3.2

- 3

phenyl, C₁-C₆-alkylphenyl, C₁-C₆-alkoxyphenyl, phenyl-C₁-C₆-alkyl, heterocyclyl-C₁-C₆-alkyl, C₁-C₆-alkylheterocyclyl, or C₁-C₆-alkoxyheterocyclyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen and cyano. Any heterocyclyl of E³ has 5 to 10 ring members, and, if divalently substitutable, is optionally substituted with up to 2 oxo.

[139] In some preferred embodiments, E³ is hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, alkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. As to such optional substituents:

the alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

the amino nitrogen is substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl.

[140] In some preferred embodiments, E^3 is hydrogen, C_1 - C_9 -alkyl, C_1 - C_9 -alkoxy- C_1 - C_9 -alkyl, C_3 - C_6 -cycloalkyl, C_3 - C_6 -cycloalkyl- C_1 - C_6 -alkyl, phenyl, C_1 - C_6 -alkylphenyl, C_1 - C_6 -alkoxyphenyl, phenyl- C_1 - C_6 -alkyl, heterocyclyl- C_1 - C_6 -alkylheterocyclyl, and C_1 - C_6 -alkoxyheterocyclyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen and cyano. And any heterocyclyl of E^3 has 5 to 10 ring members, and, if divalently substitutable, is optionally substituted with up to 2 oxo.

[141] In some preferred embodiments, E³ is halogen, cyano, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn,

optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. As to such optional substituents:

5

the alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

the amino is substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl.

10

15

20

. .

「日本の日本語で、日本語であって、

[142] In some preferred embodiments, E³ is hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

25

In addition, E³ is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents

5

10

15

20

independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

In some preferred embodiments, E³ comprises at least 2 carbon atoms. In addition, E³ is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

- [145] In some preferred embodiments, E³ is alkyl or alkoxyalkyl.
- [146] In some preferred embodiments, E³ is alkoxyalkyl.
- [147] In some preferred embodiments, E³ is haloalkyl.
- [148] In some preferred embodiments, E³ is alkyl partially substituted with halogen.
- [149] In some preferred embodiments, E³ is alkyl comprising a carbon atom bonded to at least one hydrogen atom and at least one halogen atom.
 - [150] In some preferred embodiments, E³ is alkyl.
 - [151] In some preferred embodiments, E³ is C₆-C₁₂-alkyl.
- 25 alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkylthioalkyl, alkylthioalkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkoxyalkyl, alkoxyalkyl, alkoxyalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Any substitutable member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents

independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

[153] In some preferred embodiments, E³ is phenylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. The optional alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

[154] In some preferred embodiments, E³ is alkenyl or alkynyl. The alkenyl and alkynyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

[155] In some preferred embodiments, E^3 is alkenyl.

[156] In some preferred embodiments, E³ comprises at least 5 carbon atoms and is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, or aminoalkyl. Any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

5

10

15

20

25

30

しょう こんかん との職権のか

In addition, -E²-E³ is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

[158] In some preferred embodiments, $-E^2-E^3$ is n-pentyl or n-butoxy. Here, the n-pentyl or n-butoxy, in turn, is optionally substituted with one or more independently selected halogen (preferably bromo, chloro, or fluoro; more preferably chloro or fluoro; and even more preferably fluoro).

[159] In some preferred embodiments, -E²-E³ is butyl, pentyl, ethoxy, propoxy, methoxyethoxy, cyclobutyloxy, butoxy, trifluoromethylpropoxy, cyclopropylmethoxy, or phenyl.

[160] In some preferred embodiments, -E²-E³ is alkoxyalkyl.

[161] In some preferred embodiments, $-E^2-E^3$ is alkoxy.

[162] In some preferred embodiments, $-E^2-E^3$ corresponds in structure to the following formula:

25 [163] In some preferred embodiments, -E²-E³ corresponds in structure to the following formula:

5

10

15

20

ş., j

<u>ئ</u>ې -

[164] In some preferred embodiments, $-E^2-E^3$ is alkyl.

[165] In some preferred embodiments, -E²-E³ corresponds in structure to the following formula:

5 [166] In some preferred embodiments, -E²-E³ corresponds in structure to the following formula:

[167] In some preferred embodiments, $-E^2-E^3$ corresponds in structure to the following formula:

10

[168] In some preferred embodiments, $-E^2-E^3$ corresponds in structure to the following formula:

[169] In some preferred embodiments, -E²-E³ corresponds in structure to the following formula:

[170] In some preferred embodiments, $-E^2-E^3$ corresponds in structure to the following formula:

20 [171] In some preferred embodiments, -E²-E³ corresponds in structure to the following formula:

PCT/US03/13123

[172] In some preferred embodiments, $-E^2-E^3$ corresponds in structure to the following formula:

In some preferred embodiments, -E²-E³ corresponds in structure to the following formula:

[174] In some preferred embodiments, -E²-E³ corresponds in structure to the following formula:

10

15

* ;

[175] In some preferred embodiments, $-E^2-E^3$ corresponds in structure to the following formula:

$$\mathcal{E}^{\mathcal{E}'}$$
 $\mathcal{E}^{\mathcal{C}H_3}$

[176] In some preferred embodiments, -E²-E³ is cyanoalkyl.

[177] In some preferred embodiments, -E²-E³ is cyanoaryl.

[178] In some preferred embodiments, $-E^2-E^3$ is cyano.

[179] In some preferred embodiments, -E²-E³ is halogen.

[180] In some preferred embodiments, -E²-E³ is hydrogen.

[181] In some preferred embodiments, the -E²-E³ substituent is such that the

20 compound corresponds in structure to a formula shown in Table Table 1B:

 $Table\ 1B$ $Examples\ of\ Compounds\ Having\ Various\ -E^2\text{-}E^3\ Substituents$

HO NH
$$Y - E^1 - E^2 - E^3$$

$$-E^2E^3 =$$

General Description of Preferred Rx and Ra Substituents

[182] In general, each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino, R^aR^a-aminoalkyl, R^aR^a-aminoalkyl, R^aR^a-aminoalkyl(R^a)amino, R^aR^a-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxy, carbocyclyloxy, heterocyclyloxyl, heterocyclyloxyalkoxy, heterocyclyloxyalkoxy, heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy are optionally substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino is optionally substituted with up to 2 independently selected alkyl; and

the imino is optionally substituted with hydroxy.

20 [183] In some preferred embodiments, any heterocyclyl of R^x is selected from the group consisting of pyrazinyl, pyrimidinyl pyridazinyl, furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, isopyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, isoimidazolyl, imidazolinyl, imidazolinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, dithiolyl, oxathiolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolyl, oxathiazolyl, oxathiazolyl, oxathiazolyl, oxathiazolyl, oxathiazolyl, oxathiolyl, oxathiolyl, oxathiolyl, pyranyl, dihydropyranyl, pyridinyl, piperidinyl, diazinyl, piperazinyl, triazinyl, oxazinyl, isoxazinyl, oxathiazinyl, oxadiazinyl, morpholinyl, azepinyl, oxepinyl, thiepinyl, diazepinyl, indolizinyl, pyridopyridinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, indoleninyl, isoindazolyl, benzazinyl, phthalazinyl,

quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl, isobenzothienyl, benzothiazolyl, benzothiadiazolyl, benzothiadiazolyl, benzotriazolyl, benzoxazinyl, benzisoxazinyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, and acridinyl.

In some preferred embodiments, any heterocyclyl of R^x is selected from the group consisting of pyrazinyl, pyrimidinyl pyridazinyl, furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, isothiazolyl, isothiazolyl, oxadiazolyl, oxathiazolyl, oxathiolyl, oxathiolyl, oxathiolanyl, pyranyl, dihydropyranyl, pyridinyl, piperidinyl, piperazinyl, triazinyl, oxazinyl, morpholinyl, azepinyl, diazepinyl, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, indoleninyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl, isobenzofuranyl, benzothienyl, isobenzothienyl, benzothiadiazolyl, benzothiadiazolyl, benzimidazolyl, benzotriazolyl, benzoxazinyl, benzoxazinyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, and acridinyl.

substituents, each such R^x is independently selected from the group consisting of halogen, hydroxy, alkyl, alkoxy, alkoxyalkyl, cyno, acyl, carboxy, alkylsulfone, R^aR^a-amino, R^aR^a-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, heterocyclylalkyl, heterocyclyloxy, and heterocyclylsulfonyl. Any substitutable member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, alkylamino, alkyl, alkoxy, and alkoxyalkyl. And any such optional substituent is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, alkyl and hydroxy

5

10

15

20

25

30

[186] In some preferred embodiments where A is -N(R^x)-, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy are optionally substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino is optionally substituted with up to 2 independently selected alkyl.

[187] In some preferred embodiments where A is -N(R*)-, R* is R*c-oxyalkyl, R*cR*c-aminoalkyl, carbocyclyl, carbocyclylalkyl, or carbocyclylsulfonyl. The carbocyclyl and the carbocyclyl of the carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, and carbocyclylsulfonyl are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino is optionally substituted with up to 2 independently selected alkyl.

Here, each R^c is independently selected from the group consisting of carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, and carbocyclylsulfonylalkyl. The carbocyclyl and the carbocyclyl of the carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl,

30 carbocyclylthioalkenyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, and carbocyclylsulfonylalkyl are, in turn, substituted with one or more substituents

5

10

20

. .

independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[188] In some preferred embodiments where A is -N(R*)-, R* is R*c-oxyalkyl, R*cR*c-aminoalkyl, phenyl, phenylalkyl, or phenylsulfonyl. The phenyl and the phenyl of the phenylalkyl, phenyloxy, phenyloxyalkoxy, phenylthio, and phenylsulfonyl are, in turn, substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted with up to 2 independently selected alkyl.

Here, each R^c is independently selected from the group consisting of phenyl, phenylalkyl, phenylavalkyl, phenylalkoxyalkyl, phenylthioalkyl, phenylthioalkenyl, phenylsulfoxidoalkyl, phenylsulfonyl, and phenylsulfonylalkyl. The phenyl and the phenyl of the phenylalkyl, phenyloxyalkyl, phenylalkoxyalkyl, phenylthioalkyl, phenylthioalkyl, phenylsulfoxidoalkyl, phenylsulfonyl, and phenylsulfonylalkyl are, in turn, substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, and nitroso.

substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, C_1 - C_6 -alkyl (more preferably C_1 - C_2 -alkyl), C_1 - C_6 -alkoxy (more preferably C_1 - C_2 -alkoxy), C_1 - C_6 -alkoxy- C_1 - C_6 -alkoxy (more preferably C_1 - C_2 -alkoxy- C_1 - C_2 -alkoxy). The alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy. The amino, on the other hand, is optionally substituted with up to 2 independently selected C_1 - C_6 -alkyl (more preferably C_1 - C_2 -alkyl).

5

10

15

20

25

[190] In some preferred embodiments where A is -N(R^x)-, R^x is aldehydo, C1-C6-alkyl, C3-C6-alkynyl, C1-C6-alkylcarbonyl, C1-C6-alkoxycarbonyl, C₃-C₆-alkenyloxycarbonyl, C₃-C₆-alkynyloxycarbonyl, amino, amino-C₁-C₆-alkyl, aminocarbonyl, amino-C1-C6-alkylcarbonyl, amino(thiocarbonyl), aminosulfonyl, $C_1\hbox{-} C_6\hbox{-}alkylaminocarbonyl, C_3-cycloalkyl, C_3-cycloalkyl-C_1-C_6-alkyl, C_3-cycloalkyl-C_1-C_6-alkyl, C_3-cycloalkyl-C_1-C_6-alkyl, C_3-cycloalkyl, C_3-cyclo$ 5 C_3 -cycloalkylcarbonyl, phenyl, phenyl- C_1 - C_6 -alkyl, phenylcarbonyl, phenylsulfonyl, C_1 - C_6 -alkoxyphenyl, heterocyclyl, heterocyclyl- C_1 - C_6 -alkyl, heterocyclylcarbonyl, heterocyclylsulfonyl, or C1-C6-alkoxyheterocyclyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy. 10 The optional alkyl and alkoxy substituents are, in turn, optionally substituted with one or more independently selected halogen. Any amino of Rx optionally is substituted with up to 2 independently selected C1-C6-alkyl. And any heterocyclyl of R* has 5 to 10 ring members, and, if divalently substitutable, optionally is substituted with up to 2 oxo.

[191] In some preferred embodiments where A is $-N(R^x)$ -, R^x is butyl, methoxyethyl, cyclopropyl, methylphenyl, phenylmethyl, pyridinyl, pyrimidinyl, or pyridinylmethyl.

[192] In some preferred embodiments where A is -N(R^x)-, R^x is R^c-oxyalkyl, R^cR^c-aminoalkyl, R^cR^c-aminosulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to these optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted with up to two independently selected alkyl substituents.

Here, each R^c is independently selected from the group consisting of heterocyclyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkyl. Each

*

15

20

25

such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

- In some preferred embodiments where A is -N(R^x)-, R^x is heterocyclyl, heterocyclyl-C₁-C₆-alkyl, heterocyclylcarbonyl, heterocyclylsulfonyl, or C₁-C₆-alkoxyheterocyclyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.

 In addition, any heterocyclyl of R^x has 5 to 10 ring members, and, if divalently substitutable, optionally is substituted with up to 2 oxo.
 - [194] In some preferred embodiments where A is -N(R^x)-, R^x is heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.
 - [195] In some preferred embodiments where A is -N(R^x)-, R^x is 5-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.
 - [196] In some preferred embodiments where A is -N(R^x)-, R^x is 6-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.
 - [197] In some preferred embodiments where A is -N(R^x)-, R^x is 6-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heteroaryl of R^x has 1 or 2 nitrogen ring members, with the remaining ring members being carbon.

15

20

25

30

一次 一年四日本本本の子を

In some preferred embodiments where A is $-N(R^x)$ -, R^x is 9- or 10-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.

[199] In some preferred embodiments where A is $-N(R^x)$ -, R^x is heterocycloalkylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.

[200] In some preferred embodiments where A is $-N(R^x)$ -, R^x is heterocycloalkylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heterocycloalkyl of the heterocycloalkylalkyl has 5 ring members.

[201] In some preferred embodiments where A is $-N(R^x)$ -, R^x is heterocycloalkylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heterocycloalkyl of the heterocycloalkylalkyl has 6 ring members.

[202] In some preferred embodiments where A is $-N(R^x)$ -, R^x is heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.

[203] In some preferred embodiments where A is $-N(R^x)$ -, R^x is heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.

5

10

15

20

25

30

i.i.

į

1

. .

[204] In some preferred embodiments where A is -N(R^x)-, R^x is heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is; in turn, optionally substituted with one or more independently selected halogen. In addition, the heteroaryl of the heteroarylalkyl has 6 ring members.

[205] In some preferred embodiments where A is $-N(R^x)$ -, R^x is heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heteroaryl of the heteroarylalkyl has 9 to 10 ring members.

[206] In some preferred embodiments where A is -N(R*)-, R* is alkyl, alkenyl, alkynyl, Rc-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, cycloalkylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino nitrogen is substituted by up to 2 independently selected alkyl. Here, R^c is hydrogen, alkenyl, alkynyl, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonylalkyl, heterocyclyl,

heterocyclylalkyl, heterocyclyloxyalkyl, heterocyclylalkoxyalkyl, heterocyclylthioalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonylalkyl, aminoalkyl, or alkoxyalkylaminoalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted:

5

10

15

20

on any substitutable carbon with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

on any substitutable nitrogen with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

[207] In some preferred embodiments where A is -N(R^x)-, R^x is alkyl, alkynyl, aminoalkyl, cycloalkyl, aryl, or cycloalkylalkyl. Each such substituent optionally is substituted with one or more independently selected halogen. In addition, the nitrogen of the aminoalkyl optionally is substituted by up to 2 independently selected alkyl.

[208] In some preferred embodiments where A is $-N(R^x)$ -, R^x is aryl.

[209] In some preferred embodiments where A is -N(R^x)-, R^x is haloalkyl, alkynyl, aminoalkyl, cycloalkyl, or cycloalkylalkyl. The nitrogen of the aminoalkyl optionally is substituted by 2 independently selected alkyl.

15 [210] In some preferred embodiments where A is -N(R*)-, R* is alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, cycloalkylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[211] In some preferred embodiments where A is $-N(R^x)$ -, R^x is $-R^{x1}R^{x2}$.

[212] R^{x1} is -C(O)-, -C(S)-, -C(NR^b)-, or -S(O)₂-.

[213] In some preferred embodiments, R^{x1} is $-S(O)_2$ -, *i.e.*, the compound corresponds in structure to the following formula:

25

5

[214] In some preferred embodiments, R^{x1} is -C(S)-, *i.e.*, the compound corresponds in structure to the following formula:

HO N S N
$$E^2-E^3$$
 (IF-2).

5

[215] In some preferred embodiments, R^{x1} is -C(NR^b)-, *i.e.*, the compound corresponds in structure to the following formula:

10

In such embodiments, R^{b} is hydrogen or hydroxy.

[216] In some preferred embodiments, R^{x1} is -C(O)-, *i.e.*, the compound corresponds in structure to the following formula:

HO N
$$E^{2}$$
 E^{2} E^{2}

[217] R^{x2} is hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, RaR^a-amino, RaR^a-aminoalkyl, RaR^a-aminoalkoxy, RaR^a-aminoalkyl(Ra)amino, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, heterocyclyl, heterocyclylalkyl, heterocyclyloxy, or heterocyclyloxyalkoxy. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to these optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted with up to two independently selected alkyl substituents.

[218] In some preferred embodiments, R^{x2} is hydrogen, amino, alkyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, alkenyloxy, alkynyloxy, aminoalkyl, cycloalkyl, aryl, heterocycloalkyl, or heteroaryl. Here, the alkyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, alkenyloxy, alkynyloxy, aminoalkyl, cycloalkyl, aryl, heterocycloalkyl, and heteroaryl (if substitutable) optionally are substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl. The amino, on the other hand, is optionally substituted with up to two substituents independently selected from the group consisting of alkyl and alkoxyalkyl.

[219] In some preferred embodiments, R^{x2} is heterocycloalkyl or heteroaryl. The heterocycloalkyl and heteroaryl (if substitutable) optionally are substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl.

15

20

25

[220] In some preferred embodiments, R^{x^2} is more preferably optionally-substituted heterocycloalkyl.

- [221] In some preferred embodiments, R^{x^2} is more preferably optionally-substituted heteroaryl.
- [222] In some preferred embodiments, R^{x2} is cycloalkyl or aryl. The cycloalkyl and aryl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl. In some such embodiments, R^{x2} is more preferably optionally-substituted cycloalkyl. In other such embodiments, R^{x2} is more preferably optionally-substituted aryl (preferably phenyl).
- [223] In some preferred embodiments where an R^x substituent is a substituent of the piperazine or piperidine that is nitrogen linked to the sulfonyl, such R^x is independently selected from the group consisting of hydrogen, alkyl, alkoxy, carbocyclyl, carbocyclylakyl, carbocyclyloxy, heterocyclyl, and heterocyclylalkyl.
- [224] In some preferred embodiments where the carbon of Y has an R^x

 substituent, such R^x is independently selected from the group consisting of fluorine, hydroxy, alkyl, and alkoxy.
- [225] In general, each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkenyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfonylalkyl, heterocyclylsulfonylalkyl, aminoalkyl, aminoalkyl, aminoalkyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl. Such substituents are optionally substituted:

on any substitutable carbon with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

30

5

on any substitutable nitrogen with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

the group consisting of hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkenyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylalkoxyalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylsulfoxidoalkyl, carbocyclylsulfonyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonylalkyl, aminoalkyl, aminoalkyl, aminoalkyl, aminoalkyl, and alkoxyalkylaminoalkyl. Each such substituent optionally is substituted:

on any substitutable carbon with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

on any substitutable amino nitrogen with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

20 [227] In some preferred embodiments, each R^a is independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, bisalkoxyalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfonyl,

heterocyclylsulfonylalkyl. Each such substituent optionally is substituted on any substitutable carbon with one or more substituents independently selected from the group consisting of halogen, hydroxy, alkyl or alkoxy.

[228] In some preferred embodiments, any heterocyclyl of any R^a substituent is independently selected from the group consisting of pyrazinyl, pyrimidinyl pyridazinyl, furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, isoimidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl,

15

25

dithiolyl, oxathiolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, thiazolinyl, thiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxathiazolyl, oxathiazolyl, oxathiolyl, oxathiolyl, oxathiolanyl, pyranyl, dihydropyranyl, pyridinyl, piperidinyl, diazinyl, piperazinyl, triazinyl, oxazinyl, isoxazinyl, oxathiazinyl, oxadiazinyl, morpholinyl, azepinyl, oxepinyl, thiepinyl, diazepinyl, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, indoleninyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzothiazolyl, benzothiadiazolyl, benzimidazolyl, benzothianyl, benzoxazinyl, benzothiadiazolyl, benzimidazolyl, benzotriazolyl, benzoxazinyl, benzimidazolyl, kenzotriazolyl, and acridinyl.

In some preferred embodiments, any heterocyclyl of any Ra substituent is [229] independently selected from the group consisting of pyrazinyl, pyrimidinyl pyridazinyl, furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxatriazolyl, oxathiolyl, oxathiolanyl, pyranyl, dihydropyranyl, pyridinyl, piperidinyl, piperazinyl, triazinyl, oxazinyl, morpholinyl, azepinyl, diazepinyl, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, indoleninyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl, isobenzofuranyl, benzothienyl, isobenzothienyl, benzothiazolyl, benzothiadiazolyl, benzimidazolyl, benzotriazolyl, benzoxazinyl, benzisoxazinyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, and acridinyl.

[230] In some preferred embodiments, any heterocyclyl of R^a and R^x is independently selected from the group consisting of pyrazinyl, pyrimidinyl pyridazinyl, furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, isopyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, isoimidazolyl,

15

20

25

30

これには、これをはるなるのでは機関を大き

imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, dithiolyl, oxathiolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxatriazolyl, dioxazolyl, oxathiolyl, oxathiolanyl, pyranyl,
dihydropyranyl, pyridinyl, piperidinyl, diazinyl, piperazinyl, triazinyl, oxazinyl, isoxazinyl, oxathiazinyl, oxadiazinyl, morpholinyl, azepinyl, oxepinyl, thiepinyl, diazepinyl, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, indoleninyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl,
benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzothienyl, benzothiazolyl, benzothiadiazolyl, benzimidazolyl, benzothienyl, benzoxazinyl, benzothiadiazolyl, benzimidazolyl, benzotriazolyl, benzoxazinyl, benzimidazolyl, benzotriazolyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, and acridinyl.

In some preferred embodiments, any heterocyclyl of Ra and Rx is independently selected from the group consisting of pyrazinyl, pyrimidinyl pyridazinyl, furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxatriazolyl, oxathiolyl, oxathiolanyl, pyranyl, dihydropyranyl, pyridinyl, piperidinyl, piperazinyl, triazinyl, oxazinyl, morpholinyl, azepinyl, diazepinyl, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, indoleninyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl, isobenzofuranyl, benzothienyl, isobenzothienyl, benzothiazolyl, benzothiadiazolyl, benzimidazolyl, benzotriazolyl, benzoxazinyl, benzisoxazinyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, and acridinyl.

30

25

15

Detailed Description of Several Preferred Embodiments

[232] The above discussion describes the compounds and salts of this invention in general terms. The following discussion, in turn, describes in detail several preferred embodiments.

5

10

15

Preferred Embodiment No. 1

[233] In some preferred embodiments, E¹ is heteroaryl. The -E²-E³ substituent is bonded to one position on the heteroaryl. The heteroaryl is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

Particularly Preferred Embodiments of Embodiment No. 1

[234] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$A^1$$
 A^2 $E^1-E^2-E^3$ (2-1).

20

[235] In some particularly preferred embodiments, Y is carbon bonded to an R^x substituent. In some such embodiments, the compound preferably corresponds in structure to the following formula:

HO N
$$R^x$$
 $E^1-E^2-E^3$ (3-1).

[236] In some particularly preferred embodiments, Y is carbon bonded to halogen.

[237] In some particularly preferred embodiments, Y is carbon bonded to hydroxy. In some such embodiments, the compound preferably corresponds in structure to the following formula:

One such compound, for example, corresponds in structure to the following formula:

10

- 1

5

[238] In some particularly preferred embodiments, Y is carbon bonded to hydrogen.

[239] In some particularly preferred embodiments, Y is nitrogen.

[240] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

[241] In some particularly preferred embodiments, A is -O-.

[242] In some particularly preferred embodiments, A is -N(H)-.

20 [243] In some particularly preferred embodiments, A is -N(R^x)-. Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with

one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[244] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[245] In some particularly preferred embodiments, the heteroaryl of E¹ is pyrazinyl, pyrimidinyl pyridazinyl, furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, triazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxathiolyl, pyranyl, pyridinyl, triazinyl, tetrazolyl, oxazinyl, azepinyl, or diazepinyl. Each such substituent (if substitutable at one or more positions other than the position occupied by -E²-E³) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

[246] In some particularly preferred embodiments, the heteroaryl of E^1 is not substituted, except to the extent it is substituted by an $-E^2-E^3$ substituent.

[247] In some particularly preferred embodiments, E¹ is pyrazinyl, pyrimidinyl pyridazinyl, furanyl, thienyl, pyrrolyl, isopyrrolyl, imidazolyl, isoimidazolyl, pyrazolyl, triazolyl, dithiolyl, oxathiolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, dioxazolyl, oxathiolyl, pyranyl, pyridinyl, diazinyl, triazinyl, tetrazolyl, oxazinyl, isoxazinyl, oxathiazinyl, oxadiazinyl, azepinyl, oxepinyl, thiepinyl, or diazepinyl.

[248] In some particularly preferred embodiments, E¹ is pyrazinyl, pyrimidinyl pyridazinyl, furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, triazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxathiolyl, pyranyl, pyridinyl, triazinyl, tetrazolyl, oxazinyl, azepinyl, or diazepinyl.

5

10

15

20

25

30

: :

、中の経過により必要が行う。

The state of the state of

[249] In some particularly preferred embodiments, E² is a bond.

[250] E³ is halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, hydroxylimino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

[251] In some preferred embodiments, E³ is halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

[252] In some particularly preferred embodiments, E¹ is thienyl. Examples of particularly preferred thienyl compounds include those corresponding in structure to the following formulas:

5

10

15

20

(23-3).

[253] In some particularly preferred embodiments, E¹ is thiazolyl. Examples of particularly preferred thiazolyl compounds include those corresponding in structure to the following formulas:

HO N HO N HO N H₃C CH₃ and
$$HO$$
 N H_3 C CH₃ (25-2).

[254] In some particularly preferred embodiments, E¹ is pyridinyl. Examples of particularly preferred pyridinyl compounds include those corresponding in structure to the following formulas:

The second distribution of the second section of the second

[255] In some particularly preferred embodiments, E¹ is pyrazinyl. One example of a particularly preferred pyrazinyl compound corresponds in structure to the following formula:

Preferred Embodiment No. 2

[256] In some preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$E^{1}-E^{2}-E^{3}$$
 (43-1).

Here, E¹ is heterocyclyl. The heterocyclyl is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more

5

substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

Particularly Preferred Embodiments of Embodiment No. 2

[257] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$E^{1}-E^{2}-E^{3}$$

[258] In some particularly preferred embodiments, A¹ is alkyl.

[259] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

[260] In some particularly preferred embodiments, A is -O-.

[261] In some particularly preferred embodiments, A is -N(H)-.

20 [262] In some particularly preferred embodiments, A is -N(R^x)-. Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen,

hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

- [263] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.
- [264] In some particularly preferred embodiments, E^2 is a bond.
- [265] In some particularly preferred embodiments, E² is -O-.
- [266] In some particularly preferred embodiments, E^2 is -N(R^a)-.
 - [267] In some particularly preferred embodiments, E^2 is -N(H)-.
 - [268] In some particularly preferred embodiments, E^3 is hydrogen, halogen, cyano, C_1 - C_9 -alkyl, C_1 - C_9 -alkoxy- C_1 - C_9 -alkyl, C_3 - C_6 -cycloalkyl,
- C₃-C₆-cycloalkyl-C₁-C₆-alkyl, phenyl, C₁-C₆-alkylphenyl, C₁-C₆-alkoxyphenyl,
- phenyl-C₁-C₆-alkyl, heterocyclyl-C₁-C₆-alkyl, C₁-C₆-alkylheterocyclyl, or C₁-C₆-alkoxyheterocyclyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen and cyano. In addition, any heterocyclyl of E³ has 5 to 10 ring members, and, if divalently substitutable, is optionally substituted with up to 2 oxo.
- 20 [269] In some particularly preferred embodiments, -E²-E³ is selected from the group consisting of hydrogen, halogen, C₁-C₉-alkyl, C₁-C₄-alkoxy, methoxymethoxy, butoxy, butylamino, phenyl, methylphenyl, methoxyphenyl, phenylmethoxy, and phthalimidylbutyl. Each such substituent (if substitutable) optionally is substituted with one or more independently selected halogen (preferably bromo, chloro, or fluoro; more preferably chloro or fluoro; and even more preferably fluoro).
 - [270] In some particularly preferred embodiments, R^x is aldehydo, C₁-C₆-alkyl, C₃-C₆-alkynyl, C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl, C₃-C₆-alkenyloxycarbonyl, amino-C₁-C₆-alkynyloxycarbonyl, amino-C₁-C₆-alkylcarbonyl, amino-C₁-C₆-alkylcarbonyl, amino(thiocarbonyl), aminosulfonyl,
- 30 C₁-C₆-alkylaminocarbonyl, C₃-cycloalkyl, C₃-cycloalkyl-C₁-C₆-alkyl, C₃-cycloalkylcarbonyl, phenyl, phenyl-C₁-C₆-alkyl, phenylcarbonyl, phenylsulfonyl, C₁-C₆-alkoxyphenyl, heterocyclyl, heterocyclyl-C₁-C₆-alkyl, heterocyclylcarbonyl,

5

10

15

-

3.4

. .

heterocyclylsulfonyl, or C_1 - C_6 -alkoxyheterocyclyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. The optional alkyl are alkoxy are, in turn, optionally substituted with one or more independently selected halogen. Any amino of R^x optionally is substituted with up to 2 independently selected C_1 - C_6 -alkyl. Any heterocyclyl of R^x has 5 to 10 ring members, and, if divalently substitutable, optionally is substituted with up to 2 oxo.

[271] In some particularly preferred embodiments, R^x is butyl, methoxyethyl, cyclopropyl, methylphenyl, phenylmethyl, pyridinyl, pyrimidinyl, or pyridinylmethyl.

[272] In some particularly preferred embodiments, R^x is 2-methoxyethyl, pyridinyl, or pyrimidinyl.

[273] In some particularly preferred embodiments, E¹ is heterocyclyl that is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

pyridazinyl, furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, isopyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, isoimidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolyl, pyrazolidinyl, pyrazolidinyl, triazolyl, tetrazolyl, dithiolyl, oxathiolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxatriazolyl, dioxazolyl, oxathiolyl, oxathiolyl, oxathiolanyl, pyranyl, dihydropyranyl, pyridinyl, piperidinyl, diazinyl, piperazinyl, triazinyl, oxazinyl, isoxazinyl, oxathiazinyl, oxadiazinyl, morpholinyl, azepinyl, oxepinyl, thiepinyl, diazepinyl, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, indoleninyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl,

5

10

15

20

25

benzothienyl, isobenzothienyl, benzothiazolyl, benzothiadiazolyl, benzimidazolyl, benzothienyl, isobenzothienyl, benzothiadiazolyl, benzothiadiazolyl, benzotriazolyl, benzoxazinyl, benzisoxazinyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, or acridinyl. Each such substituent is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

In some particularly preferred embodiments, E¹ is pyrazinyl, pyrimidinyl pyridazinyl, furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, oxazolyl, isoxazolyl, oxazolidinyl, isoxazolidinyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxathiazolyl, oxadiazolyl, oxatriazolyl, oxathiolyl, oxathiolanyl, pyranyl, dihydropyranyl, pyridinyl, piperidinyl, piperazinyl, triazinyl, oxazinyl, morpholinyl, azepinyl, diazepinyl, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl, isobenzofuranyl, benzothienyl, isobenzothienyl, benzothiazolyl, benzothiadiazolyl, benzimidazolyl, benzotriazolyl, benzoxazinyl, benzisoxazinyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, or acridinyl. Each such substituent is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with

5

10

15

20

25

one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

ln some particularly preferred embodiments, E¹ is heterocycloalkyl. The heterocycloalkyl is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[277] In some particularly preferred embodiments, E¹ is heterocycloalkenyl. The heterocycloalkenyl is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[278] One particularly preferred example of a heterocyclylpiperazinyl-sulfonylmethyl hydroxamic acid compound wherein E¹ is substituted heterocycloalkenyl is:

[279] Examples of heterocyclylpiperazinyl-sulfonylmethyl hydroxamic acid compounds wherein E¹ is substituted heterocycloalkenyl include:

5

10

15

20

heteroaryl is (if substitutable at one or more positions other than the position occupied by $-E^2-E^3$) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[281] In some particularly preferred embodiments, E¹ is 5-member heteroaryl. The heteroaryl is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[282] In some particularly preferred embodiments, E¹ is thienyl. Particularly preferred examples of such thienyl compounds include:

5

10

15

...

(69-12),

(69-11),

- 1

Particularly preferred thienyl compounds also include, for example, the following compounds:

[283] In some particularly preferred embodiments, E^1 is thiazolyl, isothiazolyl, oxadiazolyl, or thiodiazolyl. Particularly preferred examples of such compounds include:

HO
$$_{\rm H}$$
 $_{\rm N}$ $_{\rm N}$ $_{\rm CH_3}$ $_{\rm CH_3}$ $_{\rm CH_3}$ $_{\rm CH_3}$ $_{\rm CH_3}$ $_{\rm CH_3}$ $_{\rm CH_3}$

The heteroaryl is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[285] In some particularly preferred embodiments, E¹ is pyridinyl. Particularly preferred examples of compounds wherein E¹ is pyridinyl include:

5

10

: i

1.7

A Committee Co

(76-23),

(76-24),

[286] In some particularly preferred embodiments, E^1 is pyrazinyl. Particularly preferred examples of compounds wherein E^1 is pyrazinyl include:

[287] In some particularly preferred embodiments, E^1 is pyrimidinyl. Particularly preferred examples of compounds wherein E^1 is pyrimidinyl include:

[288] In some particularly preferred embodiments, E^1 is pyridazinyl. Particularly preferred examples of compounds wherein E^1 is pyridazinyl include:

. ş

The heteroaryl is (if substitutable at one or more positions other than the position occupied by -E²-E³) optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, and alkylthio substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino. Particularly preferred compounds wherein E¹ is optionally-substituted, multiring heteroaryl include, for example:

Preferred Embodiment No. 3

15 [290] In some preferred embodiments, the compound corresponds in structure to the following formula:

5

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^4 Z^2 Z^3 Z^4 Z^4 Z^2 Z^4 Z^4

Here, Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[291] In some preferred embodiments, at least one of Z¹, Z², Z³, and Z⁴ is

halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy,
alkoxyalkyl, and alkylthio. The alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino,
and di-alkylamino substituents is, in turn, optionally substituted with one or more
substituents independently selected from the group consisting of halogen, hydroxy, cyano,
carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[292] In some preferred embodiments, at least one of Z^1 , Z^2 , Z^3 , Z^4 , and $-E^2-E^3$ is halogen (preferably bromo, chloro or fluoro, more preferably chloro or fluoro, and often even more preferably fluoro).

[293] In some preferred embodiments, at least one of Z^1 , Z^2 , Z^3 , and Z^4 is halogen (preferably bromo, chloro or fluoro, more preferably chloro or fluoro, and often even more preferably fluoro).

[294] In some preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen and halogen (preferably bromo, chloro or fluoro, more preferably chloro or fluoro, and often even more preferably fluoro).

[295] In some preferred embodiments, at least 2 of \mathbb{Z}^1 , \mathbb{Z}^2 , \mathbb{Z}^3 , and \mathbb{Z}^4 are 25 hydrogen.

5

15

[296] In some preferred embodiments, three of Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen; and one of Z^1 , Z^2 , Z^3 , and Z^4 is not hydrogen. In that instance, the compound corresponds in structure to one of the following formulas:

HO N H Ai
$$A^2$$
 PE-3A)

HO N H Ai A^2 PE-2-E³

(PE-3B).

In some such embodiments, the Z^1 or Z^2 that is not hydrogen preferably is bromo, chloro, or fluoro; more preferably chloro or fluoro; and even more preferably fluoro.

[297] In some preferred embodiments, two of Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen; and one of Z^1 , Z^2 , Z^3 , and Z^4 is not hydrogen. In that instance, the compound corresponds in structure to one of the following formulas:

HO
$$\frac{1}{H}$$
 $\frac{1}{A^{1}}$ $\frac{1}{A^{2}}$ $\frac{1}{E^{2}-E^{3}}$ $\frac{1}{E^{2}-E^{3}}$

In some such embodiments, the two of Z^1 , Z^2 , Z^3 , and Z^4 that are not hydrogen preferably are independently selected from the group consisting of bromo, chloro, and fluoro; more preferably independently selected from the group consisting of chloro and fluoro; and even more preferably both fluoro.

10

[298] In some preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen. In that instance, the compound corresponds in structure to the following formula:

In some preferred embodiments:

5

10

15

20

Z¹ and Z³ are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Any such substituent optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

 Z^2 and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Here:

the alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

the alkyl and alkoxy comprise at least two carbons and/or are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

Preferred Embodiment No. 3-A

25 [299] In some preferred embodiments, E³ is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, or alkoxyalkylthioalkyl. Each such substituent is, in turn, partially substituted with one or

more independently selected halogen (preferably bromo, chloro, or fluoro; more preferably chloro or fluoro; and even more preferably fluoro).

Particularly Preferred Embodiments of Embodiment No. 3-A

In some particularly preferred embodiments, Y is carbon bonded to hydrogen.

[301] In some particularly preferred embodiments, Y is nitrogen.

[302] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^4 Z^4 Z^5 Z^5 Z^5 Z^6

10

[303] In some particularly preferred embodiments, A is -O-.

[304] In some particularly preferred embodiments, A is -N(H)-.

[305] In some particularly preferred embodiments, A is -N(R*)-. Here, R* is alkyl, alkenyl, alkynyl, alkoxyalkyl, R*a-oxyalkyl, alkylsulfonyl, R*aR*a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[306] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[307] In some particularly preferred embodiments, E^2 is a bond.

[308] In some particularly preferred embodiments, E^2 is -O-.

[309] In some particularly preferred embodiments, -E²-E³ is alkyl, alkoxy, alkoxyalkyl, or alkoxyalkoxy. Each such substituent is, in turn, partially substituted with one or more independently selected halogen (preferably selected from bromo, chloro, and fluoro; more preferably selected from bromo and chloro; and even more preferably all fluoro).

[310] In some particularly preferred embodiments, -E²-E³ is alkyl, alkoxy, alkoxyalkyl, or alkoxyalkoxy. Each such substituent is, in turn, partially substituted with trihalomethyl, preferably trichloromethyl or trifluoromethyl, and more preferably trifluoromethyl. Particularly preferred examples of such compounds include:

5

WO 03/091247

[311] In some particularly preferred embodiments, -E²-E³ is haloalkyl, haloalkoxy, halo-substituted alkoxyalkyl, or halo-substituted alkoxyalkoxy (preferably fluoroalkyl, fluoroalkoxy, fluoro-substituted alkoxyalkyl, fluoro-substituted alkoxyalkoxy, chloro-substituted alkoxyalkyl, or chloro-substituted alkoxyalkoxy; and more preferably fluoroalkyl, fluoroalkoxy, fluoro-substituted alkoxyalkyl, or fluoro-substituted alkoxyalkoxy). Each such substituent is, in turn,

partially substituted with trihalomethyl, preferably trichloromethyl or trifluoromethyl, and more preferably trifluoromethyl. Particularly preferred examples of such compounds include:

[312] In some particularly preferred embodiments, E³ comprises a carbon atom bonded to at least one hydrogen and at least one halogen (preferably bromo, chloro, or fluoro; more preferably chloro or fluoro; and even more preferably fluoro). Particularly preferred examples of such compounds include:

Preferred Embodiment No. 3-B

[313] In some preferred embodiments:

[314] E³ is carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl.

Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. As to such optional substituents:

the alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

the amino nitrogen is substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl.

[315] A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl. The heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected R^X substituents. Alternatively, A^1 and A^2 are independently selected as follows:

cart
cart
cart
het

5

15

20

de

A¹ is hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkylthio, heterocyclylalkyl, heterocyclylalkylthio, heterocyclylalkyl, or heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^X substituents; and

A² is alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, or heterocyclylalkylthioalkyl. Aany member of such group optionally is substituted with up to 3 independently selected R^x substituents.

[316] As to Z^1, Z^2, Z^3 , and Z^4 :

 Z^1 and Z^3 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Any such substituent optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

 Z^2 and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Here:

30

the alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

5

the alkyl and alkoxy comprise at least two carbons and/or are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

10

Particularly Preferred Embodiments of Embodiment No. 3-B

[317] In some particularly preferred embodiments, Y is carbon bonded to hydrogen.

[318] In some particularly preferred embodiments, Y is nitrogen.

In some particularly preferred embodiments, A¹ and A² are independently selected from the group consisting of alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^X substituents.

[320] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^2

25

[321] In some particularly preferred embodiments, A is -O-.

[322] In some particularly preferred embodiments, A is -N(H)-.

[323] In some particularly preferred embodiments, A is -N(R^x)-. Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[324] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[325] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are

15 hydrogen.

20

5

[326] In some particularly preferred embodiments, E² is a bond.

[327] In some particularly preferred embodiments, E^2 is -O-.

[328] In some particularly preferred embodiments, E³ is optionally-substituted carbocyclyl or optionally-substituted carbocyclylalkyl.

[329] In some particularly preferred embodiments where E³ is optionally-substituted carbocyclyl or optionally-substituted carbocyclylalkyl, the carbocyclyl portion of E³ is cycloalkyl. Particularly preferred examples of such compounds include:

[330] In some particularly preferred embodiments where E^3 is optionally-substituted carbocyclyl or optionally-substituted carbocyclylalkyl, the carbocyclyl portion of E^3 is aryl, and preferably phenyl. Particularly preferred examples of such compounds include:

[331] In some particularly preferred embodiments, E³ is more preferably optionally-substituted heterocyclyl or optionally-substituted heterocyclylalkyl.

[332] In some partucularly preferred embodiments where E^3 is optionally-substituted heterocyclylalkyl or optionally-substituted heterocyclylalkyl, the heterocyclyl portion of E^3 is heteroaryl.

[333] In some particularly preferred embodiments where E^3 is optionally-substituted heterocyclylalkyl or optionally-substituted heterocyclylalkyl, the heterocyclyl portion of E^3 is heteroaryl. An example of one such particularly preferred compound corresponds in structure to the following formula:

[334] In some particularly preferred embodiments where E^3 is optionally-substituted heterocyclylalkyl or optionally-substituted heterocyclylalkyl, the heterocyclyl portion of E^3 is heterocycloalkyl. Particularly preferred examples of such compounds include:

Preferred Embodiment No. 3-C

20 [335] In some preferred embodiments, E³ is cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl,

5

10

15

1

į

alkylthioalkoxyalkyl, or alkoxyalkylthioalkyl. Each such substituent (except cyano) is, in turn, substituted with one or more cyano.

Particularly Preferred Embodiments of Embodiment No. 3-C

In some particularly preferred embodiments, Y is carbon bonded to hydrogen.

[337] In some particularly preferred embodiments, Y is nitrogen.

[338] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^2 Z^2 Z^4 Z^2 Z^2 Z^4 Z^2 Z^2 Z^4 Z^2 Z^2

10

これのないのではない。 はないない

[339] In some particularly preferred embodiments, A is -O-.

[340] In some particularly preferred embodiments, A is -N(H)-.

[341] In some particularly preferred embodiments, A is -N(R*)-. Here, RX is alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[342] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[343] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[344] In some particularly preferred embodiments, E^2 is a bond.

[345] In some particularly preferred embodiments, -E²-E³ is cyano. One particularly preferred example of such a compound is:

[346] In some particularly preferred embodiments, -E²-E³ is cyanoalkyl. Particularly preferred examples of such compounds include:

[347] In some particularly preferred embodiments, -E²-E³ is cyanoaryl. One particularly preferred example of such a compound is:

10

Preferred Embodiment No. 3-D

5 [348] In some preferred embodiments, the compounds correspond in structure to Formula (149-1):

HO N
$$Z^1$$
 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2

In these embodiments:

10 [349] R^x is R^c-oxyalkyl, R^cR^c-aminoalkyl, carbocyclyl, carbocyclylalkyl, or carbocyclylsulfonyl. The carbocyclyl and the carbocyclyl of the carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, and carbocyclylsulfonyl are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino nitrogen optionally is substituted with up to 2 independently selected alkyl.

[350] Each R° is independently selected from the group consisting of carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl,

carbocyclylsulfonylalkyl. The carbocyclyl and the carbocyclyl of the carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylthioalkyl, carbocyclylthioalkenyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, and carbocyclylsulfonylalkyl are, in turn, substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

Particularly Preferred Embodiments of Embodiment No. 3-D

10 [351] In some particularly preferred embodiments, Y is carbon bonded to hydrogen.

[352] In some particularly preferred embodiments, Y is nitrogen.

[353] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

15 [354] In some particularly preferred embodiments, E² is a bond.

[355] In some particularly preferred embodiments, E^2 is -O-.

[356] In some particularly preferred embodiments, R^X is R^C-oxyalkyl, R^CR^C-aminoalkyl, phenyl, phenylalkyl, or phenylsulfonyl. The phenyl and the phenyl of the phenylalkyl, phenyloxy, phenyloxyalkoxy, phenylthio, and phenylsulfonyl are, in turn, substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, alkyl, alkoxy,

alkoxyalkyl, and alkoxyalkoxy. As to such substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted with up to 2 independently selected alkyl.

Here, each R^c is independently selected from the group consisting of phenyl, phenylalkyl, phenylalkyl, phenylalkoxyalkyl, phenylthioalkyl, phenylthioalkyl, phenylsulfoxidoalkyl, phenylsulfonyl, and phenylsulfonylalkyl. The phenyl and the

phenyl of the phenylalkyl, phenyloxyalkyl, phenylalkoxyalkyl, phenylthioalkyl,

5

20

25

phenylthioalkenyl, phenylsulfoxidoalkyl, phenylsulfonyl, and phenylsulfonylalkyl are, in turn, substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, and nitroso.

In some particularly preferred embodiments, R^X is phenyl substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, C₁-C₆-alkyl (more preferably C₁-C₂-alkyl), C₁-C₆-alkoxy (more preferably C₁-C₂-alkoxy), C₁-C₆-alkoxy-C₁-C₆-alkyl (more preferably C₁-C₂-alkoxy-C₁-C₂-alkyl), and C₁-C₆-alkoxy-C₁-C₆-alkoxy (more preferably C₁-C₂-alkoxy-C₁-C₂-alkoxy). The alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy. The amino, on the other hand, is optionally substituted with up to 2 independently selected C₁-C₆-alkyl (more preferably C₁-C₂-alkyl). Particularly preferred examples of such compounds include:

5

104

Preferred Embodiment No. 3-E

[358] In some preferred embodiments, the compounds correspond in structure to Formula (154-1),

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^4

5

In these embodiments:

[359] R^{x1} is -C(O)-, -C(S)-, -C(NR^b)-, or -S(O)₂-.

[360] R^b is hydrogen or hydroxy.

10 [361] R^{x2} is hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkenyloxy, R^aR^a-amino, R^aR^a-aminoalkyl, R^aR^a-aminoalkoxy, R^aR^a-aminoalkyl(R^a)amino, carbocyclyl, carbocyclylalkyl,

carbocyclyloxy, carbocyclyloxyalkoxy, heterocyclyl, heterocyclylalkyl, heterocyclyloxy, or heterocyclyloxyalkoxy. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to these optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted with up to two independently selected alkyl substituents.

Particularly Preferred Embodiments of Embodiment No. 3-E

[362] In some particularly preferred embodiments, Y is carbon bonded to hydrogen.

[363] In some particularly preferred embodiments, Y is nitrogen.

[364] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[365] In some particularly preferred embodiments, E^2 is a bond.

[366] In some particularly preferred embodiments, E² is -O-.

20 [367] In some particularly preferred embodiments, R^{x2} is hydrogen, amino, alkyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, alkenyloxy, alkynyloxy, aminoalkyl, cycloalkyl, aryl, heterocycloalkyl, or heteroaryl. Here, the alkyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, alkenyloxy, alkynyloxy, aminoalkyl, cycloalkyl, aryl, heterocycloalkyl, and heteroaryl (if substitutable) optionally are substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl. The amino, on the other hand, is optionally substituted with up to two substituents independently selected from the group consisting of alkyl and alkoxyalkyl.

[368] In some particularly preferred embodiments, R^{x2} is heterocycloalkyl or heteroaryl. The heterocycloalkyl and heteroaryl (if substitutable) optionally are substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl. In some such embodiments, R^{x2} is more preferably

30

5

15

·į

optionally-substituted heterocycloalkyl. In other such embodiments, R^{x^2} is more preferably optionally-substituted heteroaryl.

[369] In some particularly preferred embodiments, R^{x^2} is cycloalkyl or aryl. The cycloalkyl and aryl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl. In some such embodiments, R^{x^2} is more preferably optionally-substituted cycloalkyl. In other such embodiments, R^{x^2} is more preferably optionally-substituted aryl (preferably phenyl).

[370] In some particularly preferred embodiments, R^{x1} is -S(O)₂-, *i.e.*, the compound corresponds in structure to the following formula:

10

5

Particularly preferred examples of such compounds include:

[371] In some particularly preferred embodiments, R^{x1} is -C(S)-, *i.e.*, the compound corresponds in structure to the following formula:

5 One particularly preferred example of such a compound is:

[372] In some particularly preferred embodiments, R^{x1} is -C(NR^b)-, *i.e.*, the compound corresponds in structure to the following formula:

10

One particularly preferred example of such a compound is:

[373] In some particularly preferred embodiments, R^{x1} is -C(O)-, *i.e.*, the compound corresponds in structure to the following formula:

Particularly preferred examples of such compounds include:

WO 03/091247

CH₃

(166-22),

Preferred Embodiment No. 3-F

[374] In some preferred embodiments, the compounds correspond in structure to Formula (171-1):

HO

$$\begin{array}{c}
0 \\
0 \\
0
\end{array}$$
 $\begin{array}{c}
0 \\
0 \\
0
\end{array}$
 $\begin{array}{c}
Z^1 \\
Z^2
\end{array}$
 $\begin{array}{c}
Z^2 \\
Z^4
\end{array}$
 $\begin{array}{c}
Z^2 \\
Z^4
\end{array}$

(171-1).

5

Here, at least one of Z^1 , Z^2 , Z^3 , Z^4 , and $-E^2$ - E^3 is halogen.

Particularly Preferred Embodiments of Embodiment No. 3-F

10 [375] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^4 Z^2 Z^2 Z^3 Z^4 Z^4

[376] In some particularly preferred embodiments, A is -O-.

15 [377] In some particularly preferred embodiments, A is -N(H)-.

[378] In some particularly preferred embodiments, A is -N(R^x)-. Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[379] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[380] In some particularly preferred embodiments, E^2 is a bond.

[381] In some particularly preferred embodiments, E^2 is -O-.

In some particularly preferred embodiments, R^x is aldehydo, C₁-C₆-alkyl, C₃-C₆-alkynyl, C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl, C₃-C₆-alkenyloxycarbonyl, amino-C₁-C₆-alkylcarbonyl, amino-C₁-C₆-alkylcarbonyl, amino(thiocarbonyl), aminosulfonyl, C₁-C₆-alkylaminocarbonyl, C₃-cycloalkyl, C₃-cycloalkyl-C₁-C₆-alkyl,

C₃-cycloalkylcarbonyl, phenyl, phenyl-C₁-C₆-alkyl, phenylcarbonyl, phenylsulfonyl, C₁-C₆-alkoxyphenyl, heterocyclyl-C₁-C₆-alkyl, heterocyclylcarbonyl, heterocyclylsulfonyl, or C₁-C₆-alkoxyheterocyclyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy.

The optional alkyl and alkoxy substituents are, in turn, optionally substituted with one or more independently selected halogen. Any amino of R^x optionally is substituted with up to 2 independently selected C₁-C₆-alkyl. And any heterocyclyl of R^x has 5 to 10 ring members, and, if divalently substitutable, optionally is substituted with up to 2 oxo.

[383] In some particularly preferred embodiments, R^x is butyl, methoxyethyl, cyclopropyl, methylphenyl, phenylmethyl, pyridinyl, pyrimidinyl, or pyridinylmethyl.

25

30

5

10

[384] In some particularly preferred embodiments, E³ is selected from the group consisting of hydrogen, halogen, cyano, C₁-C9-alkyl, C₁-C9-alkoxy-C₁-C9-alkyl, C₃-C6-cycloalkyl, C₃-C6-cycloalkyl-C₁-C6-alkyl, phenyl, C₁-C6-alkylphenyl, C₁-C6-alkoxyphenyl, phenyl-C₁-C6-alkyl, heterocyclyl-C₁-C6-alkyl, C₁-C6-alkylheterocyclyl, and C₁-C6-alkoxyheterocyclyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen and cyano. Any heterocyclyl of E³ has 5 to 10 ring members, and, if divalently substitutable, is optionally substituted with up to 2 oxo.

[385] In some particularly preferred embodiments, -E²-E³ is selected from the group consisting of butyl, pentyl, ethoxy, propoxy, methoxyethoxy, cyclobutyloxy, butoxy, trifluoromethylpropoxy, cyclopropylmethoxy, and phenyl.

[386] In some particularly preferred embodiments, -E²-E³ is halogen. One particularly preferred example of such a compound is:

15

20

25

10

[387] In some particularly preferred embodiments, at least one of \mathbb{Z}^1 , \mathbb{Z}^2 , \mathbb{Z}^3 , and \mathbb{Z}^4 is halogen. In some such embodiments, \mathbb{Z}^1 , \mathbb{Z}^2 , \mathbb{Z}^3 , and \mathbb{Z}^4 are independently selected from the group consisting of hydrogen and halogen (preferably bromo, chloro, or fluoro; more preferably chloro or fluoro; and most preferably fluoro).

[388] In some particularly preferred embodiments, three of Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen; and one of Z^1 , Z^2 , Z^3 , and Z^4 is halogen (preferably bromo, chloro, or fluoro; more preferably chloro or fluoro; and most preferably fluoro).

[389] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 E^2-E^3 (PE-3-FA)

wherein Z^1 is halogen. Examples of particularly preferred compounds include tetrahydropyranyl compounds, such as those corresponding in structure to the following

5 formulas:

Examples of particularly preferred compounds also include piperidine compounds, such as those corresponding in structure to the following formulas:

HO
$$_{\rm H}$$
 $_{\rm H_3C}$ $_{\rm CH_3}$ $_{\rm CH_3}$ $_{\rm H_3C}$ $_{\rm CH_3}$ $_{\rm H_3C}$ $_{\rm CH_3}$ $_{\rm$

[390] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$A^1$$
 A^2 E^2 - E^3 (PE-3-FB).

(PE

wherein Z^2 is halogen. Examples of particularly preferred compounds include heterocycloalkyl compounds, such as the compound corresponding in structure to the following formula:

10

Examples of particularly preferred compounds also include tetrahydropyranyl compounds, such as those corresponding in structure to the following formulas:

Examples of particularly preferred compounds also include piperidinyl compounds, such as those corresponding in structure to the following formulas:

[391] In some particularly preferred embodiments, two of Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen; and two of Z^1 , Z^2 , Z^3 , and Z^4 is halogen (preferably bromo, chloro, or fluoro; more preferably chloro or fluoro; and most preferably fluoro).

[392] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

PCT/US03/13123 WO 03/091247

HO N
$$Z^1$$
 Z^2 E^2 - E^3 (PE-3-FC).

wherein Z^1 and Z^2 are independently selected halogen.

[393] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^1 Z^2 Z^2

wherein Z¹ and Z³ are independently selected halogen.

[394] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N S N
$$\mathbb{Z}^2$$
 $\mathbb{E}^2 \cdot \mathbb{E}^3$

(PE-3-FE)

wherein \mathbb{Z}^2 and \mathbb{Z}^4 are independently selected halogen. One particularly preferred example of such a compound is:

Preferred Embodiment No. 3-G

5 [395] In some preferred embodiments, the compounds correspond in structure to Formula (209-1):

HO N S N
$$Z^1$$
 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^4 Z^2 Z^3 Z^4 Z^4 Z^5 Z

In these embodiments:

10 [396] E² is -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)2-, -N(R^a)-S(O)2-, -S(O)2-N(R^a)-, -O-S(O)2-, -S(O)2-O-, -C(NH)-, or -C(NOH)-.

[397] E³ is hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. As to such optional substituents:

the alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl optionally are substituted with one or more substituents independently selected from the

15

group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

the amino nitrogen is substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl.

5

Particularly Preferred Embodiments of Embodiment No. 3-G

[398] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2

10

[399] In some particularly preferred embodiments, A is -O-.

[400] In some particularly preferred embodiments, A is -N(H)-.

[401] In some particularly preferred embodiments, A is -N(R*)-. Here, R* is alkyl, alkenyl, alkynyl, alkoxyalkyl, R*a-oxyalkyl, alkylsulfonyl, R*aR*a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

20

15

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[402] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

25

[403] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[404] In some particularly preferred embodiments, E³ is hydrogen, C₁-C₉-alkyl, C₁-C₉-alkyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyl-C₁-C₆-alkyl, phenyl, C₁-C₆-alkylphenyl, C₁-C₆-alkoxyphenyl, phenyl-C₁-C₆-alkyl, heterocyclyl-C₁-C₆-alkyl, C₁-C₆-alkylheterocyclyl, and C₁-C₆-alkoxyheterocyclyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen and cyano. And any heterocyclyl of E³ has 5 to 10 ring members, and, if divalently substitutable, is optionally substituted with up to 2 oxo.

[405] In some particularly preferred embodiments, E^2 is -C(O)-, -N(H)-, -S-, -S(O)₂-, -O-S(O)₂-, or -C(O)-N(H)-.

[406] In some particularly preferred embodiments, E^2 preferably is -S-. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

[407] In some particularly preferred embodiments, E^2 preferably is $-S(O)_2$. One particularly preferred example of such a compound is:

[408] In some particularly preferred embodiments, E^2 preferably is -C(O)-. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

[409] In some particularly preferred embodiments, E^2 preferably is -O-S(O)₂-. One particularly preferred example of such a compound is:

[410] In some particularly preferred embodiments, E^2 preferably is -C(O)-N(H)-. One particularly preferred example of such a compound is:

Preferred Embodiment No. 3-H

[411] In some preferred embodiments, the compounds correspond in structure to Formula (223-1):

HO N
$$A^1$$
 A^2 A^2 A^2 A^3 A^2 A^3 A^2 A^3 A^2 A^3 A^2 A^3 A^4 A^2 A^3 A^2 A^3 A^3

In this embodiment, E³ is halogen, cyano, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkoxyalkyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino,

alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. As to such optional substituents:

the alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

the amino is substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl.

Particularly Preferred Embodiments of Embodiment No. 3-H

[412] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2

(PE-3-HA).

[413] In some particularly preferred embodiments, A is -O-.

[414] In some particularly preferred embodiments, A is -N(H)-.

[415] In some particularly preferred embodiments, A is -N(R*)-. Here, R* is alkyl, alkenyl, alkynyl, alkoxyalkyl, R*a-oxyalkyl, alkylsulfonyl, R*aR*a-aminoalkyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

5

10

15

20

25

the amino optionally is substituted by up to 2 independently selected alkyl.

[416] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[417] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[418] In some particularly preferred embodiments, E^2 is a bond.

[419] In some particularly preferred embodiments, E³ is alkoxyalkyl. In some such embodiments, -E²-E³ is alkoxyalkyl. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

Preferred Embodiment No. 3-I

[420] In some preferred embodiments, the compounds correspond in structure to Formula (227-1):

HO N
$$A^1$$
 A^2 Z^1 Z^2 CH_3 Z^3 Z^4 Z^4 Z^2 Z^4 Z^4

15

10

5

Particularly Preferred Embodiments of Embodiment No. 3-I

[421] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

[422] In some particularly preferred embodiments, A is -O-.

[423] In some particularly preferred embodiments, A is -N(H)-.

[424] In some particularly preferred embodiments, A is -N(R^x)-. Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[425] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[426] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[427] An example of a particularly preferred compound is the compound corresponding in struture to the following formula:

5

10

15

ा औ

Preferred Embodiment No. 3-J

[428] In some preferred embodiments, the compounds correspond in structure to Formula (227-2):

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^4 Z^4 Z^2 Z^4 Z^4

Particularly Preferred Embodiments of Embodiment No. 3-J

[429] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

[430] In some particularly preferred embodiments, A is -O-.

[431] In some particularly preferred embodiments, A is -N(H)-.

In some particularly preferred embodiments, A is -N(R*)-. Here, RX is alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

- [433] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.
- [434] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.
- [435] An example of a particularly preferred compounds is the compound corresponding in structure to the following formula:

10

5

Preferred Embodiment No. 3-K

[436] In some preferred embodiments, the compounds correspond in structure to Formula (232-1):

HO N
$$A^1$$
 A^2 A^2 A^3 A^2 A^3 A^2 A^3 A^3 A^2 A^3 A^3

Here, at least one of Z^1 , Z^2 , Z^3 , and Z^4 is not hydrogen.

20

Particularly Preferred Embodiments of Embodiment No. 3-K

[437] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

[438] In some particularly preferred embodiments, A is -O-.

[439] In some particularly preferred embodiments, A is -N(H)-.

[440] In some particularly preferred embodiments, A is -N(R*)-. Here, R* is alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[441] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[442] Examples of particularly preferred compounds include the compound corresponding in structure to a formula selected from the group consisting of:

5

10

15

このでいては、機関では、大学機関できょうことに

(234-2), and

Preferred Embodiment No. 3-L

[443] In some preferred embodiments, the compounds correspond in structure to Formula (235-1):

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^4 Z^2 Z^2 Z^3 Z^4 Z^4

(23:

In this embodiment, A^1 and A^2 (together with the carbon to which they are bonded) form carbocyclyl that is optionally substituted with up to 3 independently selected $R^{\rm X}$ substituents.

10

Particularly Preferred Embodiments of Embodiment No. 3-L

[444] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[445] In some particularly preferred embodiments, E^2 is a bond.

[446] In some particularly preferred embodiments, E² is -O-.

[447] In some particularly preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted carbocyclyl.

[448] In some particularly preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cycloalkenyl optionally substituted with up to 3 independently selected R^X substituents.

[449] In some particularly preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form unsubstituted cycloalkenyl.

[450] In some particularly preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cycloalkyl optionally substituted with up to 3 independently selected R^X substituents.

[451] In some particularly preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted cycloalkyl.

[452] In some particularly preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cyclopropyl optionally substituted with up to 3 independently selected R^X substituents.

[453] In some particularly preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted cyclopropyl. One example of a particularly preferred compound is:

25

5

10

15

20

The second second second

[454] In some particularly preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cyclobutyl optionally substituted with up to 3 independently selected $R^{\rm X}$ substituents.

- [455] In some particularly preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted cyclobutyl.
 - [456] In some particularly preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cyclopentyl optionally substituted with up to 3 independently selected $R^{\rm X}$ substituents.
- [457] In some particularly preferred embodiments, A¹ and A² (together with the carbon to which they are bonded) form unsubstituted cyclopentyl. One example of a particularly preferred compound is:

- [458] In some particularly preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form cyclohexyl optionally substituted with up to 3 independently selected $R^{\rm X}$ substituents.
- [459] In some particularly preferred embodiments, A^1 and A^2 (together with the carbon to which they are bonded) form unsubstituted cyclohexyl.

Preferred Embodiment No. 3-M

[460] In some preferred embodiments, the compounds correspond in structure to Formula (239-1):

5

15

5

In this embodiment, E³ is alkyl or alkoxyalkyl.

Particularly Preferred Embodiments of Embodiment No. 3-M

[461] In some particularly preferred embodiments, E^2 is a bond.

[462] In some particularly preferred embodiments, E^2 is -O-.

[463] Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

Preferred Embodiment No. 3-N

[464] In some preferred embodiments, the compounds correspond in structure to Formula (243-1):

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 Z^2 Z^4 Z^2 Z^4 Z^2 Z^4 Z^4 Z^4 Z^4 Z^4 Z^4 Z^5 Z^6 Z^6

5

In this embodiment, A is -S-, -S(O)-, or -S(O)₂-.

Particularly Preferred Embodiments of Embodiment No. 3-N

10 [465] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[466] In some particularly preferred embodiments, E^2 is a bond.

[467] In some particularly preferred embodiments, E^2 is -O-.

[468] In some particularly preferred embodiments, A is -S-. One example of a particularly preferred compound is:

[469] In some particularly preferred embodiments, A is -S(O)-.

[470] In some particularly preferred embodiments, A is -S(O)₂-. One example of a particularly preferred compound is:

Preferred Embodiment No. 3-O

10 [471] In some preferred embodiments, the compounds correspond in structure to Formula (248-1):

HO N
$$Z^1$$
 Z^2 Z^2 Z^2 Z^4 Z^2 Z^2 Z^4 Z^2 Z^2 Z^4 Z^2 Z^4 Z^2 Z^4 Z^2 Z^2 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^4 Z^2 Z^2 Z^3 Z^4 Z^4

In these embodiments:

15 [472] R^x is R^c-oxyalkyl, R^cR^c-aminoalkyl, R^cR^c-aminosulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to these optional substituents:

[474]

hydrogen.

5

10

15

20

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted with up to two independently selected alkyl substituents.

[473] Each R^c is independently selected from the group consisting of heterocyclyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfonyl, and heterocyclylsulfonylalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

Particularly Preferred Embodiments of Embodiment No. 3-O In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are

[475] In some particularly preferred embodiments, E² is a bond.

[476] In some particularly preferred embodiments, E^2 is -O-.

[477] In some particularly preferred embodiments, R^x is heterocyclyl, heterocyclyl-C₁-C₆-alkyl, heterocyclylcarbonyl, heterocyclylsulfonyl, or C₁-C₆-alkoxyheterocyclyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, any heterocyclyl of R^x has 5 to 10 ring members, and, if divalently

25 substitutable, optionally is substituted with up to 2 oxo.

[478] In some particularly preferred embodiments, R^x is heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.

[479] In some particularly preferred embodiments, R^x is 5-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional

alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

[480] In some particularly preferred embodiments, R^x is 6-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.

optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heteroaryl of R^x has 1 or 2 nitrogen ring members, with the remaining ring members being carbon. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

[482] In some particularly preferred embodiments, R^x is 9- or 10-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

こうしょう はなから をはない はながら ななない アイト

[483] In some particularly preferred embodiments, R^x is heterocycloalkylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.

[484] In some particularly preferred embodiments, R^x is heterocycloalkylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heterocycloalkyl of the heterocycloalkylalkyl has 5 ring members. One example of a particularly preferred compound is:

5

10

v.

[485] In some particularly preferred embodiments, R^x is heterocycloalkylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heterocycloalkyl of the heterocycloalkylalkyl has 6 ring members. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

[486] In some particularly preferred embodiments, R^x is heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen.

[487] In some particularly preferred embodiments, R^x is heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heteroaryl of the heteroarylalkyl has 5 ring members. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

5

10

. 5

[488] In some particularly preferred embodiments, R^x is heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heteroaryl of the heteroarylalkyl has 6 ring members. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

5

optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy. Each optional alkyl or alkoxy is, in turn, optionally substituted with one or more independently selected halogen. In addition, the heteroaryl of the heteroarylalkyl has 9 to 10 ring members. Examples of particularly preferred compounds include the compounds corresponding in structure to the following formulas:

Preferred Embodiment No. 3-P

10 [490] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N H
$$Z^{1}$$
 Z^{2} or Z^{3} Z^{4} Z^{2} Z^{2} Z^{2} Z^{3} Z^{4} Z^{2} Z^{2} Z^{2} Z^{2} Z^{3} Z^{4} Z^{2} $Z^$

In these embodiments:

[491] R^x is alkyl, alkenyl, alkynyl, R^c-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, cycloalkylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting

15

of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino nitrogen is substituted by up to 2 independently selected alkyl.

[492] R^c is hydrogen, alkenyl, alkynyl, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkenyl, alkylsulfoxidoalkyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonylalkyl, aminoalkyl, or alkoxyalkylaminoalkyl. Each such substituent (if substitutable) is, in turn, optionally substituted:

on any substitutable carbon with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

on any substitutable nitrogen with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

 $Particularly\ Preferred\ Embodiments\ of\ Embodiment\ No.\ 3-P$

- [493] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.
- 25 [494] In some particularly preferred embodiments, E² is a bond.
 - [495] In some particularly preferred embodiments, E^2 is -O-.
 - [496] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

5

10

15

HO N
$$Z^1$$
 Z^2 Z^2

[497] One example of a particularly preferred compound is:

5

[498] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2

10

15

. :

[499] In some particularly preferred embodiments, R^X is alkyl, alkynyl, aminoalkyl, cycloalkyl, aryl, or cycloalkylalkyl. Each such substituent optionally is substituted with one or more independently selected halogen. In addition, the nitrogen of the aminoalkyl optionally is substituted by up to 2 independently selected alkyl.

[500] In some particularly preferred embodiments, R^X is aryl. One example of a particularly preferred compound is:

[501] In some particularly preferred embodiments, R^x is haloalkyl, alkynyl, aminoalkyl, cycloalkyl, or cycloalkylalkyl. The nitrogen of the aminoalkyl optionally is substituted by 2 independently selected alkyl. Examples of particularly preferred compounds include the compounds corresponding in structure to one of the following formulas:

5

BNSDOCID: <WO_____03091247A2_I_>

Preferred Embodiment No. 3-Q

[502] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^4 Z^2 Z^3 Z^4 Z^4

5 In these embodiments:

[503] E^3 is haloalkyl.

[504] R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino nitrogen is substituted by up to 2 independently selected alkyl.

5

10

Particularly Preferred Embodiments of Embodiment No. 3-Q

[505] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[506] In some particularly preferred embodiments, E^2 is a bond.

[507] In some particularly preferred embodiments, E^2 is -O-.

[508] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2

15

[509] Examples of particularly preferred compounds include the compounds corresponding in structure to one of the following formulas:

Preferred Embodiment No. 3-R

[510] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N HO N HO N HO N
$$Z^1$$
 Z^2 or Z^3 Z^4 Z^4 Z^4 Z^4 Z^4 Z^4 Z^4 Z^4 Z^5 Z^6 Z^8 Z^8

Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

Particularly Preferred Embodiments of Embodiment No. 3-R

[511] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 Z^4

[512] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

5

10

[513] An example of a particularly preferred compound is:

Preferred Embodiment No. 3-S

[514] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO
$$\frac{1}{H}$$
 $\frac{1}{2^3}$ $\frac{1}{2^4}$ $\frac{1}{2^2}$ $\frac{1}{2^4}$ $\frac{1$

Here, RX is alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl,

RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

15

Particularly Preferred Embodiments of Embodiment No. 3-S

[515] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

[516] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[517] One example of a particularly preferred compound is:

10

Preferred Embodiment No. 3-T

[518] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl,

heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are súbstituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

10

5

Particularly Preferred Embodiments of Embodiment No. 3-T

[519] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

15

[520] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[521] One example of a particularly preferred compound is:

Preferred Embodiment No. 3-U

[522] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^3 Z^4 Z^4 Z^3 Z^4 Z^4

Here, RX is alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl,

RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

15

Particularly Preferred Embodiments of Embodiment No. 3-U

[523] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

20

[524] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[525] One example of a particularly preferred compound is:

Preferred Embodiment No. 3-V

[526] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N
$$Z^1$$
 Z^1 Z^2 Z^2 Z^3 Z^4 Z^3 Z^4 Z^4

Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl,
 R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl,
 heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in
 turn, optionally substituted with one or more substituents independently selected from the
 group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso,
 oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional
 substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

20

Particularly Preferred Embodiments of Embodiment No. 3-V

[527] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

[528] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[529] One example of a particularly preferred compound is:

10

5

Preferred Embodiment No. 3-W

[530] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N H
$$Z^{3}$$
 Z^{4} Z^{2} Z^{3} Z^{4} Z^{2} Z^{3} Z^{4} Z^{2} Z^{4} Z^{4}

Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl,

heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

10

5

Particularly Preferred Embodiments of Embodiment No. 3-W

[531] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

15

[532] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[533] One example of a particularly preferred compound is:

Preferred Embodiment No. 3-X

[534] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO
$$\frac{Z^1}{H}$$
 Z^2 Z^2 CH_3 or $\frac{Z^1}{R^x}$ Z^3 Z^4 CH_3 Z^3 Z^4 Z^2 Z^4 Z^4 Z^4 Z^4 Z^4 Z^5 Z^4 Z^5 Z^6 Z^6 Z^7 Z^8 Z^8

Here, RX is alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl,

RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

15

: {

Particularly Preferred Embodiments of Embodiment No. 3-X

[535] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^4

[536] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[537] One example of a particularly preferred compound is:

Preferred Embodiment No. 3-Y

[538] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^3 Z^4 Z^4

Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl,
 R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl,
 heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in
 turn, optionally substituted with one or more substituents independently selected from the
 group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso,
 oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional
 substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

20 the amino optionally is substituted by up to 2 independently selected alkyl.

Particularly Preferred Embodiments of Embodiment No. 3-Y

[539] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 (281-8).

[540] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[541] One example of a particularly preferred compound is:

(202-0).

Preferred Embodiment No. 3-Z

[542] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N
$$Z^1$$
 Z^2 Z^2 Z^2 Z^3 Z^4 Z^3 Z^4 Z^4

Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl,

5

heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

10

5

Particularly Preferred Embodiments of Embodiment No. 3-Z

[543] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

15

[544] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[545] One example of a particularly preferred compound is:

Preferred Embodiment No. 3-AA

[546] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^3 Z^4 Z^4

Here, RX is alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl,

5 RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

15

Particularly Preferred Embodiments of Embodiment No. 3-AA

[547] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

[548] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[549] One example of a particularly preferred compound is:

Preferred Embodiment No. 3-BB

[550] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^4

Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl,
 R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl,
 heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in
 turn, optionally substituted with one or more substituents independently selected from the
 group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso,
 oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional
 substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

20

Particularly Preferred Embodiments of Embodiment No. 3-BB

[551] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^4

5

[552] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[553] One example of a particularly preferred compound is:

10

Preferred Embodiment No. 3-CC

[554] In some preferred embodiments, the compound corresponds in structure to one of the following formulas:

HO N
$$Z^1$$
 Z^2 or Z^3 Z^4 Z^4

HO N Z^1 Z^2 Z^3 Z^4

(287-2).

15 In these embodiments:

5

10

15

20

25

[555] R^X is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, cycloalkylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl. [556] Each R^a is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkenyl, alkylsulfoxidoalkyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl. Each such substituent optionally is substituted:

on any substitutable carbon with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

on any substitutable amino nitrogen with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

Particularly Preferred Embodiments of Embodiment No. 3-CC [557] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are 30 hydrogen.

[558] One example of a particularly preferred compound is:

WO 03/091247

Preferred Embodiment No. 3-DD

5 [559] In some preferred embodiments, the compounds correspond in structure to Formula (289-1):

HO N
$$A^{1}$$
 A^{2} Z^{1} Z^{2} Z^{2} Z^{2} Z^{3} Z^{4} Z^{2} Z^{2} Z^{2} Z^{2} Z^{3} Z^{4} Z^{2} Z^{2} Z^{2} Z^{3} Z^{4} Z^{2} Z^{2} Z^{3} Z^{4} Z^{2} Z^{2} Z^{3} Z^{4} Z^{2} Z^{2} Z^{3} Z^{4} Z^{2} Z^{3} Z^{4} Z^{2} Z^{3} Z^{4} Z^{2} Z^{3} Z^{4} Z^{2} Z^{2} Z^{3} Z^{4} Z^{4}

In these embodiments:

10

15

20

[560] A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl. The heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected R^X substituents. Alternatively, A^1 and A^2 are independently selected as follows:

A¹ is hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkylthioalkyl, or heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^X substituents.

5

10

15

20

· Christina .

A² is alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkylthioalkyl, or heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^X substituents.

[561] E² is selected from the group consisting of: -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^a)-S(O)₂-, -S(O)₂-N(R^a)-, -O-S(O)₂-, -S(O)₂-O-, -C(NH)-, and -C(NOH)-.

[562] E³ comprises greater than 3 carbon atoms. In addition, E³ is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

25

30

Particularly Preferred Embodiments of Embodiment No. 3-DD

[563] In some particularly preferred embodiments, A¹ and A² are independently selected from the group consisting of alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyla, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkylthio, heterocyclylalkyl, heterocyclylalkylthio,

PCT/US03/13123 WO 03/091247

heterocyclylthioalkyl, and heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected RX substituents.

[564] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^4

5

[565] In some particularly preferred embodiments, A is -O-.

[566] In some particularly preferred embodiments, A is -N(H)-.

alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[568] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[569] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[570] In some particularly preferred embodiments, E² is -O-.

[571] In some particularly preferred embodiments, $-E^2-E^3$ is alkoxy.

25 [572] Examples of particularly preferred compounds include the compounds corresponding in structure to one of the following formulas:

Preferred Embodiment No. 3-EE

[573] In some preferred embodiments, the compounds correspond in structure to Formula (293-1):

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^4 Z^2 Z^3 Z^4 Z^4 Z^5 Z^4 Z^5 Z^4 Z^5 Z^5

5

10

15

In these embodiments:

[574] A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl. The heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected R^x substituents. Alternatively, A^1 and A^2 are independently selected as follows:

A¹ is hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkylthioalkyl, or heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^X substituents.

20

A² is selected from the group consisting of alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkenyl,

PCT/US03/13123 WO 03/091247

carbocyclylalkynyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^X substituents.

[575] E³ comprises at least 2 carbon atoms. In addition, E³ is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, alkylsulfonyl, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

[576] Each R^a is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkenyl, alkylsulfoxidoalkyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxyl, aminoalkyl, aminoalkyl, aminoalkyl, and alkoxyalkylaminoalkyl. Each such substituent is, in turn, optionally substituted:

on any substitutable carbon with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

174

5

10

15

20

25

on any substitutable amino nitrogen with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

[577] As to Z^1 , Z^2 , Z^3 , and Z^4 :

5

 Z^1 and Z^3 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Any such substituent optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

10

 Z^2 and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Here:

15

the alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

20

the alkyl and alkoxy comprise at least two carbons and/or are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

Particularly Preferred Embodiments of Embodiment No. 3-EE

selected from the group consisting of alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthio, heterocyclylalkynyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl. Any member of such group optionally is substituted with up to 3 independently selected R^x substituents.

[579] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

[580] In some particularly preferred embodiments, A is -O-.

5

10

15

BNSDOCID: <WO____

03091247A2_l_>

1

[581] In some particularly preferred embodiments, A is -N(H)-.

[582] In some particularly preferred embodiments, A is -N(R^x)-. Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[583] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent is, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and

carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

[586] In some particularly preferred embodiments, -E³ is alkyl.

[587] One example of a particularly preferred compound is:

10

Preferred Embodiment No. 3-FF

[588] In some preferred embodiments, E³ is perhaloalkyl and comprises at least two carbon atoms.

15

Particularly Preferred Embodiments of Embodiment No. 3-FF

[589] In some particularly preferred embodiments,

[590] In some particularly preferred embodiments, Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

20 [591] In some particularly preferred embodiments, Y is nitrogen.

[592] In some particularly preferred embodiments, Y is carbon bonded to hydrogen.

[593] In some particularly preferred embodiments, E^2 is -O-.

[594] In some particularly preferred embodiments, E³ is perfluroalkyl.

25 [595] One example of a particularly preferred compound is:

Preferred Embodiment No. 4

[596] In some preferred embodiments, the compounds correspond in structure to Formula (302-1):

In these embodiments:

5

10

15

20

[597] E^2 is -C(O)-, -C(O)-O-, -C(O)-N(R^a)-, -S(O)₂-, -S(O)₂-N(R^a)-, -C(NH)-, -C(NOH)-, or a bond.

[598] E³ is hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

Particularly Preferred Embodiments of Embodiment No. 4

[599] In some particularly preferred embodiments, the compound corresponds in structure to the following formula:

5

[600] In some particularly preferred embodiments, A is -O-.

[601] In some particularly preferred embodiments, A is -N(H)-.

[602] In some particularly preferred embodiments, A is -N(R^x)-. Here, R^x is alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, or heterocyclylsulfonyl. Each such substituent (if substitutable) optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy. As to such optional substituents:

15

20

こうからい、これがはないないのはないない

10

the alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy optionally are substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

the amino optionally is substituted by up to 2 independently selected alkyl.

[603] In some particularly preferred embodiments, A is -S-, -S(O)-, or -S(O)₂-.

[604] In some particularly preferred embodiments, E² is a bond.

[605] One example of a particularly preferred compound is:

Preferred Embodiment No. 5

[606] In some preferred embodiments, the compounds correspond in structure to Formula (307-1):

HO N
$$A^1 A^2$$
 $X E^1 - E^2 - E^3$

In these embodiments:

5

10

15

20

25

1,4

[607] E¹ is alkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional the alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[608] E² is -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^a)-S(O)₂-, -S(O)₂-, -S(O)₂-, -C(NH)-, or -C(NOH)-.

[609] E³ is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Any substitutable member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

Particularly Preferred Embodiments of Embodiment No. 5

[610] In some particularly preferred embodiments, Y is nitrogen.

[611] In some particularly preferred embodiments, Y is carbon bonded to

5 hydrogen.

[612] In some particularly preferred embodiments, E¹ is alkyl.

[613] In some particularly preferred embodiments, E¹ is methyl.

[614] In some particularly preferred embodiments, E^2 is -O-.

[615] In some particularly preferred embodiments, E³ is alkyl or

carbocyclylalkyl. The alkyl and carbocyclylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. The optional alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

[616] In some particularly preferred embodiments, E³ is alkyl partially substituted with halogen. Examples of such compounds include those corresponding in structure to one of the following formulas:

In some particularly preferred embodiments, E³ is alkyl comprising a carbon bonded to at least one hydrogen and at least one halogen. Examples of such compounds include those corresponding in structure to one of the following formulas:

HO N
$$\stackrel{\circ}{H}$$
 $\stackrel{\circ}{S}$ $\stackrel{\circ}{N}$ $\stackrel{\circ}{F}$ $\stackrel{\circ}{F}$

In some particularly preferred embodiments, E³ is phenylalkyl. Here, the phenylalkyl optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. The optional the alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino. Examples of such compounds include those corresponding in structure to one of the following formulas:

Preferred Embodiment No. 6

[617] In some preferred embodiments, the compounds correspond in structure to Formula (339-1):

5

10

15

The second of the second of

こと さんにでもは中間を作りの機関です だっとしゃ

In these embodiments, E³ is alkenyl or alkynyl. The alkenyl and alkynyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents, in turn, optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

Particularly Preferred Embodiments of Embodiment No. 6

[618] In some particularly preferred embodiments, Y is nitrogen.

[619] In some particularly preferred embodiments, Y is carbon bonded to 20 hydrogen.

[620] In some particularly preferred embodiments, E³ is alkenyl. Examples of such compounds include those corresponding in structure to one of the following formulas:

Preferred Embodiment No. 7

[621] In some preferred embodiments, the compounds correspond in structure to Formula (342-1):

HO N
$$A^1 A^2$$
 $E^1-E^2-E^3$ (342-1).

5

10

15

şå

ंह ** In these embodiments:

 $-E^1-E^2 \text{ is -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -S(O)_2-N(R^a)-, -S(O)_2-N(R^a)-, -S(O)_2-N(R^a)-, -S(O)_2-N(R^a)-, -S(O)_2-, -S(O$

-O-S(O)₂-, -S(O)₂-O-, -C(NH)-, -C(NOH)-, or alkyl. The alkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. The optional alkyl, alkoxy, alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

E³ comprises at least 5 carbon atoms and is alkyl, alkenyl, alkynyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl,

alkoxyalkylthioalkyl, or aminoalkyl. Any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (which is optionally substituted with up to 2 substituents independently selected from the group consisting of alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. Such optional substituents are, in turn, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino

10

15

5

Particularly Preferred Embodiments of Embodiment No. 7

[622] In some particularly preferred embodiments, Y is nitrogen.

[623] In some particularly preferred embodiments, Y is carbon bonded to hydrogen.

[624] In some particularly preferred embodiments, E^3 is C_6 - C_{12} -alkyl.

[625] In some particularly preferred embodiments, $-E^1-E^2$ is alkyl.

[626] In some particularly preferred embodiments, -E¹-E² is methyl. One example of a particularly preferred compound is:

20

[627] In some particularly preferred embodiments, E¹-E² is -O-. One example of a particularly preferred compound is:

[628] In some preferred embodiments, the compounds correspond in structure to Formula (360-1):

HO
$$R^{x}$$
 $E^{1}-E^{2}-E^{3}$ (360-1).

5 In these embodiments:

10

15

20

25

÷.

WO 03/091247

[629]
$$E^1$$
 is $-E^{1A}-E^{1B}$.

$$\begin{tabular}{l} [630] & E^{1A} \ is \ -O-, \ -C(O)-, \ -C(O)-O-, \ -O-C(O)-, \ -N(R^a)-, \ -C(O)-N(R^a)-, \ -C(O)-N(R^a)-N(R^a)-C(O)-, \ -S-, \ -S(O)-, \ -S(O)_2-, \ -N(R^a)-S(O)_2-, \ -S(O)_2-N(R^a)-, \ -O-S(O)_2-, \ -S(O)_2-O-, \ -C(NH)-, \ -C(NOH)-, \ or \ a \ bond. \end{tabular}$$

[631] E^{1B} is heterocylcylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

[633] E³ is halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkyl, alkoxyalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, or heterocyclylalkyl. Any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, hydroxyimino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl. And any such optional substituent is, in turn, optionally substituted with one or more substituents

independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

Particularly Preferred Embodiments of Embodiment No. 8

[634] In some particularly preferred embodiments, Y is nitrogen.

[635] In some particularly preferred embodiments, Y is carbon bonded to hydrogen.

[636] In some particularly preferred embodiments, the compound corresponds in structure to Formula (361-1):

HO N
$$A^1 A^2$$
 $E^1 - E^2 - E^3$ (361-1).

10

15

20

25

一般は、湯が上、治療がよう

5

1637] In some particularly preferred embodiments, E¹ is pyrazinyl-C₂-C₆-alkyl, pyrimidyl-C₂-C₆-alkyl, pyridazinyl-C₂-C₆-alkyl, furanyl-C₂-C₆-alkyl, thienyl-C₂-C₆-alkyl, pyrrolyl-C₂-C₆-alkyl, imidazolyl-C₂-C₆-alkyl, pyrazolyl-C₂-C₆-alkyl, triazolyl-C₂-C₆-alkyl, oxazolyl-C₂-C₆-alkyl, isoxazolyl-C₂-C₆-alkyl, thiazolyl-C₂-C₆-alkyl, isothiazolyl-C₂-C₆alkyl, thiodiazolyl-C₂-C₆-alkyl, oxathiazolyl-C₂-C₆-alkyl, oxadiazolyl-C₂-C₆-alkyl, oxathiolyl-C₂-C₆-alkyl, pyranyl-C₂-C₆-alkyl, pyridinyl-C₂-C₆-alkyl, triazinyl-C₂-C₆-alkyl, tetrazolyl-C₂-C₆-alkyl, oxazinyl-C₂-C₆-alkyl, azepinyl-C₂-C₆-alkyl, diazepinyl-C₂-C₆alkyl, pyrazinyl-C₁-C₅-alkoxy, pyrimidyl-C₁-C₅-alkoxy, pyridazinyl-C₁-C₅-alkoxy, furanyl-C₁-C₅-alkoxy, thienyl-C₁-C₅-alkoxy, pyrrolyl-C₁-C₅-alkoxy, imidazolyl-C₁-C₅alkoxy, pyrazolyl-C₁-C₅-alkoxy, triazolyl-C₁-C₅-alkoxy, oxazolyl-C₁-C₅-alkoxy, isoxazolyl-C₁-C₅-alkoxy, thiazolyl-C₁-C₅-alkoxy, isothiazolyl-C₁-C₅-alkoxy, thiodiazolyl-C₁-C₅-alkoxy, oxathiazolyl-C₁-C₅-alkoxy oxadiazolyl-C₁-C₅-alkoxy, oxathiolyl-C₁-C₅alkoxy, pyranyl- C_1 - C_5 -alkoxy, pyridinyl- C_1 - C_5 -alkoxy triazinyl- C_1 - C_5 -alkoxy, tetrazolyl- C_1 - C_5 -alkoxy, oxazinyl- C_1 - C_5 -alkoxy, azepinyl- C_1 - C_5 -alkoxy, or diazepinyl- C_1 - C_5 -alkoxy. Each such substituent is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio. Each such optional substuituent, in turn, is optionally substituted with one or more

substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

In some particularly preferred embodiments, E¹ is pyrazinyl-C₃-C₄-alkyl, pyrimidinyl-C₃-C₄-alkyl, pyridazinyl-C₃-C₄-alkyl, furanyl-C₃-C₄-alkyl, thienyl-C₃-C₄alkyl, pyrrolyl-C₃-C₄-alkyl, imidazolyl-C₃-C₄-alkyl, pyrazolyl-C₃-C₄-alkyl, triazolyl-C₃-C₄-alkyl, oxazolyl-C₃-C₄-alkyl, isoxazolyl-C₃-C₄-alkyl, thiazolyl-C₃-C₄-alkyl, isothiazolyl-C₃-C₄-alkyl, thiodiazolyl-C₃-C₄-alkyl, oxadiazolyl-C₃-C₄-alkyl, oxadiazolyl-C₃-C₄-alkyl, oxathiolyl-C₃-C₄-alkyl, pyranyl-C₃-C₄-alkyl, pyridinyl-C₃-C₄-alkyl, triazinyl-C₃-C₄-alkyl, tetrazolyl-C₃-C₄-alkyl, oxazinyl-C₃-C₄-alkyl, azepinyl-C₃-C₄-alkyl, diazepinyl-C₃-C₄alkyl, pyrazinyl-C₂-C₃-alkoxy, pyrimidinyl-C₂-C₃-alkoxy, pyridazinyl-C₂-C₃-alkoxy, 10 furanyl-C₂-C₃-alkoxy, thienyl-C₂-C₃-alkoxy pyrrolyl-C₂-C₃-alkoxy, imidazolyl-C₂-C₃alkoxy, pyrazolyl-C₂-C₃-alkoxy, triazolyl-C₂-C₃-alkoxy, oxazolyl-C₂-C₃-alkoxy, isoxazolyl-C₂-C₃-alkoxy, thiazolyl-C₂-C₃-alkoxy, isothiazolyl-C₂-C₃-alkoxy, thiodiazolyl-C₂-C₃-alkoxy, oxathiazolyl-C₂-C₃-alkoxy, oxadiazolyl-C₂-C₃-alkoxy, oxathiolyl-C₂-C₃alkoxy, pyranyl-C₂-C₃-alkoxy, pyridinyl-C₂-C₃-alkoxy, triazinyl-C₂-C₃-alkoxy, tetrazolyl-15 C₂-C₃-alkoxy, oxazinyl-C₂-C₃-alkoxy, azepinyl-C₂-C₃-alkoxy, or diazepinyl-C₂-C₃-alkoxy.

In some particularly preferred embodiments, E¹ is oxadiazolyl-C₃-C₄-alkyl, tetrazolyl-C₃-C₄-alkyl, oxadiazolyl-C₂-C₃-alkoxy, or tetrazolyl-C₂-C₃-alkoxy.

In some particularly preferred embodiments, E^2 is a bond. [640]

Examples of particularly preferred compounds include the following: [641]

HO N HO N HO N
$$CF_3$$
 and $(367-2)$.

[642] Other particularly preferred compounds include the following:

5

A-2. Preferred Selectivities

[643] The hydroxamic acid compound or salt preferably has an inhibitory activity against MMP-1 or MMP-14 that is substantially less than its inhibitory activity against MMP-2, MMP-9, or MMP-13. In other words, the hydroxamic acid compound or salt preferably has an in inhibition constant (K_i) against at least one of MMP-2, MMP-9, and MMP-13 that is no greater than about 0.1 times its inhibition constant(s) against at least one of MMP-1 and MMP-14. The inhibition constant of a compound or salt thereof may be determined using an *in vitro* inhibition assay, such as the K_i assay described below in **Examples 28-54**.

[644] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has a K_i against MMP-2 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its $K_i(s)$ against one or both of MMP-1 and MMP-14.

[645] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has a K_i against MMP-9 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its $K_i(s)$ against one or both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, a pathological condition of the central nervous system associated with nitrosative or oxidative stress. Such a pathological condition may be, for example, cerebral ischemia, stroke, or other neurodegenerative disease.

[646] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has a K_i against MMP-13 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.0001) times its $K_i(s)$ against one or both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, a cardiovascular condition or arthritis.

[647] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has K_i's against both MMP-2 and MMP-9 that are no greater

10

15

20

25

than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its $K_i(s)$ against one or both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, cancer, a cardiovascular condition, or an ophthalmologic condition.

[648] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has K_i's against all of MMP-2, MMP-9, and MMP-13 that are no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its K_i(s) against one or both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, cancer, a cardiovascular condition, arthritis, or an ophthalmologic condition.

[649] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has a K_i against MMP-2 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its K_i 's against both MMP-1 and MMP-14.

[650] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has a K_i against MMP-9 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its K_i 's against both MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, a pathological condition of the central nervous system associated with nitrosative or oxidative stress. Such a pathological condition may be, for example, cerebral ischemia, stroke, or other neurodegenerative disease.

[651] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has a K_i against MMP-13 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no

5

10

15

20

25

30

: \$

greater than about 0.00001) times its K_i 's against both MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, a cardiovascular condition or arthritis.

[652] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has K_i 's against both MMP-2 and MMP-9 that are no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001 times its K_i 's against both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, cancer, a cardiovascular condition, or an ophthalmologic condition.

[653] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has K_i 's against all of MMP-2, MMP-9, and MMP-3 that are no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its K_i 's against both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, cancer, a cardiovascular condition, arthritis, or an ophthalmologic condition.

[654] The activity and selectivity of a hydroxamic acid compound or salt may alternatively be determined using an *in vitro* IC₅₀ assay, such as the IC₅₀ assay described below in Examples 28-54. In that instance, the hydroxamic acid compound or salt preferably has an IC₅₀ value against at least one of MMP-2, MMP-9, and MMP-13 that is no greater than about 0.1 times its IC₅₀ value(s) against at least one of MMP-1 and MMP-14.

[655] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has an IC₅₀ value against MMP-2 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001 times its IC₅₀ value(s) against one or both of MMP-1 and MMP-14.

[656] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has an IC₅₀ value against MMP-9 that is no greater than about

5

10

15

20

25

30

• 1

0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its IC₅₀ value(s) against one or both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, a pathological condition of the central nervous system associated with nitrosative or oxidative stress. Such a pathological condition may be, for example, cerebral ischemia, stroke, or other neurodegenerative disease.

[657] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has an IC₅₀ value against MMP-13 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its IC₅₀ value(s) against one or both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, a cardiovascular condition or arthritis.

[658] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has IC₅₀ values against both MMP-2 and MMP-9 that are no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its IC₅₀ value(s) against one or both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, cancer, a cardiovascular condition, or an ophthalmologic condition.

[659] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has IC₅₀ values against all of MMP-2, MMP-9, and MMP-13 that are no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its IC₅₀ value(s) against one or both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, cancer, a cardiovascular condition, arthritis, or an ophthalmologic condition.

[660] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has an IC₅₀ value against MMP-2 that is no greater than about

5

10

15

20

25

30

0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its IC₅₀ values against both MMP-1 and MMP-14.

[661] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has an IC₅₀ value against MMP-9 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its IC₅₀ values against both MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, a pathological condition of the central nervous system associated with nitrosative or oxidative stress. Such a pathological condition may be, for example, cerebral ischemia, stroke, or other neurodegenerative disease.

[662] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has an IC₅₀ value against MMP-13 that is no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.00001) times its IC₅₀ values against both MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, a cardiovascular condition or arthritis.

[663] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has IC₅₀ values against both MMP-2 and MMP-9 that are no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001, and still even more preferably no greater than about 0.0001) times its IC₅₀ values against both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, cancer, a cardiovascular condition, or an ophthalmologic condition.

[664] In some particularly preferred embodiments, the hydroxamic acid compound or salt preferably has IC₅₀ values against all of MMP-2, MMP-9, and MMP-3 that are no greater than about 0.1 (more preferably no greater than about 0.01, even more preferably no greater than about 0.001, still more preferably no greater than about 0.0001.

5

10

15

20

25

30

Activities of

and still even more preferably no greater than about 0.00001) times its IC₅₀ values against both of MMP-1 and MMP-14. It is believed that such a selectivity profile is often particularly preferred when treating, for example, cancer, a cardiovascular condition, arthritis, or an ophthalmologic condition.

5

10

15

20

25

30

A. Car

333

B. Salts of the Compounds of this Invention

from inorganic or organic acids. Depending on the particular compound, a salt of the compound may be advantageous due to one or more of the salt's physical properties, such as enhanced pharmaceutical stability in differing temperatures and humidities, or a desirable solubility in water or oil. In some instances, a salt of a compound also may be used as an aid in the isolation, purification, and/or resolution of the compound.

[666] Where a salt is intended to be administered to a patient (as opposed to, for example, being used in an *in vitro* context), the salt preferably is pharmaceutically acceptable. Pharmaceutically acceptable salts include salts commonly used to form alkali metal salts and to form addition salts of free acids or free bases. In general, these salts typically may be prepared by conventional means with a compound of this invention by reacting, for example, the appropriate acid or base with the compound.

[667] Pharmaceutically-acceptable acid addition salts of the compounds of this invention may be prepared from an inorganic or organic acid. Examples of suitable inorganic acids include hydrochloric, hydrobromic acid, hydroionic, nitric, carbonic, sulfuric, and phosphoric acid. Suitable organic acids generally include, for example, aliphatic, cycloaliphatic, aromatic, araliphatic, heterocyclyl, carboxyic, and sulfonic classes of organic acids. Specific examples of suitable organic acids include acetate, trifluoroacetate, formate, propionate, succinate, glycolate, gluconate, digluconate, lactate, malate, tartaric acid, citrate, ascorbate, glucuronate, maleate, fumarate, pyruvate, aspartate, glutamate, benzoate, anthranilic acid, mesylate, stearate, salicylate, p-hydroxybenzoate, phenylacetate, mandelate, embonate (pamoate), methanesulfonate, ethanesulfonate, benzenesulfonate, pantothenate, toluenesulfonate, 2-hydroxyethanesulfonate, sufanilate, cyclohexylaminosulfonate, algenic acid, b-hydroxybutyric acid, galactarate, galacturonate, adipate, alginate, bisulfate, butyrate, camphorate, camphorsulfonate, cyclopentanepropionate, dodecylsulfate, glycoheptanoate, glycerophosphate, hemisulfate, cyclopentanepropionate, dodecylsulfate, glycoheptanoate, glycerophosphate, hemisulfate,

heptanoate, hexanoate, nicotinate, 2-naphthalesulfonate, oxalate, palmoate, pectinate, persulfate, 3-phenylpropionate, picrate, pivalate, thiocyanate, tosylate, and undecanoate.

[668] Pharmaceutically-acceptable base addition salts of the compounds of this invention include, for example, metallic salts and organic salts. Preferred metallic salts include alkali metal (group Ia) salts, alkaline earth metal (group IIa) salts, and other physiological acceptable metal salts. Such salts may be made from aluminum, calcium, lithium, magnesium, potassium, sodium, and zinc. Preferred organic salts can be made from tertiary amines and quaternary amine salts, such as tromethamine, diethylamine, N,N'-dibenzylethylenediamine, chloroprocaine, choline, diethanolamine, ethylenediamine, meglumine (N-methylglucamine), and procaine. Basic nitrogen-containing groups can be quaternized with agents such as lower alkyl (C₁-C₆) halides (e.g., methyl, ethyl, propyl, and butyl chlorides, bromides, and iodides), dialkyl sulfates (e.g., dimethyl, diethyl, dibuytl, and diamyl sulfates), long chain halides (e.g., decyl, lauryl, myristyl, and stearyl chlorides, bromides, and iodides), aralkyl halides (e.g., benzyl and phenethyl bromides), and others.

[669] Particularly preferred salts of the compounds of this invention include hydrochloric acid (HCl) salts and trifluoroacetate (CF₃COOH or "TFA") salts.

C. Treating Conditions Using the Compounds and Salts of this Invention
[670] One embodiment of this invention is directed to a process for treating a
pathological condition associated with MMP activity in a mammal (e.g., a human,
companion animal, farm animal, laboratory animal, zoo animal, or wild animal) having or
disposed to having such a condition. Such a condition may be, for example, tissue
destruction, a fibrotic disease, pathological matrix weakening, defective injury repair, a
cardiovascular disease, a pulmonary disease, a kidney disease, a liver disease, an
ophthalmologic disease, or a central nervous system disease. Specific examples of such
conditions include osteoarthritis, rheumatoid arthritis, septic arthritis, tumor invasion,
tumor metastasis, tumor angiogenesis, a decubitis ulcer, a gastric ulcer, a corneal ulcer,
periodontal disease, liver cirrhosis, fibrotic lung disease, otosclerosis, atherosclerosis,
multiple sclerosis, dilated cardiomyopathy, epidermal ulceration, epidermolysis bullosa,
aortic aneurysm, weak injury repair, an adhesion, scarring, congestive heart failure, post
myocardial infarction, coronary thrombosis, emphysema, proteinuria, bone disease,

5

10

15

20

25

chronic obstructive pulmonary diseases, Alzheimer's disease, and diseases of the central nervous system associated with nitrosative or oxidative stress (e.g., stroke, cerebral ischemia, and other neurodegenerative diseases).

- [671] In some particularly preferred embodiments, the condition comprises arthritis.
 - [672] In some particularly preferred embodiments, the condition comprises tumor invasion, tumor metastasis, or tumor angiogenesis.
 - [673] In some particularly preferred embodiments, the condition comprises periodontal disease.
- 10 [674] In some particularly preferred embodiments, the condition comprises atherosclerosis.
 - [675] In some particularly preferred embodiments, the condition comprises multiple sclerosis.
- [676] In some particularly preferred embodiments, the condition comprises dilated cardiomyopathy.
 - [677] In some particularly preferred embodiments, the condition comprises post myocardial infarction.
 - [678] In some particularly preferred embodiments, the condition comprises congestive heart failure.
 - [679] In some particularly preferred embodiments, the condition comprises chronic obstructive pulmonary disease.
 - [680] In some particularly preferred embodiments, the condition comprises a disease of the central nervous system associated with nitrosative or oxidative stress. Such a disease may be, for example, stroke, cerebral ischemia, and other neurodegenerative diseases.
 - [681] The condition may alternatively (or additionally) be associated with TNF-α convertase activity. Examples of such a condition include inflammation (e.g., rheumatoid arthritis), autoimmune disease, graft rejection, multiple sclerosis, a fibrotic disease, cancer, an infectious disease (e.g., malaria, mycobacterial infection, meningitis, etc.), fever, psoriasis, a cardiovascular disease (e.g., post-ischemic reperfusion injury and congestive heart failure), a pulmonary disease, hemorrhage, coagulation, hyperoxic alveolar injury,

20

25

radiation damage, acute phase responses like those seen with infections and sepsis and during shock (e.g., septic shock, hemodynamic shock, etc.), cachexia, and anorexia.

- [682] The condition may alternatively (or additionally) be associated with aggrecanase activity. Examples of such a condition include inflammation diseases (e.g., osteoarthritis, rheumatoid arthritis, joint injury, reactive arthritis, acute pyrophosphate arthritis, and psoriatic arthritis) and cancer.
- [683] In this specification, the phrase "treating a condition" means ameliorating, suppressing, eradicating, preventing, reducing the risk of, or delaying the onset of the condition. The pathological condition may be (a) the result of pathological aggrecanase and/or MMP activity itself, and/or (b) affected by aggrecanase and/or MMP activity (e.g., diseases associated with TNF- α).
- [684] A wide variety of methods may be used alone or in combination to administer the hydroxamic acids and salt thereof described above. For example, the hydroxamic acids or salts thereof may be administered orally, parenterally, by inhalation spray, rectally, or topically.
- described in this patent is administered in an amount effective to inhibit a target MMP(s). The target MMP is/are typically MMP-2, MMP-9, and/or MMP-13, with MMP-13 often being a particularly preferred target. The preferred total daily dose of the hydroxamic acid or salt thereof (administered in single or divided doses) is typically from about 0.001 to about 100 mg/kg, more preferably from about 0.001 to about 30 mg/kg, and even more preferably from about 0.01 to about 10 mg/kg (i.e., mg hydroxamic acid or salt thereof per kg body weight). Dosage unit compositions can contain such amounts or submultiples thereof to make up the daily dose. In many instances, the administration of the compound or salt will be repeated a plurality of times. Multiple doses per day typically may be used to increase the total daily dose, if desired.
- [686] Factors affecting the preferred dosage regimen include the type, age, weight, sex, diet, and condition of the patient; the severity of the pathological condition; the route of administration; pharmacological considerations, such as the activity, efficacy, pharmacokinetic, and toxicology profiles of the particular hydroxamic acid or salt thereof employed; whether a drug delivery system is utilized; and whether the hydroxamic acid or

5

10

15

20

25

salt thereof is administered as part of a drug combination. Thus, the dosage regimen actually employed can vary widely, and, therefore, can deviate from the preferred dosage regimen set forth above.

- D. Pharmaceutical Compositions Containing the Compounds and Salts of this Invention

 [687] This invention also is directed to pharmaceutical compositions comprising
 a hydroxamic acid or salt thereof described above, and to methods for making
 pharmaceutical compositions (or medicaments) comprising a hydroxamic acid or salt
 thereof described above.
- 10 [688] The preferred composition depends on the method of administration, and typically comprises one or more conventional pharmaceutically acceptable carriers, adjuvants, and/or vehicles. Formulation of drugs is generally discussed in, for example, Hoover, John E., Remington's Pharmaceutical Sciences (Mack Publishing Co., Easton, PA: 1975). See also, Liberman, H.A. See also, Lachman, L., eds., Pharmaceutical Dosage Forms (Marcel Decker, New York, N.Y., 1980).
 - [689] Solid dosage forms for oral administration include, for example, capsules, tablets, pills, powders, and granules. In such solid dosage forms, the hydroxamic acids or salts thereof are ordinarily combined with one or more adjuvants. If administered per os, the hydroxamic acids or salts thereof can be mixed with lactose, sucrose, starch powder, cellulose esters of alkanoic acids, cellulose alkyl esters, talc, stearic acid, magnesium stearate, magnesium oxide, sodium and calcium salts of phosphoric and sulfuric acids, gelatin, acacia gum, sodium alginate, polyvinylpyrrolidone, and/or polyvinyl alcohol, and then tableted or encapsulated for convenient administration. Such capsules or tablets can contain a controlled-release formulation, as can be provided in a dispersion of the hydroxamic acid or salt thereof in hydroxypropylmethyl cellulose. In the case of capsules, tablets, and pills, the dosage forms also can comprise buffering agents, such as sodium citrate, or magnesium or calcium carbonate or bicarbonate. Tablets and pills additionally can be prepared with enteric coatings.
 - [690] Liquid dosage forms for oral administration include, for example, pharmaceutically acceptable emulsions, solutions, suspensions, syrups, and elixirs containing inert diluents commonly used in the art (e.g., water). Such compositions also

20

25

30

can comprise adjuvants, such as wetting, emulsifying, suspending, flavoring (e.g., sweetening), and/or perfuming agents.

[691] "Parenteral administration" includes subcutaneous injections, intravenous injections, intramuscular injections, intrasternal injections, and infusion. Injectable preparations (e.g., sterile injectable aqueous or oleaginous suspensions) can be formulated according to the known art using suitable dispersing, wetting agents, and/or suspending agents. Acceptable vehicles and solvents include, for example, water, 1,3-butanediol, Ringer's solution, isotonic sodium chloride solution, bland fixed oils (e.g., synthetic monoor diglycerides), fatty acids (e.g., oleic acid), dimethyl acetamide, surfactants (e.g., ionic and non-ionic detergents), and/or polyethylene glycols.

[692] Formulations for parenteral administration may, for example, be prepared from sterile powders or granules having one or more of the carriers or diluents mentioned for use in the formulations for oral administration. The hydroxamic acids or salts thereof can be dissolved in water, polyethylene glycol, propylene glycol, ethanol, com oil, cottonseed oil, peanut oil, sesame oil, benzyl alcohol, sodium chloride, and/or various buffers.

[693] Suppositories for rectal administration can be prepared by, for example, mixing the drug with a suitable nonirritating excipient that is solid at ordinary temperatures, but liquid at the rectal temperature and will therefore melt in the rectum to release the drug. Suitable excipients include, for example, such as cocoa butter; synthetic mono-, di-, or triglycerides; fatty acids; and/or polyethylene glycols

[694] "Topical administration" includes the use of transdermal administration, such as transdermal patches or iontophoresis devices.

[695] Other adjuvants and modes of administration well-known in the pharmaceutical art may also be used.

E. Definitions

[696] The term "alkyl" (alone or in combination with another term(s)) means a straight-or branched-chain saturated hydrocarbyl substituent typically containing from 1 to about 20 carbon atoms, more typically from 1 to about 8 carbon atoms, and even more typically from 1 to about 6 carbon atoms. Examples of such substituents include methyl,

5

10

15

20

25

ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, pentyl, iso-amyl, hexyl, octyl, and the like.

[697] The term "alkenyl" (alone or in combination with another term(s)) means a straight- or branched-chain hydrocarbyl substituent containing one or more double bonds and typically from 2 to about 20 carbon atoms, more typically from about 2 to about 8 carbon atoms, and even more typically from about 2 to about 6 carbon atoms. Examples of such substituents include ethenyl (vinyl); 2-propenyl; 3-propenyl; 1,4-pentadienyl; 1,4-butadienyl; 1-butenyl; 2-butenyl; 3-butenyl; decenyl; and the like.

[698] The term "alkynyl" (alone or in combination with another term(s)) means a straight- or branched-chain hydrocarbyl substituent containing one or more triple bonds and typically from 2 to about 20 carbon atoms, more typically from about 2 to about 8 carbon atoms, and even more typically from about 2 to about 6 carbon atoms. Examples of such substituents include ethynyl, 2-propynyl, 3-propynyl, decynyl, 1-butynyl, 2-butynyl, 3-butynyl, and the like.

means a saturated cyclic (*i.e.*, "cycloalkyl"), partially saturated cyclic (*i.e.*, "cycloalkenyl"), or completely unsaturated (*i.e.*, "aryl") hydrocarbyl substituent containing from 3 to 14 carbon ring atoms ("ring atoms" are the atoms bound together to form the ring or rings of a cyclic substituent). A carbocyclyl may be a single ring, which typically contains from 3 to 6 ring atoms. Examples of such single-ring carbocyclyls include cyclopropanyl, cyclobutanyl, cyclopentyl, cyclopentenyl, cyclopentadienyl, cyclohexyl, cyclohexenyl, cyclohexadienyl, and phenyl. A carbocyclyl alternatively may be 2 or 3 rings fused together, such as naphthalenyl, tetrahydronaphthalenyl (also known as "tetralinyl"), indenyl, isoindenyl, indanyl, bicyclodecanyl, anthracenyl, phenanthrene, benzonaphthenyl (also known as "phenalenyl"), fluoreneyl, decalinyl, and norpinanyl.

[700] The term "cycloalkyl" (alone or in combination with another term(s)) means a saturated cyclic hydrocarbyl substituent containing from 3 to 14 carbon ring atoms. A cycloalkyl may be a single carbon ring, which typically contains from 3 to 6 carbon ring atoms. Examples of single-ring cycloalkyls include cyclopropyl (or "cyclopropanyl"), cyclobutyl (or "cyclobutanyl"), cyclopentyl (or "cyclopentanyl"), and cyclohexyl (or "cyclohexanyl"). A cycloalkyl alternatively may be 2 or 3 carbon rings fused together, such as, decalinyl or norpinanyl.

200

5

10

15

20

25

30

5

[701] The term "aryl" (alone or in combination with another term(s)) means an aromatic carbocyclyl containing from 6 to 14 carbon ring atoms. Examples of aryls include phenyl, naphthalenyl, and indenyl.

[702] In some instances, the number of carbon atoms in a hydrocarbyl substituent (e.g., alkyl, alkenyl, alkynyl, or cycloalkyl) is indicated by the prefix "C_x-C_y-", wherein x is the minimum and y is the maximum number of carbon atoms in the substituent. Thus, for example, "C₁-C₆-alkyl" refers to an alkyl substituent containing from 1 to 6 carbon atoms. Illustrating further, C₃-C₆-cycloalkyl means a saturated hydrocarbyl ring containing from 3 to 6 carbon ring atoms.

10 [703] The term "hydrogen" (alone or in combination with another term(s)) means a hydrogen radical, and may be depicted as -H.

[704] The term "hydroxy" (alone or in combination with another term(s)) means -OH.

[705] The term "nitro" (alone or in combination with another term(s)) means 15 -NO₂.

[706] The term "cyano" (alone or in combination with another term(s)) means -CN, which also may be depicted:



[707] The term "keto" (alone or in combination with another term(s)) means an oxo radical, and may be depicted as =0.

[708] The term "carboxy" (alone or in combination with another term(s)) means -C(O)-OH, which also may be depicted as:

[709] The term "amino" (alone or in combination with another term(s)) means

-NH₂. The term "monosubstituted amino" (alone or in combination with another term(s))

means an amino substituent wherein one of the hydrogen radicals is replaced by a

20

シー・デー・イング・大学の経過などのはないのできないとして、

non-hydrogen substituent. The term "disubstituted amino" (alone or in combination with another term(s)) means an amino substituent wherein both of the hydrogen atoms are replaced by non-hydrogen substituents, which may be identical or different.

[710] The term "halogen" (alone or in combination with another term(s)) means a fluorine radical (which may be depicted as -F), chlorine radical (which may be depicted as -Cl), bromine radical (which may be depicted as -Br), or iodine radical (which may be depicted as -I). Typically, a fluorine radical or chlorine radical is preferred, with a fluorine radical often being particularly preferred.

[711] A substituent is "substitutable" if it comprises at least one carbon or nitrogen atom that is bonded to one or more hydrogen atoms. Thus, for example, hydrogen, halogen, and cyano do not fall within this definition.

[712] If a substituent is described as being "substituted", a non-hydrogen radical is in the place of a hydrogen radical on a carbon or nitrogen of the substituent. Thus, for example, a substituted alkyl substituent is an alkyl substituent wherein at least one non-hydrogen radical is in the place of a hydrogen radical on the alkyl substituent. To illustrate, monofluoroalkyl is alkyl substituted with a fluoro radical, and difluoroalkyl is alkyl substituted with two fluoro radicals. It should be recognized that if there are more than one substitutions on a substituent, each non-hydrogen radical may be identical or different (unless otherwise stated).

If a substituent is described as being "optionally substituted", the substituent may be either (1) not substituted or (2) substituted. If a substituent is described as being optionally substituted with up to a particular number of non-hydrogen radicals, that substituent may be either (1) not substituted; or (2) substituted by up to that particular number of non-hydrogen radicals or by up to the maximum number of substitutable positions on the substituent, whichever is less. Thus, for example, if a substituent is described as a heteroaryl optionally substituted with up to 3 non-hydrogen radicals, then any heteroaryl with less than 3 substitutable positions would be optionally substituted by up to only as many non-hydrogen radicals as the heteroaryl has substitutable positions. To illustrate, tetrazolyl (which has only one substitutable position) would be optionally substituted with up to one non-hydrogen radical. To illustrate further, if an amino nitrogen is described as being optionally substituted with up to 2 non-hydrogen radicals, then a primary amino nitrogen will be optionally substituted with up to 2 non-hydrogen radicals,

5

10

15

20

25

30

...

whereas a secondary amino nitrogen will be optionally substituted with up to only 1 non-hydrogen radical. Further illustrations of this definition may be found above at, for example, the sub-section entitled "General Description of Preferred A¹ and A² Substituents."

- [714] This specification uses the terms "substituent" and "radical" interchangeably.
- attached is substituted with one or more independently selected halogen radicals. For example, haloalkyl means an alkyl substituent wherein at least one hydrogen radical is replaced with a halogen radical. Examples of haloalkyls include chloromethyl, 1-bromoethyl, fluoromethyl, difluoromethyl, trifluoromethyl, 1,1,1-trifluoroethyl, and the like. Illustrating further, "haloalkoxy" means an alkoxy substituent wherein at least one hydrogen radical is replaced by a halogen radical. Examples of haloalkoxy substituents include chloromethoxy, 1-bromoethoxy, fluoromethoxy, difluoromethoxy, trifluoromethoxy (also known as "perfluoromethyloxy"), 1,1,1,-trifluoroethoxy, and the like. It should be recognized that if a substituent is substituted by more than one halogen radical, those halogen radicals may be identical or different (unless otherwise stated).
- substituent to which the prefix "perhalo" indicates that every hydrogen radical on the substituent to which the prefix is attached is replaced with independently selected halogen radicals, *i.e.*, each hydrogen radical on the substituent is replaced with a halogen radical. If all the halogen radicals are identical, the prefix typically will identify the halogen radical. Thus, for example, the term "perfluoro" means that every hydrogen radical on the substituent to which the prefix is attached is substituted with a fluorine radical. To illustrate, the term "perfluoroalkyl" means an alkyl substituent wherein a fluorine radical is in the place of each hydrogen radical. Examples of perfluoroalkyl substituents include trifluoromethyl (-CF₃), perfluorobutyl, perfluoroisopropyl, perfluoroalkoxy" means an alkoxy substituent wherein each hydrogen radical is replaced with a fluorine radical. Examples of perfluoroalkoxy substituents include trifluoromethoxy (-O-CF₃), perfluorobutoxy, perfluoroisopropoxy, perfluorododecoxy, perfluorodecoxy, and the like.
 - [717] The term "carbonyl" (alone or in combination with another term(s)) means -C(O)-, which also may be depicted as:

5

10

15

20

25

This term also is intended to encompass a hydrated carbonyl substituent, i.e., -C(OH)2-.

[718] The term "aminocarbonyl" (alone or in combination with another term(s)) means -C(O)-NH₂, which also may be depicted as:

5

10

[719] The term "oxy" (alone or in combination with another term(s)) means an ether substituent, and may be depicted as -O-.

[720] The term "alkoxy" (alone or in combination with another term(s)) means an alkylether substituent, *i.e.*, -O-alkyl. Examples of such a substituent include methoxy (-O-CH₃), ethoxy, n-propoxy, isopropoxy, n-butoxy, iso-butoxy, sec-butoxy, tert-butoxy, and the like.

[721] The term "alkylcarbonyl" (alone or in combination with another term(s)) means -C(O)-alkyl. For example, "ethylcarbonyl" may be depicted as:

15 [722] The term "aminoalkylcarbonyl" (alone or in combination with another term(s)) means -C(O)-alkyl-NH₂. For example, "aminomethylcarbonyl" may be depicted as:

[723] The term "alkoxycarbonyl" (alone or in combination with another term(s))
20 means -C(O)-O-alkyl. For example, "ethoxycarbonyl" may be depicted as:

[724] The term "carbocyclylcarbonyl" (alone or in combination with another term(s)) means -C(O)-carbocyclyl. For example, "phenylcarbonyl" may be depicted as:

5 Similarly, the term "heterocyclylcarbonyl" (alone or in combination with another term(s)) means -C(O)-heterocyclyl.

[725] The term "carbocyclylalkylcarbonyl" (alone or in combination with another term(s)) means -C(O)-alkyl-carbocyclyl. For example, "phenylethylcarbonyl" may be depicted as:

10

Similarly, the term "heterocyclylalkylcarbonyl" (alone or in combination with another term(s)) means -C(O)-alkyl-heterocyclyl.

[726] The term "carbocyclyloxycarbonyl" (alone or in combination with another term(s)) means -C(O)-O-carbocyclyl. For example, "phenyloxycarbonyl" may be depicted

[727] The term "carbocyclylalkoxycarbonyl" (alone or in combination with another term(s)) means -C(O)-O-alkyl-carbocyclyl. For example, "phenylethoxycarbonyl" may be depicted as:

WO 03/091247

5

10

15

[728] The term "thio" or "thia" (alone or in combination with another term(s)) means a thiaether substituent, *i.e.*, an ether substituent wherein a divalent sulfur atom is in the place of the ether oxygen atom. Such a substituent may be depicted as -S-. This, for example, "alkyl-thio-alkyl" means alkyl-S-alkyl.

[729] The term "thiol" or "sulfhydryl" (alone or in combination with another term(s)) means a sulfhydryl substituent, and may be depicted as -SH.

[730] The term "(thiocarbonyl)" (alone or in combination with another term(s)) means a carbonyl wherein the oxygen atom has been replaced with a sulfur. Such a substituent may be depicted as -C(S)-, and also may be depicted as:



[731] The term "sulfonyl" (alone or in combination with another term(s)) means -S(O)₂-, which also may be depicted as:

Thus, for example, "alkyl-sulfonyl-alkyl" means alkyl-S(O)2-alkyl.

[732] The term "aminosulfonyl" (alone or in combination with another term(s))
20 means -S(O)₂-NH₂, which also may be depicted as:

[733] The term "sulfoxido" (alone or in combination with another term(s)) means -S(O)-, which also may be depicted as:

Thus, for example, "alkyl-sulfoxido-alkyl" means alkyl-S(O)-alkyl.

[734] The term "heterocyclyl" (alone or in combination with another term(s)) means a saturated (i.e., "heterocycloalkyl"), partially saturated (i.e., "heterocycloalkenyl"), or completely unsaturated (i.e., "heteroaryl") ring structure containing a total of 3 to 14 ring atoms. At least one of the ring atoms is a heteroatom (i.e., oxygen, nitrogen, or sulfur), with the remaining ring atoms being independently selected from the group consisting of carbon, oxygen, nitrogen, and sulfur.

[735] A heterocyclyl may be a single ring, which typically contains from 3 to 7 ring atoms, more typically from 3 to 6 ring atoms, and even more typically 5 to 6 ring atoms. Examples of single-ring heterocyclyls include furanyl, dihydrofurnayl, tetradydrofurnayl, thiophenyl (also known as "thiofuranyl"), dihydrothiophenyl, tetrahydrothiophenyl, pyrrolyl, isopyrrolyl, pyrrolinyl, pyrrolidinyl, imidazolyl, isoimidazolyl, imidazolinyl, imidazolidinyl, pyrazolyl, pyrazolinyl, pyrazolidinyl, triazolyl, tetrazolyl, dithiolyl, oxathiolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, thiazolinyl, isothiazolinyl, thiazolidinyl, isothiazolidinyl, thiodiazolyl, oxathiazolyl, oxadiazolyl (including 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl (also known as "azoximyl"), 1,2,5-oxadiazolyl (also known as "furazanyl"), or 1,3,4-oxadiazolyl), oxatriazolyl (including 1,2,3,4-oxatriazolyl or 1,2,3,5-oxatriazolyl), dioxazolyl (including 1,2,3-dioxazolyl, 1,2,4-dioxazolyl, 1,3,2-dioxazolyl, or 1,3,4-dioxazolyl), oxathiazolyl, oxathiolyl, oxathiolanyl, pyranyl (including 1,2-pyranyl or 1,4-pyranyl), dihydropyranyl, pyridinyl (also known as "azinyl"), piperidinyl, diazinyl (including pyridazinyl (also known as "1,2-diazinyl"), pyrimidinyl (also known as "1,3-diazinyl"), or pyrazinyl (also known as "1,4-diazinyl")), piperazinyl, triazinyl (including s-triazinyl (also known as "1,3,5-triazinyl"), as-triazinyl (also known 1,2,4-triazinyl), and v-triazinyl (also known as "1,2,3-triazinyl")), oxazinyl (including 1,2,3-oxazinyl, 1,3,2-oxazinyl, 1,3,6-oxazinyl (also known as "pentoxazolyl"), 1,2,6-oxazinyl, or 1,4-oxazinyl), isoxazinyl (including

5

10

15

20

25

o-isoxazinyl or p-isoxazinyl), oxazolidinyl, isoxazolidinyl, oxathiazinyl (including 1,2,5-oxathiazinyl or 1,2,6-oxathiazinyl), oxadiazinyl (including 1,4,2-oxadiazinyl or 1,3,5,2-oxadiazinyl), morpholinyl, azepinyl, oxepinyl, thiepinyl, and diazepinyl.

A heterocyclyl alternatively may be 2 or 3 rings fused together, such as, for example, indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, 5 pyridopyridinyl (including pyrido[3,4-b]-pyridinyl, pyrido[3,2-b]-pyridinyl, or pyrido[4,3-b]-pyridinyl), and pteridinyl. Other examples of fused-ring heterocyclyls include benzo-fused heterocyclyls, such as indolyl, isoindolyl (also known as "isobenzazolyl" or "pseudoisoindolyl"), indoleninyl (also known as "pseudoindolyl"), isoindazolyl (also known as "benzpyrazolyl"), benzazinyl (including quinolinyl (also 10 known as "1-benzazinyl") or isoquinolinyl (also known as "2-benzazinyl")), phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl (including cinnolinyl (also known as "1,2-benzodiazinyl") or quinazolinyl (also known as "1,3-benzodiazinyl")), benzopyranyl (including "chromanyl" or "isochromanyl"), benzothiopyranyl (also known as "thiochromanyl"), benzoxazolyl, indoxazinyl (also known as "benzisoxazolyl"), 15 anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl (also known as "coumaronyl"), isobenzofuranyl, benzothienyl (also known as "benzothiophenyl", "thionaphthenyl", or "benzothiofuranyl"), isobenzothienyl (also known as "isobenzothiophenyl", "isothionaphthenyl", or "isobenzothiofuranyl"), benzothiazolyl, benzothiadiazolyl, benzimidazolyl, benzotriazolyl, benzoxazinyl (including 20 1,3,2-benzoxazinyl, 1,4,2-benzoxazinyl, 2,3,1-benzoxazinyl, or 3,1,4-benzoxazinyl), benzisoxazinyl (including 1,2-benzisoxazinyl or 1,4-benzisoxazinyl), tetrahydroisoquinolinyl, carbazolyl, xanthenyl, and acridinyl.

[737] The term "2-fused'ring" heterocyclyl (alone or in combination with another term(s)) means a saturated, partially saturated, or aryl heterocyclyl containing 2 fused rings. Examples of 2-fused-ring heterocyclyls include indolizinyl, pyrindinyl, pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl, isobenzothienyl, benzothiazolyl, benzothiadiazolyl,

25

30

benzimidazolyl, benzotriazolyl, benzoxazinyl, benzisoxazinyl, and tetrahydroisoquinolinyl.

[738] The term "heteroaryl" (alone or in combination with another term(s)) means an aromatic heterocyclyl containing from 5 to 14 ring atoms. A heteroaryl may be a single ring or 2 or 3 fused rings. Examples of heteroaryl substituents include 6-membered ring substituents such as pyridyl, pyrazyl, pyrimidinyl, and pyridazinyl; 5-membered ring substituents such as 1,3,5-, 1,2,4- or 1,2,3-triazinyl, imidazyl, furanyl, thiophenyl, pyrazolyl, oxazolyl, isoxazolyl, thiazolyl, 1,2,3-, 1,2,4-, 1,2,5-, or 1,3,4-oxadiazolyl and isothiazolyl; 6/5-membered fused ring substituents such as benzothiofuranyl, isobenzothiofuranyl, benzisoxazolyl, benzoxazolyl, purinyl, and anthranilyl; and 6/6-membered fused rings such as 1,2-, 1,4-, 2,3- and 2, 1-benzopyronyl, quinolinyl, isoquinolinyl, cinnolinyl, quinazolinyl, and 1,4-benzoxazinyl.

A carbocyclyl or heterocyclyl can optionally be substituted with, for example, one or more substituents independently selected from the group consisting of 15 halogen, hydroxy, carboxy, keto, alkyl, alkoxy, alkoxyalkyl, alkylcarbonyl (also known as "alkanoyl"), aryl, arylalkyl, arylalkoxy, arylalkoxyalkyl, arylalkoxycarbonyl, cycloalkyl, cycloalkylalkyl, cycloalkylalkoxy, cycloalkylalkoxyalkyl, and cycloalkylalkoxycarbonyl. More typically, a carbocyclyl or heterocyclyl may optionally be substituted with, for example, one or more substituents independently selected from the group consisting of 20 halogen, -OH, -C(O)-OH, keto, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkoxy-C₁-C₆-alkyl, C₁-C₆-alkylcarbonyl, aryl, aryl-C₁-C₆-alkyl, aryl-C₁-C₆-alkoxy, aryl-C₁-C₆-alkoxy-C₁-C₆-alkyl, aryl-C₁-C₆-alkoxycarbonyl, cycloalkyl, cycloalkyl-C₁-C₆-alkyl, cycloalkyl-C₁-C₆-alkoxy, cycloalkyl-C₁-C₆-alkoxy-C₁-C₆-alkyl, and cycloalkyl-C₁-C₆-alkoxycarbonyl. The alkyl, alkoxy, alkoxyalkyl, alkylcarbonyl, aryl, arylalkyl, arylalkoxy, arylalkoxyalkyl, or arylalkoxycarbonyl substituent(s) may further be 25 substituted with, for example, one or more halogen. The aryls or cycloalkyls are typically single-ring substituents containing from 3 to 6 ring atoms, and more typically from 5 to 6 ring atoms.

[740] An aryl or heteroaryl can optionally be substituted with, for example, one or more substituents independently selected from the group consisting of halogen, -OH, -CN, -NO₂, -SH, -C(O)-OH, amino, aminocarbonyl, aminoalkyl, alkyl, alkylthio, carboxyalkylthio, alkylcarbonyl, alkylcarbonyloxy, alkoxy, alkoxyalkyl, alkoxycarbonyl,

30

5

alkoxycarbonylalkoxy, alkoxyalkylthio, alkoxycarbonylalkylthio, carboxyalkoxy, alkoxycarbonylalkoxy, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclylthio, carbocyclylalkylthio, carbocyclylamino, carbocyclylalkylamino, carbocyclylcarbonyl, carbocyclylalkyl, carbonyl,

- carbocyclylcarbonyloxy, carbocyclyloxycarbonyl, carbocyclylalkoxycarbonyl, carbocyclyloxyalkoxycarbocyclyl, carbocyclylthioalkylthiocarbocyclyl, carbocyclyloxyalkylthiocarbocyclyl, heterocyclylalkyl, heterocyclyloxy, heterocyclylalkylthio, heterocyclylalkylthio, heterocyclylalkylthio, heterocyclylalkylthio,
- heterocyclylcarbonyl, heterocyclylalkylcarbonyl, heterocyclyloxycarbonyl,
 heterocyclylcarbonyloxy, heterocyclylalkoxycarbonyl,
 heterocyclyloxyalkoxyheterocyclyl, heterocyclylthioalkylthioheterocyclyl,
 heterocyclylthioalkoxyheterocyclyl, and heterocyclyloxyalkylthioheterocyclyl. More
 typically, an aryl or heteroaryl may, for example, optionally be substituted with one or
 more substituents independently selected from the group consisting of halogen, -OH, -CN,
- -NO₂, -SH, -C(O)-OH, amino, aminocarbonyl, amino-C₁-C₆-alkyl, C₁-C₆-alkylthio, carboxy-C₁-C₆-alkylthio, C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxy, C₁-C₆-alkoxy-C₁-C₆-alkoxy-C₁-C₆-alkoxy-C₁-C₆-alkoxy-C₁-C₆-alkoxy-C₁-C₆-alkoxy-C₁-C₆-alkoxy-C₁-C₆-alkoxy-C₁-C₆-alkoxy-C₁-C₆-alkoxy-C₁-C₆-alkylthio,
- C₁-C₆-alkoxycarbonyl-C₁-C₆-alkylthio, carboxy-C₁-C₆-alkoxy,

 C₁-C₆-alkoxycarbonyl-C₁-C₆-alkoxy, aryl, aryl-C₁-C₆-alkyl, aryloxy, arylthio,

 aryl-C₁-C₆-alkylthio, arylamino, aryl-C₁-C₆-alkylamino, arylcarbonylamino, arylcarbonyl,

 aryl-C₁-C₆-alkylcarbonyl, arylcarbonyloxy, aryloxycarbonyl, aryl-C₁-C₆-alkoxycarbonyl,

 aryloxy-C₁-C₆-alkoxyaryl, arylthio-C₁-C₆-alkylthioaryl, arylthio-C₁-C₆-alkoxyaryl,
- 25 aryloxy-C₁-C₆-alkylthioaryl, cycloalkyl, cycloalkyl-C₁-C₆-alkyl, cycloalkyloxy, cycloalkylthio, cycloalkyl-C₁-C₆-alkylthio, cycloalkylamino, cycloalkyl-C₁-C₆-alkylamino, cycloalkylcarbonylamino, cycloalkylcarbonyl, cycloalkyl-C₁-C₆-alkylcarbonyl, cycloalkylcarbonyloxy, cycloalkyloxycarbonyl, cycloalkyl-C₁-C₆-alkoxycarbonyl, heteroaryl-C₁-C₆-alkyl, heteroaryloxy,
- heteroarylthio, heteroaryl-C₁-C₆-alkylthio, heteroarylamino, heteroaryl-C₁-C₆-alkylamino, heteroarylcarbonylamino, heteroarylcarbonyl, heteroaryl-C₁-C₆-alkylcarbonyl, heteroarylcarbonyloxy, and heteroaryl-C₁-C₆-alkoxycarbonyl.

Here, one or more hydrogen bound to a carbon in any such substituent may, for example, optionally be replaced with halogen. In addition, the cycloalkyl, aryl, and heteroaryl are typically single-ring substituents containing 3 to 6 ring atoms, and more typically 5 or 6 ring atoms.

[741] A prefix attached to a multi-component substituent only applies to the first component. To illustrate, the term "alkylcycloalkyl" contains two components: alkyl and cycloalkyl. Thus, the C₁-C₆- prefix on C₁-C₆-alkylcycloalkyl means that the alkyl component of the alkylcycloalkyl contains from 1 to 6 carbon atoms; the C₁-C₆- prefix does not describe the cycloalkyl component. To illustrate further, the prefix "halo" on haloalkoxyalkyl indicates that *only* the alkoxy component of the alkoxyalkyl substituent is substituted with one or more halogen radicals. If halogen substitution may *alternatively or additionally* occur on the alkyl component, the substituent would instead be described as "halogen-substituted alkoxyalkyl" rather than "haloalkoxyalkyl." And finally, if the halogen substitution may *only* occur on the alkyl component, the substituent would instead be described as "alkoxyhaloalkyl."

[742] If substituents are described as being "independently selected" from a group, each substituent is selected independent of the other. Each substituent therefore may be identical to or different from the other substituent(s).

[743] When words are used to describe a substituent, the rightmost-described component of the substituent is the component that has the free valence. To illustrate, benzene substituted with methoxyethyl has the following structure:

As can be seen, the ethyl is bound to the benzene, and the methoxy is the component of the substituent that is the component furthest from the benzene. As further illustration, benzene substituted with cyclohexanylthiobutoxy has the following structure:

5

10

15

20

[744] When words are used to describe a linking element between two other elements of a depicted chemical structure, the rightmost-described component of the substituent is the component that is bound to the left element in the depicted structure. To illustrate, if the chemical structure is X-L-Y and L is described as methylcyclohexanylethyl, then the chemical would be X-ethyl-cyclohexanyl-methyl-Y.

When a chemical formula is used to describe a substituent, the dash on the left side of the formula indicates the portion of the substituent that has the free valence. To illustrate, benzene substituted with -C(O)-OH has the following structure:

two other elements of a depicted chemical structure, the leftmost dash of the substituent indicates the portion of the substituent that is bound to the left element in the depicted structure. The rightmost dash, on the other hand, indicates the portion of the substituent that is bound to the right element in the depicted structure. To illustrate, if the depicted chemical structure is X-L-Y and L is described as -C(O)-N(H)-, then the chemical would be:

[747] The term "pharmaceutically acceptable" is used adjectivally in this patent to mean that the modified noun is appropriate for use as a pharmaceutical product or as a part of a pharmaceutical product.

[748] With reference to the use of the words "comprise" or "comprises" or "comprising" in this patent (including the claims), Applicants note that unless the context requires otherwise, those words are used on the basis and clear understanding that they are to be interpreted inclusively, rather than exclusively, and that Applicants intend each of those words to be so interpreted in construing this patent, including the claims below.

5

10

15

20

F. Compound Preparation

[749] The detailed examples below illustrate preparation of compounds and salts of this invention. Other compounds and salts of this invention may be prepared using the methods illustrated in these examples, either alone or in combination with techniques generally known in the art. Such known techniques include, for example, those disclosed in WIPO Int'l Publ. No. WO 00/46221 (PCT Patent Application No. PCT/US00/03061 published on August 10, 2000) (incorporated herein by reference).

EXAMPLES

10 [750] The following examples are merely illustrative, and not limiting to the remainder of this disclosure in any way.

[751] Example 1. Preparation of 4-{[4-(5-butylpyrazin-2-yl)piperazin-1-yl]sulfonyl}-N-hydroxytetrahydro-2H-pyran-4-carboxamide dihydrochloride.

15

20

25

5

[752] Part A. Preparation of:

$$\begin{array}{c} H_3C \\ H_3C \\ \end{array} \longrightarrow \hspace{-0.5cm} O \\ NH \\ \end{array}$$

To a DMSO solution (350 mL) of chloropyrazine (21.3 g, 187 mmol) and 1-Bocpiperazine (31.6 g, 170 mmol) was added Cs_2CO_3 (77g, 237 mmol). The slurry was stirred at 60°C for 24 hr, and at 100° C for an additional 24 hr. The cooled mixture was diluted with water (800 mL), and extracted with diethyl ether (3x500 mL). The combined organic extracts were washed with brine, dried over MgSO₄, and evaporated to a brown oil. The crude material was purified on a plug (200 g) of silica gel eluting with 10-40% ethyl acetate in hexane to produce 31.7 g (71%) of the desired compound in the form of a pale yellow solid. MS: m/z = 265.1 (M+H).

[753] Part B:

5

10

15

20

25

To a CH_2Cl_2 (350 mL) solution of Part A (30.5 g, 115 mmol) in an ice bath was added solid N-bromosuccinimide (23.7 g, 133 mmol). The slurry was stirred for 3 hr at room temperature. An additional portion of N-bromosuccinimide (4.09 g, 23 mmol) was added, and the reaction mixture was stirred for 1 hr. The solution was poured onto a pad of silica gel and eluted with 30% ethyl acetate in hexane to produce a yellow solid. Recrystallization from diethyl ether/hexane produced 17.4 g (44 %) of the desired compound in the form of an off-white solid. MS: m/z = 343.0, 345.0 (M+H).

[754] Part C:

To a THF solution of ZnCl₂ (70 mL, 0.5 M, 35 mmol) in an ice bath was added a diethyl ether solution of butylmagnesium chloride (17.5 mL, 2.0M, 35 mmol). The ice bath was removed, and the solution was stirred for 15 min to produce a white precipitate. To this slurry was added a THF (10 mL) solution of the product of **Part B** (6.2 g, 18.0 mmol) and Pd(PPh₃)₄ (2.0g, 1.7 mmol). The reaction mixture was refluxed for 2 hr. Additional butylmagnesium chloride (4.0 mL, 2.0M, 8.0 mmol) was added, and the slurry was refluxed for 30 min. The cooled reaction mixture was poured into saturated NH₄Cl (150 mL) and extracted with ethyl acetate (2x100 mL). The combined organic extracts were washed with brine, dried over MgSO₄, and evaporated to produce a yellow solid. The crude material was purified on silica gel eluting with 5-40% ethyl acetate in hexane to produce 4.0 g (69%) of the desired iodide product in the form of a yellow oil which solidified upon standing. MS: m/z = 321.2 (M+H).

[755] Part D:

To a solution of Part C (3.96 g, 12.4 mmol) in CH₂Cl₂ (10 mL) was added trifluoroacetic acid (5 mL). The resulting mixture was stirred for 3 hr at room temperature. The solution

was stripped *in vacuo*, and the remaining oil was partitioned between ethyl acetate (100 mL) and saturated NaHCO₃ (25 mL). The pH was adjusted to 10 using solid K_2CO_3 . The organic layer was separated, and the aqueous layer was extracted with additional ethyl acetate (100 mL) and CH_2Cl_2 (2x50 mL). The combined organic extracts were washed with brine, dried over MgSO₄, and evaporated to produce a crude piperazine produce in the form of an orange solid (MS: m/z = 221.1 (M+H)). The resulting crude product was dissolved in CH_2Cl_2 (50 mL), and cooled in an ice bath. To the solution was added Et₃N (2.2 mL, 16 mmol) and methanesulfonyl chloride (1.05 mL, 13.6 mmol). The solution was stirred for 16 hr at room temperature. The reaction mixture was washed with water and brine, dried over MgSO₄, and evaporated to produce 2.55 g (69%) of the desired sulfonamide in the form of a pale yellow solid. MS: m/z = 299.1 (M+H).

[756] Part E:

5

10

15

20

25

$$0 \underset{H_3C}{\overset{O}{\nearrow}} S - N \underbrace{\hspace{1cm}} N = \underbrace{\hspace{1cm}} H_3C \underbrace{\hspace{1cm}} CH_3 \underbrace{\hspace{1cm}} O \underbrace{\hspace{1cm}} O \underbrace{\hspace{1cm}} N = \underbrace{\hspace{1cm}} N = \underbrace{\hspace{1cm}} CH_3 \underbrace{\hspace{1cm}} CH_3 \underbrace{\hspace{1cm}} O \underbrace{\hspace{1cm}} O \underbrace{\hspace{1cm}} N = \underbrace{\hspace{1cm}} O \underbrace{\hspace{1cm$$

To a slurry of Part D (2.50 g, 8.38 mmol) in THF (40 mL) at -78°C was added a THF solution of lithium bis(trimethylsilyl)amide (25 mL, 1 M, 25 mmol) dropwise (internal temperature < -65 °C). After stirring for 45 min, a THF (5 mL) solution of di-tert-butyl dicarbonate (2.38 g, 10.9 mmol) was added. Stirring was continued for 15 min at -78°C. The orange slurry was warmed to 0°C, stirred for 10 min, and quenched with saturated NH₄Cl (50 mL). The THF was removed by rotary evaporation, and the aqueous was extracted with ethyl acetate (100 mL). The organic layer was washed with brine, dried over MgSO₄, and evaporated to an oil. The crude material was purified by flash column chromatography on silica gel, eluting with 15% ethyl acetate in hexane to produce 2.00 g (60 %) of the desired compound in the form of a white solid. LCMS: m/z = 399.1 (M+H).

[757] Part F:

To a DMF (9 mL) solution of Part E (1.08 g, 2.71 mmol) was added K₂CO₃ (1.12 g, 8.16 mmol), 18-crown-6 (0.21 g, 0.80 mmol), and bis(2-bromoethyl)ether (0.37 mL, 2.9 mmol). The slurry was stirred at 60°C for 72 hr. Additional bis(2-bromoethyl)ether was

added at 24 hr (0.4 mmol) and 48 hr (1.2 mmol). The solvent was stripped in vacuo, and the residue was partitioned between ethyl acetate (50 mL) and water (30 mL). The organic layer was separated, dried over MgSO₄, and evaporated to an oil. Recrystallization from diethyl ether produced 0.88 g (69 %) of the desired compound in the form of a white solid. LCMS: m/z = 469.2 (M+H).

[758] Part G:

5

10

15

20

To a CH_2Cl_2 (2 mL) solution of **Part F** (0.75 g, 1.6 mmol) was added was added trifluoroacetic acid (3 mL). The solution was stirred 3 hr, and stripped *in vacuo*. The resulting oil was triturated with diethyl ether, and the precipitate was isolated by filtration to produce 0.62g (94 %) of the desired acid in the form of an off-white solid. LCMS: m/z = 413.1 (M+H).

[759] Part H:

To a slurry of Part G (0.60 g, 1.46 mmol) in DMF (10 mL) was added triethylamine (0.80 mL, 5.8 mmol), O-(tetrahydro-2H-pyran-2-yl)hydroxyamine (0.51 g, 4.4 mmol), 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.83 mmol, 4.4 mmol), and 1-hydroxybenzotriazole (0.59 g, 4.4 mmol). The reaction mixture was stirred 16 hr at room temperature. The solvent was stripped *in vacuo*, and the residue partitioned between ethyl acetate and water. The organic layer was separated, washed with saturated NaHCO₃, brine, dried over MgSO₄, and evaporated to an oil. The crude material was purified by flash column chromatography on silica gel eluting with 30% ethyl acetate (containing 10 % MeOH) in hexane to produce 0.67 g (89%) of the desired THP protected hydroxamic acid in the form of a white solid. LCMS: m/z = 512.3 (M+H).

[760] Part I:

To the solid of Part H (0.45g, 0.88 mmol) was added MeOH (0.4 mL) and 4 N HCl in dioxane (4.0 mL). The resulting yellow solution was stirred for 1.5 hr and added dropwise to rapidly stirring diethyl ether (50 mL). The slurry was stirred 3 hr and filtered. The resulting solid was washed with diethyl ether (2 x 20 mL). The precipitate was dried *in vacuo* for 16 hr to produce 0.34 g (77%) of the desired compound as a dihydrochloride salt. LCMS: m/z = 428.1 (M+H). HRMS calcd. for $C_{18}H_{30}N_5O_5S$: m/z = 428.1962 [M+H]⁺; found: 428.1972.

10

5

[761] Example 2: Preparation of N-hydroxy-4-({4-[4-(2,2,2-trifluoroethoxy)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride.

15

20

[762] Part A:

To a solution of 4-fluoro-nitrosobenzene (Aldrich, 20.0 g, 141 mmol) in N,N-dimethylformamide (100 ml) was added potassium carbonate (Aldrich, 45 g, 283 mmol) followed by 3,3,3-trifluoroethanol (25 g, 250 mmol). The reaction stirred at 80°C for 18 hr. After cooling to room temperature, the mixture was diluted with water and the resulting solid filtered. The filter cake was washed with water and dried *in vacuo* to produce the desired compound in the form of a yellow solid (29g, 94 % yield). ¹H NMR was consistent with the desired structure.

$$O_2N$$
 O_{CF_3}
 O_{CF_3}

To a solution of the nitrosobenzyl ether from Part A (20.0 g, 90.4 mmol) in methanol (140 ml) was added 10%Pd/C Degussa catalyst (Aldrich, 4.0 g, 10% load). The reaction vessel was purged with N₂ followed by H₂ via a Parr Shaker apparatus. The reaction was ran at 50 psi of N₂, maintaining a temperature under 50°C. Once H₂ uptake ceased, the reaction mixture was left at 50 psi and shook for 1 hr to ensure completion. Work up consisted of filtering the mixture through a Celite pad, and concentrating the filtrate to produce the desired compound in the form of a greenish-gray solid product (17.3 g, 100% yield). ¹H NMR was consistent with the desired structure.

[764] Part C:

5

10

15

20

The bis(chloroethyl) amine hydrochloride (Aldrich, 100.0 g, 560 mmol) was suspended in methylene chloride (920 ml) and cooled to 0°C. Triethylamine (Aldrich, 156 ml, 1.12 mol) was added followed by the dropwise addition of a mesylchloride (Aldrich, 45.5 ml, 588 mmol) solution in methylene chloride (200 ml). The ice bath was removed and the reaction stirred at room temperature 15 hr. The reaction mixture was diluted with 10% HCl_{aq} (1 L). The organic layer was separated and washed with 10% HCl_{aq} (2 x 500 ml), water (3 x 500 ml) then dried of sodium sulfate, filtered, and concentrated to produce the desired compound in the form of a tan oil that crystallized to a hard solid (123 g, 100 % yield). ¹H NMR was consistent with the desired structure.

[765] Part D:

The product from **Part B** (13.2 g, 62.8 mmol) and the product from **Part C** (10.0 g, 52.3 mmol) were dissolved in 1-butanol (200 ml) then treated with di-isopropylethylamine

(Aldrich, 10.0 ml, 57.5 ml). The mixture stirred for 18 hr at 110°C for completion. Workup consisted of cooling to room temperature and pouring into water (1 L). Resulting solid was filtered, washed with hexanes, and dried to produce the desired compound in the form of a gray solid (11.5 g, 64% yield). ¹H NMR was consistent with the desired structure.

[766] Part E:

5

Oven-dried glassware was charged with the piperazine mesylate product of Part D (7.7 g, 21.9 mmol) and t-butylcarboxlyate anhydride (Aldrich, 5.2 g, 24.1 mmol) in 10 tetrahydrofuran (40 ml), and then cooled to -75°C. Lithium bis(trimethylsilyl)amide (Aldrich, 1.0 M in tetrahydrofuran, 65.6 ml, 65.6 mmol) was slowly added, keeping the temperature at less than -60°C. After addition, the reaction mixture was warmed to 0°C and stirred for 1 hr. The reaction mixture was then cooled back to -75°C, and slowly quenched with saturated NH₄Cl_{aq} (100 ml), keeping the temperature at less than -20°C. The aqueous layer froze into a solid chunks of ice. After warming to 5°C, the mixture was 15 separated, and the aqueous layer was extracted with ethylacetate (3x-120 ml). The organics were washed with saturated NH₄Cl (2x-100 ml), water (1x-200 ml), and brine (1x-200ml); dried over Na₂SO₄; and concentrated to produce a white solid. The solid was recrystallized from methanol to produce the desired compound (7.2 g, 75% yield). ¹H 20 NMR was consistent with the desired structure.

[767] Part F:

To a solution of the product of **Part E** (6.8 g, 15.5 mmol), potassium carbonate (Aldrich, 7.5 g, 54.3 mmol), and 18-crown-6 (Aldrich, 0.5 g, cat. amt) in N,N-dimethylformamide

(30 ml) was added dibromo-diethylether (Aldrich,2.9 ml, 23.2 mmol). The mixture was heated at 60°C for 18 hr, and then worked up by cooling and pouring into water (50 ml). The mixture was extracted via ethylacetate (2x-150 ml). The organics were combined and washed with 5% HCl_{aq} (1x-50 ml), water (1x-100 ml), and brine (2x-100 ml); dried over Na₂SO₄; and concentrated to afford a yellow oil that solidified. The solid was recrystallized from methanol to produce the desired compound in the form of a white solid (4.8 g, 76 % yield). ¹H NMR was consistent with the desired structure.

[768] Part G:

5

BNSDOCID: <WO____

_03091247A2 I >

To a solution of the product of Part F (3.5 g, 6.9 mmol) in methylene chloride (10 ml) was added trifluoroacetic acid (Aldrich, 10 ml, 130 mmol). The reaction mixture was stirred overnight at room temperature. The mixture was concentrated to one-third volume. The resulting residue was dripped into stirring diethylether (500 ml). The resulting solid was collected, washed with diethylether, and dried to product the desired TFA salt (3.5 g, 90 % yield). H NMR was consistent with the desired structure.

[769] Part H:

To a solution of the product of **Part G** (3.5 g, 6.2 mmol) in N,N-dimethylformamide (12 ml) was added triethylamine (Aldrich, 2.2 ml, 15.4 mmol), followed by N
20 hydroxybenzotriazole hydrate (Aldrich, 1.8 g, 13.6 mmol), O- (tetrahydro-2H-pyran-2-yl) hydroxyamine (1.4 g, 12.4 mmol), and, lastly, 1-(3-dimethylaminopropyl)-3
ethylcarbodiimide hydrochloride (Sigma, 3.0 g, 15.4 mmol). The mixture was stirred at room temperature for 15 hr, and then diluted with water (15 ml) and ethylacetate (100 ml). The organics were separated, and the aqueous layer was further extracted with ethylacetate (2x-75 ml). The organics were combined and washed with saturated NaHCO_{3 aq} (2x-150

ml), water (2x-100 ml), and brine (1x-200 ml). After drying over sodium sulfate, the organics were concentrated to produce a foamy solid that was recrystallized from methanol to produce the desired compound in the form of a white solid (3.1 g, 91 % yield). ¹H NMR was consistent with the desired structure.

[770] Part I:

5

- 10

15

To the product of **Part H** (3.1 g, 5.6 mmol) was added methanol (2 ml) and 4 N HCl in dioxane (20 ml) for one hr. . The solvent was concentrated to one-third volume and then diethylether was added. The resulting solid was filtered, washed with diethylether, and dried to produce the desired compound as white solid (2.6 g, 84 % yield). ¹H NMR was consistent with the desired structure. HRMS for $C_{18}H_{24}F_3N_3O_6S$ showed $M^{+H}_{found} = 468.1421$ ($M^{+H}_{calc} = 468.1411$).

[771] Example 3: Preparation of 4-{[4-(4-

ethoxyphenyl)piperazinyl]sulfonyl}perhydro-2H-pyran-4-carbohydroxamic acid.

[772] Part A: Preparation of tert-butyl 4-{[4-(4-

ethoxyphenyl)piperazinyl|sulfonyl|perhydro-2H-pyran-4-carboxyate

To a solution of *tert*-butyl 4-(piperazinylsulfonyl)perhydro-2*H*-pyran-4-carboxyate (715 mg, 2.14 mmol, supplied by CarboGen) in toluene (15 mL) under N₂ were added 1-bromo-4-ethoxybenzene (473 mg, 2.35 mmol), sodium *tert*-butoxide (514 mg, 5.35 mmol), palladium(II) acetate (5.0 mg, 0.021 mmol), and tri-*tert*-butylphosphine (3.5 mg, 0.17 mmol). The reaction was continued overnight at 60°C under N₂. No starting material remained at this time, so the reaction mixture was diluted with methanol and concentrated under reduced pressure. The residue was partially dissolved in dichloromethane and filtered. The filtrate was concentrated under reduced pressure, and the resulting dark material was triturated with diethyl ether to produce a white solid, which was collected by suction filtration to produce 640 mg of clean product (66%). ¹H NMR and mass spectrometry (MH⁺ = 455) were consistent with the desired structure.

[773] Part B. Preparation of 4-{[4-(4-ethoxyphenyl)piperazinyl]sulfonyl}perhydro-2*H*-pyran-4-carboxyic acid

The product from Part A (620 mg, 1.37 mmol) was dissolved in 1:1 trifluoroacetic acid/dichloromethane (10 mL). The reaction was continued overnight at room temperature. Subsequently, no starting material detectable by HPLC. The mixture was concentrated under reduced pressure. Additional dichloromethane was added, and the solvent was once again removed under reduced pressure to produce the desired compound in the form of a tan solid (700 mg, quantitative yield). ¹H NMR and mass spectrometry (MH⁺ = 399) were consistent with the desired structure.

5

10

--;

[774] Part C. Preparation of (4-{[4-(4-

ethoxyphenyl) piperazinyl]
sulfonyl} perhydro-2H-pyran-4-yl)-N-perhydro-2H-pyran-2-yloxycarboxamide

To a solution of the product from Part B (680 mg, 1.33 mmol) in N, N-5 dimethylformamide (10 mL) were added N-hydroxybenzotriazole (251 mg, 1.86 mmol), 4methylmorpholine (537 mg, 0.584 mL, 5.31 mmol), 1-(3-dimethylaminopropyl)-3ethylcarbodiimide hydrochloride (637 mg, 3.32 mmol), and O-(tetrahydro-2H-pyran-2yl)hydroxyamine (390 mg, 3.32 mmol). The reaction was continued overnight at 45°C under N2. Subsequently, no starting material was detectable by HPLC. After cooling to 10 room temperature, the reaction mixture was diluted with ethyl acetate. The combined organic layer was extracted with water (3 times) and saturated sodium bicarbonate (3 times); washed with saturated sodium chloride; and dried over anhydrous sodium sulfate. Filtration and evaporation of the solvent under reduced pressure produced a yellow oil (590 mg). The crude material was purified by flash chromatography using 15 dichloromethane with a methanol gradient (0-1%) to produce the desired compound in the form of a white foam (480 mg, 73% yield). ¹H NMR and mass spectrometry (MH⁺= 498) were consistent with the desired structure.

[775] Part D. Preparation of 4-{[4-(4-

20 ethoxyphenyl)piperazinyl]sulfonyl}perhydro-2H-pyran-4-carbohydroxamic acid

The product from Part C (440 mg, 0.89 mmol) was dissolved in dioxane (4 mL), 4N HCl in dioxane (5 mL), and methanol (0.5 mL). The reaction was continued at ambient

temperature for 1 hr. HPLC indicated that the reaction was complete. The mixture was concentrated under reduced pressure. The residue was triturated with diethyl ether, and the resulting tan solid was collected by suction filtration (469 mg, quantitative yield). ¹H NMR and mass spectrometry (MH⁺ = 414) were consistent with the desired structure.

[776] Example 4. Preparation of 4-({4-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]piperazinyl}sulfonyl)perhydro-2*H*-pyran-4-carbohydroxamic acid.

[777] Part A. Preparation of *tert*-butyl 4-({4-[4-(1,1,2,2-

 $10 \qquad tetrafluoroethoxy) phenyl] piperazinyl sulfonyl) perhydro-2 \textit{H-} pyran-4-carboxy ate$

To a solution of *tert*-butyl 4-(piperazinylsulfonyl)perhydro-2*H*-pyran-4-carboxyate 1 (7.80 g, 23.3 mmol, supplied by CarboGen) in toluene (150 mL) under N₂ were added 1-bromo-4-tetrafluoroethoxybenzene (6.90 g, 25.6 mmol), sodium *tert*-butoxide (5.60 g, 5.83 mmol), palladium(II) acetate (0.52 g, 2.33 mmol), and tri-*tert*-butylphosphine (0.38 g, 1.86 mmol). The reaction mixture was heated at 80°C under N₂ for 4 hr. Afterward, no starting material was detected. The mixture was diluted with methanol and concentrated under reduced pressure. The resulting residue was partially dissolved in dichloromethane and filtered. The filtrate was concentrated under reduced pressure, and the resulting dark material was triturated with diethyl ether to produce a tan solid, which was collected by suction filtration to produce 10.6 g of clean product (86%). ¹H NMR and mass spectrometry (MH⁺ = 527) were consistent with the desired structure.

15

20

[778] Part B. Preparation of 4-({4-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]piperazinyl}sulfonyl)perhydro-2*H*-pyran-4-carboxyic acid

The product from Part A (10.5 g, 20.0 mmol) was dissolved in 1:1 trifluoroacetic acid/dichloromethane (100 mL). The reaction was continued overnight at room temperature. Subsequently, no starting material was detectable by HPLC. The reaction mixture was concentrated under reduced pressure. Additional dichloromethane was added, and the solvent was once again removed under reduced pressure to produce the desired compound in the form of a tan solid (14.0 g, quantitative yield for the "di-TFA" salt). Mass spectrometry (MH⁺ = 471) was consistent with the desired structure.

[779] Part C. Preparation of N-perhydro-2H-pyran-2-yloxy[4-({4-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]piperazinyl}sulfonyl)perhydro-2H-pyran-4-yl]carboxamide

To a solution of the product from **Part B** (14.0 g, 20.1 mmol for "di-TFA") in *N*, *N*-dimethylformamide (200 mL) were added *N*-hydroxybenzotriazole (3.80 g, 28.1 mmol), 4-methylmorpholine (10.2 g, 11 mL, 100.5 mmol), 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (13.5 g, 70.4 mmol), and *O*-(tetrahydro-2*H*-pyran-2-yl)hydroxyamine (8.3 g, 70.4 mmol). The reaction was continued overnight at 45°C under N₂. Subsequently, no starting material was detectable by HPLC. After cooling to room temperature, the reaction mixture was diluted with ethyl acetate. The combined organic layer was extracted with water (3 times), saturated sodium bicarbonate (3 times), and

5

10

15

20

washed with saturated sodium chloride before drying over anhydrous sodium sulfate. Filtration and evaporation of the solvent under reduced pressure produced a yellow solid (11.4 g). The crude material was purified by flash chromatography using dichloromethane with a methanol gradient (0-2%) to produce the desired compound in the form of a white foam (10.4 g, 91% yield). ¹H NMR and mass spectrometry (MH⁺ = 570) were consistent with the desired structure.

[780] Part D. Preparation of 4-({4-[4-(1,1,2,2-tetrafluoroethoxy)phenyl}piperazinyl}sulfonyl)perhydro-2*H*-pyran-4-carbohydroxamic acid

The product from Part C (10.4 g, 18.3 mmol) was dissolved in dioxane (70 mL), 4N HCl in dioxane (90 mL), and methanol (9 mL). The reaction was continued at ambient temperature for 2 hr. HPLC indicated that the reaction was complete, so it was concentrated under reduced pressure. The residue was triturated with diethyl ether, and the resulting white solid was collected by suction filtration (9 g, quantitative yield). ¹H NMR and mass spectrometry (MH⁺ = 485) were consistent with the desired structure.

[781] Example 5. 4-{[4-(4-butylphenyl)piperazin-1-yl]sulfonyl}-N-hydroxy-1-(2-methoxyethyl)piperidine-4-carboxamide dihydrochloride.

20

5

10

5

10

15

20

25

30

· admiretion a contraction that the contraction of the

[782] Part A. Preparation of 1-(4-Bromophenyl)-4-

(methylsulfonyl)piperazine. A slurry of 1-(4-bromophenyl)piperazine (30.04 g, 0.108 mole) in dichloromethane (300 mL) was stirred at room temperature in a 3-necked, 1.0 liter round-bottomed flask under N_2 . Methane sulfonyl chloride (10.9 mL, 0.141 mole) was added dropwise, followed by slow addition of triethylamine (37.6 mL, 0.27 mole). The temperature of the reaction mixture increased to 33°C with the addition. The resultant mixture was stirred overnight at room temperature. The reaction mixture was then transferred to a 1.0 liter separatory funnel, and extracted twice with water (300 mL). The organic layer was dried over magnesium sulfate, and concentrated *in vacuo* to approximately one-forth of the original volume. Hexane was then added to precipitate a solid product. The solid was collected by vacuum filtration and further dried *in vacuo* to yield 27.2 g of the desired compound in the form of a pale yellow solid (79%). ¹H NMR (CDCl₃) δ 2.81 (s, 3H), 3.24 (m, 4H), 3.35 (m, 4H), 6.79 (d, J = 9 Hz, 2H), 7.36 (d, J = 9 Hz, 2H). Electrospray mass spectroscopy showed m/z 319 (M+H).

Part B. Preparation of methyl {[4-(4-bromophenyl)piperazin-1yl|sulfonyl}acetate. The 1-(4-Bromophenyl)-4-(methylsulfonyl)piperazine product from Part A (16.5 g, 51.7 mmol) was dissolved in dry tetrahydrofuran (350 mL) in an ovendried 1.0 L, 3-necked round-bottomed flask under N₂. The flask was immersed in a dry ice/acetone bath. A 1.0 M solution of lithium hexamethyldisilazide in tetrahydrofuran (155 mL, 155 mmol) was then added slowly, maintaining a temperature below -70°C. After complete addition, the mixture was stirred with cooling for 1 hr. A solution of methyl chloroformate (4.8 mL, 62 mmol) in tetrahydrofuran (10 mL) was then added dropwise while maintaining temperature at less than -70 °C. After complete addition, the flask was stirred with cooling for 20 min. Afterward, the flask was immersed in an ice water bath and stirred for 30 min. The reaction mixture was quenched by slow addition of saturated aqueous ammonium chloride (100 mL). The mixture was warmed to room temperature, and the volatiles were removed in vacuo. The residue was partitioned between ethyl acetate (500 mL) and water (300 mL). The organic layer was washed with 5% HCl, water, and brine (300 mL each). After drying over magnesium sulfate, the solvent was removed in vacuo, leaving 17.46 g of the desired compound in the form of a tan solid (93%). ¹H NMR (CDCl₃) δ 3.23 (m, 4H), 3.53 (m, 4H), 3.81 (s, 3H), 3.98 (s, 2H), 6.79 (d, J = 9.3 Hz, 2 H), 7.36 (d, J = 9.3 Hz, 2H).

5

Part C. Preparation of Methyl 4-{[4-(4-bromophenyl)piperazin-1yl|sulfonyl}-1-(2-methoxyethyl)piperidine-4-carboxyate. A solution of the methyl {[4-(4-bromophenyl)piperazin-1-yl]sulfonyl}acetate product from Part B (17 g, 45.1 mmol) in dimethylformamide (65 mL) was added to a rapidly stirred mixture of N,N-bis(2chloroethyl)-N-(2-methoxyethyl)amine hydrochloride (12.8 g, 54 mmol), powdered potassium carbonate (37.3 g, 0.27 mol), 18-crown-6 (3.57 g, 13.5 mmol), and dimethylformamide (50 mL) at 60 °C in a 500 mL round-bottomed flask. After complete addition, the mixture was stirred at 60 °C for 24 hr. The reaction mixture was cooled to room temperature. The solvent was then removed in vacuo. The residue was partitioned between ethyl acetate (300 mL) and water (500 mL), and the organic layer was further 10 washed with water (3X300 mL) and brine (200 mL). The organic layer was then dried over magnesium sulfate and concentrated in vacuo to yield 21.5 g of a dark yellow semisolid. Purification by recrystallization from a mixture of ethyl acetate and hexane yielded 8.35 g of the desired compound in the form of a pale yellow solid (37%). ¹H NMR (CDCl₃) δ 2.0 (m, 2 H), 2.3 (m, 2 H), 2.45-2.7 (m, 4 H), 3.15 (m, 4 H), 3.33 (s, 3 H), 3.52 15 (m, 4 H), 3.84 (s, 3 H), 6.76 (d, J = 9 Hz, 2 H), 7.45 (d, J = 9 Hz, 2 H); ES/MS showed m/z= 526 (M+NH4).

Part D. Methyl 4-{[4-(4-butylphenyl)piperazin-1-yl]sulfonyl}-1-(2methoxyethyl)piperidine-4-carboxyate. To a solution of the methyl 4-{[4-(4bromophenyl)piperazin-1-yl|sulfonyl}-1-(2-methoxyethyl)piperidine-4-carboxyate 20 product from Part C (1.90 g, 3.77 mmol) in dry tetrahydrofuran (8 mL) in a 50 mL roundbottomed flask was added a 1 M solution of tri-n-butylborane in tetrahydrofuran (4.14 mL, 4.14 mmol), followed by 2 M aqueous potassium phosphate (5.6 mL, 11.3 mmol) and [1,1'-bis(diphenylphosphino)ferrocene] dichloropalladium (II), complex with dichloromethane (1:1) (154 mg, 0.19 mmol). The reaction mixture was heated to reflux 25 for 2 hr, and then cooled to room temperature. The mixture was partitioned between ethyl acetate (100 mL) and water (100 mL). The organic layer was washed with water (50 mL) and brine (50 mL), dried over magnesium sulfate, and concentrated in vacuo to produce 1.90 g of a black semi-solid. Purification by filtration through a 1.5X2 inch pad of silica gel, followed by recrystallization from ethyl acetate and hexane, produced 0.997 g of pure 30 4-butylphenyl piperazine intermediate in the form of a tan solid. ES/MS showed m/z = 482(M+H).

1-(2-methoxyethyl)piperidine-4-carboxyic acid. A solution of the product from Part D above (0.995 mg, 2.07 mmol) in tetrahydrofuran (4 mL) and ethyl alcohol (4 mL) was treated with 50% sodium hydroxide (1 mL, 12.5 mmol), and heated to 50 °C for 1 hr.

After cooling to room temperature, the reaction mixture was diluted with water (20 mL). 5% HCl (aqueous) was then added until the pH of the solution was approximately 7. A white precipitate formed with the addition of the HCl solution, and this was collected by vacuum filtration. The solid was washed with water and hexane and then dried *in vacuo* for 24 hr to produce 0.923 g (95%) of a carboxyic acid in the form of a tan solid. ES/MS showed m/z = 468 (M+H).

Part F. Preparation of 4-{[4-(4-Butylphenyl)piperazin-1-yl]sulfonyl}-1-(2-methoxyethyl)-N-(tetrahydro-2H-pyran-2-yloxy)piperidine-4-carboxamide. To a solution of the carboxyic acid product from Part E (0.912 g, 1.95 mmol) in dimethylformamide (5 mL) was added sequentially: 1-(3-dimethylaminopropyl)-3ethylcarbodiimide hydrochloride (0.559 g, 2.93 mmol), 1-hydroxybenzotriazole hydrate (0.448 g, 2.93 mmol), 1-methylmorpholine (0.64 mL, 5.85 mmol), and O-(tetrahydro-2Hpyran-2-yl)hydroxyamine (0.457 g, 3.90 mmol). The reaction mixture was heated to 60 °C for 48 hr. Additional 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.559 g, 2.93 mmol), 1-methylmorpholine (0.64 mL, 5.85 mmol), and O-(tetrahydro-2Hpyran-2-yl)hydroxyamine (0.457 g, 3.90 mmol) were then added, and the mixture was stirred for an additional 24 hr. After 24 hr of heating, the reaction mixture was cooled to room temperature. The mixture was partitioned between ethyl acetate (100 mL) and water (100 mL), and the organic layer was washed with water (100 mL) and brine (100 mL). After drying over magnesium sulfate, the organic layer was concentrated in vacuo to produce 0.68 g tan solid. Purification by reverse-phase high pressure liquid chromatography produced a tetrahydropyranyl hydroxamic acid.

[788] Part G. Preparation of 4-{[4-(4-butylphenyl)piperazin-1-yl]sulfonyl}-N-hydroxy-1-(2-methoxyethyl)piperidine-4-carboxamide dihydrochloride. The product from Part F was dissolved in methyl alcohol (2 mL) and dioxane (2 mL), and a 4 N HCl solution in dioxane (2 mL) was added dropwise. The solution was stirred for 15 min at room temperature. The volatiles were then removed *in vacuo*. Addition of 4 N HCl in dioxane was repeated for an additional 15 min, followed by removal of solvent *in*

15

20

25

vacuo. This produced 0.468 g of the desired compound in the form of a white solid (42% over two steps). ES/MS showed m/z = 483 (M+H).

[789] Example 6. Preparation of N-Hydroxy-1-(2-methoxyethyl)-4-{[4-(4-5 pentylphenyl)piperazin-1-yl]sulfonyl}piperidine-4-carboxamide dihydrochloride.

tetrahydrofuran. A solution of 1-pentene (1.1 g, 15.7 mmol) in dry tetrahydrofuran (20 mL) in a 100 mL round-bottomed flask was immersed into an ice bath. A 0.5 M solution of 9-borobicyclononane in tetrahydrofuran (28 mL, 14 mmol) was added dropwise, maintaining a temperature of less than 5°C. After complete addition, the flask was removed from the ice bath and slowly warmed to room temperature. The mixture was stirred for 24 hr, producing a 0.29 M solution of 9-pentyl-9-borobicyclononane in tetrahydrofuran.

15 [791] Part B. Preparation of 4-pentylphenyl piperazine. To a solution of methyl 4-{[4-(4-bromophenyl)piperazin-1-yl]sulfonyl}-1-(2-methoxyethyl)piperidine-4-carboxyate (0.402 g, 0.80 mmol, prepared as described in Part C of Example 5) in the 0.29 M solution of 9-pentyl-9-borobicyclononane in tetrahydrofuran from Part A (4.1 mL, 1.2 mmol) was added 2 M potassium phosphate (1.2 mL, 2.4 mmol) and [1,1'-bis(diphenylphosphino)ferrocene] dichloropalladium (II), complex with dichloromethane (1:1) (33 mg, 0.04 mmol). The reaction mixture turned dark brown with the addition of the palladium species. The mixture was heated to reflux for 1 hr, and then cooled to room temperature. The volatiles were removed *in vacuo*, and the resulting residue was partitioned between ethyl acetate (50 mL) and water (50 mL). The organic layer was dried over magnesium sulfate, and concentrated *in vacuo* to produce 0.5 g of a brown solid. Purification by flash column chromatography on silica gel produced 0.257 g of the pure 4-

pentylphenyl piperazine in the form of white crystals (65%). ES/MS showed m/z = 496.71 (M+H).

pentylphenyl)piperazin-1-yl]sulfonyl}piperidine-4-carboxyic acid. A solution of the intermediate from Part B (0.257 g, 0.52 mmol) in dry tetrahydrofuran (3 mL) was treated with 90% potassium trimethylsilanolate (0.22 g, 1.56 mmol) at room temperature for 6 hr. The volatiles were removed *in vacuo*. The residue was then dissolved in water (25 mL). A 5% solution of HCl in water was added to the reaction solution until the pH was approximately 3. A white precipitate formed, which was collected by vacuum filtration. The solid was washed with water and hexane, and then dried *in vacuo* to produce 0.21 g of a carboxyic acid product in the form of a white solid (84%). ES/MS showed m/z = 496.71 (M+H).

Part D. Preparation of 1-(2-Methoxyethyl)-4-{[4-(4pentylphenyl)piperazin-1-yl]sulfonyl}-N-(tetrahydro-2H-pyran-2-yloxy)piperidine-4carboxamide. To a solution of the carboxyic acid from Part C (0.181 g, 0.376 mmol) in 1-methylpyrrolidinone (2 mL) was added sequentially 1-(3-dimethylaminopropyl)-3ethylcarbodiimide hydrochloride (0.101 g, 0.526 mmol), 1-hydroxybenzotriazole hydrate (0.086 g, 0.564 mmol), 1-methylmorpholine (0.124 mL, 1.13 mmol), and O-(tetrahydro-2H-pyran-2-yl)hydroxyamine (0.066 g, 0.564 mmol). The reaction mixture was heated to 60 °C for 24 hr, and then additional 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.101 g, 0.526 mmol), 1-methylmorpholine (0.124 mL, 1.13 mmol), and O-(tetrahydro-2H-pyran-2-yl)hydroxyamine (0.066 g, 0.564 mmol) were added. The mixture was then stirred for an additional 24 hr. After 24 hr of heating, the reaction mixture was cooled to room temperature. The mixture was partitioned between ethyl acetate (50 mL) and water (50 mL), and the organic layer was washed with water (50 mL) and brine (50 mL). After drying over magnesium sulfate, the organic layer was concentrated in vacuo to produce 0.18 g of a tan solid. Purification by reverse-phase HPLC produced 80.5 mg of a tetrahydropyranyl hydroxamic acid.

[794] Part E. Preparation of N-Hydroxy-1-(2-methoxyethyl)-4-{[4-(4-30 pentylphenyl)piperazin-1-yl]sulfonyl}piperidine-4-carboxamide dihydrochloride.

The product from Part D was dissolved in methyl alcohol (1 mL) and dioxane (1 mL), and a 4 N solution of HCl in dioxane (1 mL) was added dropwise. The solution was stirred for

10

15

20

25

15 min at room temperature. The reaction solution was then poured into rapidly stirred diethyl ether (50 mL). A white precipitate formed, which was collected by vacuum filtration, washed with diethyl ether, and dried *in vacuo*. This yielded 57 mg of the desired compound in the form of a white solid (73%). HRMS: calculated for C₂₄H₄₁N₄O₅S₁: 497.2792; found: 497.2794.

[795] Example 7. Preparation of N-hydroxy-4-({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride.

10

15

20

5

[796] Part A. Preparation of 1-acetyl-4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazine

To a solution of 1-acetyl-4-(4-hydroxyphenyl)-piperizine (Aldrich, 20g, 90mmol) in dimethylformamide (100 mL) was added potassium carbonate (19 g, 136mmol), followed

by bromo-trifluromethylbutane (25 g, 130mmol). The reaction mixture was stirred vigorously for 16 hr at 60 °C. Afterward, water was added to the mixture at 25 °C. The resulting precipitate was filtered and dried under vacuum to produce 30 grams (100% yield) of the desired compound in the form of a tan solid. Proton NMR and MS were

yield) of the desired compound in the form of a tail solid. Troton resident

consistent with the desired structure.

[797] Part B. Preparation of 1-[4-(4,4,4-trifluorobutoxy) phenyl] piperazine

To 30 g of the 1-acetyl-4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazine product from Part A was added aqueous 6 N HCl (100 mL). The resulting solution was heated to 60 °C for 16 hr. Afterward, the solution was cooled to ambient temperature, and aqueous NaOH (100 mL, 2.5N) was added. The milky mixture was placed into a refrigerator to cool for 2 hr. A solid (20 g, 77% yield) separated from the reaction mixture, and was subsequently filtered and dried under vacuum. Proton NMR and MS were consistent with the structure.

[798] Part. C. Preparation of 1-(methylsulfonyl)-4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazine

To a solution of the 1-[4-(4,4,4-trifluorobutoxy)phenyl]piperazine product from Part B (5g, 17mmol) in methylene chloride (50mL) was added triethyl amine (4mL). The mixture was cooled to 0 °C. Methane sulfonyl chloride (2.4g, 21mmol) in a solution of methylene chloride (10mL) was then added dropwise. After 2 hr, the reaction was complete. The solvent was removed under reduced pressure to produce a solid residue. To this solid was added water (100mL). The resulting mixture was filtered and washed with water, and then dried under high vacuum to produce 6 g (95% yield) of the desired compound in the form of a tan solid. Proton NMR and MS were consistent with the desired structure.

5

10

15

[799] Part D. Preparation of tert-butyl ({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazin-1-yl}sulfonyl)acetate

A solution of the 1-(methylsulfonyl)-4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazine product from Part C (10g, 27mmol) and di-tert-butyl dicarbonate(6.2g, 28mmol) in tetrahydrofuran (50 mL) was cooled to -78 °C. Lithium hexamethyldisilazane (80mL, mmol) was added dropwise. The reaction mixture was stirred as the temperature slowly rose to 0 °C. After the reaction completed, aqueous ammonium chloride was added, and the mixture was extracted with ethylacetate and dried over sodium sulfate. The solvent was removed under reduced pressure to produce 7 g (92% yield) of the desired product in the form of a white solid (after washing with methanol). Proton NMR and MS were consistent with the desired structure.

[800] Part E. Preparation of tert-butyl 4-({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-

2H-pyran-4-carboxyate

5

10

15

3.3

÷ .

To a solution of the methylene sulfonamide product from Part D (4.66 g, 6.4 mmol) in dimethylacetamide (25 mL) was added potassium carbonate (3 g, 21 mmol), bisbromoethyl ether (1.5 g, 6.4 mmol), and 18-Crown-6 (500mg). The slurry was stirred at 60°C for 24 hr. Afterward, potassium carbonate (1 g, 7 mmol) and bis-bromoethyl ether (0.5 g, 2 mmol) were added, and the mixture was stirred at 60°C. After a total of 48 hr, the reaction mixture was concentrated *in vacuo*. The residue was taken up in ethyl acetate,

washed with water 3 times, washed with saturated NaCl solution, dried over Na₂SO₄, filtered, and concentrated *in vacuo*. Methanol (2mL/g) was then added to the resulting the oil. The resulting solid (2.5g, 71% yield) was collected and allowed to air dry. Proton NMR and MS were consistent with the desired structure.

[801] Part F. Preparation of 4-({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxyic acid

The alpha-tetrahydropyran sulfonamide product from **Part E** (2.5.0 g, 4.6 mmol) was dissolved in methylene chloride (10 mL) and trifluoracetic acid (10 mL). The resulting mixture was stirred at ambient temperature for 5 hr. Afterward, the solution was concentrated *in vacuo*. The resulting residue was taken up in diethyl ether (50mL) and stirred vigorously. This produced a solid, which was collected by filtration and dried to produce the carboxyic acid product in the form of a white solid (2.1 g, 95%). Proton NMR and MS were consistent with the structure.

[802] Part G: Preparation of N-(tetrahydro-2H-pyran-2-yloxy)-4-({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide

In dry equipment under N₂, the carboxyic acid product from Part F (2 g, 4.2 mmol) was dissolved in dry dimethylacetamide (25 mL). The following reagents were then added to the solution in the following order: N-hydroxybenzotriazole hydrate (0.85 g, 6.28 mmol), triethylamine (1.75 mL, 12.56 mmol), O- (tetrahydro-2H-pyran-2-yl)hydroxyamine (0.74

5

10

g, 6.28 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (1.6 g, 8.37 mmol). The reaction mixture was stirred at 40 °C for 24 hr. Afterward, the reaction mixture was concentrated *in vacuo*. The residue was taken up in ethyl acetate, washed with water, washed with saturated NaHCO₃, washed with saturated sodium chloride solution, dried over Na₂SO₄, filtered, and concentrated *in vacuo* to produce the desired THP hydroxamic acid compound in the form of a clear oil. Proton NMR and MS were consistent with the desired structure.

[803] Part H: Preparation of N-hydroxy-4-({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazin-1-

yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride

To a solution of the THP hydroxamic acid product from **Part G** in diethyl ether (3 mL) was added 4N HCl dioxane solution (6.2 mL) and methanol (0.6 mL). After 1 hr at ambient temperature, the reaction mixture was diluted with diethyl ether (30 mL), stirred for 30 min, and filtered under N_2 . The resulting solid was washed with diethyl ether (10 mL), and dried *in vacuo* to produce the desired compound in the form of a white solid (800 mg). HRMS (ES+) M+ hr + calculated for $C_{20}H_{28}F_3N_3O_6S$. CIH = 532.98; found = 532.30. Proton NMR and MS were consistent with the desired structure.

[804] Example 8. Preparation of N-hydroxy-4-({4-[5-(4-methoxyphenyl)pyrimidin-2-yl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride.

5

10

15

20

[805] Part A: Preparation of tert-butyl 4-{[4-(5-bromopyrimidin-2-yl)piperazin-1-yl]sulfonyl} tetrahydro-2H-pyran-4-carboxyate

To a solution of tert-butyl 4-(piperazin-1-ylsulfonyl)tetrahydro-2H-pyran-4-carboxyate (3.31 gm, 9.9 mmol, supplied by CarboGen)) in toluene (50 mL) was added 2-chloro-5-bromopyrimidine (2.0 g, 10 mmol) and triethyl amine (5.5 mL, 39.6 mmol). The resulting solution was refluxed for 18 hr, diluted with water (25 mL), and extracted with ethyl acetate. The organic layer was washed with water, washed with saturated NaCl, dried over MgSO₄, filtered, and concentrated *in vacuo* to produce a solid. The solid was triturated with diethyl ether, and filtered to produce the desired compound in the form of a white solid. (4.7 gm, 99%). MS MH+ calculated for C₁₈H₂₈N₄SO₅Br: 492; found: 492.00.

[806] Part B. Preparation of tert-butyl 4-({4-[5-(4-methoxyphenyl)pyrimidin-2-yl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxyate

15

20

5

10

To the tert-butyl 4-{[4-(5-bromopyrimidin-2-yl)piperazin-1-yl]sulfonyl} tetrahydro-2H-pyran-4-carboxyate product from Part A (500 mg, 1.02 mmol) in ethylene glycol dimethyl ether (DME, 7 mL) was added 4-methoxybenzene boronic acid (170 mg, 1.11 mmol), cesium carbonate (665 mg, 2.04 mmol) in water (4 mL), and tetrakis(triphenylphosphine) palladium (0) (85 mg, 0.74 mmol). The resulting mixture was stirred at 80°C for 18 hr, diluted with water (15 mL), and extracted with ethyl acetate. The organic layer was washed with water, washed with saturated NaCl, dried over MgSO₄, filtered, and concentrated *in vacuo* to produce an oil. Chromatography (on silica,

10% ethyl acetate/hexane) produced the desired compound in the form of a solid (313 mg, 59%). HRMS MH+ calculated for C₂₅H₃₄N₄SO₆: 519.2277; found: 519.2327.

[807] Part C. Preparation of 4-({4-[5-(4-methoxyphenyl)pyrimidin-2-yl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxyic acid trifluoroacetate

5

10

To the tert-butyl 4-($\{4-[5-(4-methoxyphenyl)pyrimidin-2-yl]piperazin-1-yl\}$ sulfonyl)tetrahydro-2H-pyran-4-carboxyate product of **Part B** (300 mg, 0.57 mmol) was added triflouroacetic acid (3 mL, 39.6 mmol). The resulting solution was stirred at ambient temperature for 2 hr. The solution was then concentrated *in vacuo* to produce the desired acid in the form of a solid (100%). HRMS MH+ calculated for $C_{21}H_{26}N_4SO_6 = 463.1651$; found = 463.1628.

[808] Part D. Preparation of 4-({4-[5-(4-methoxyphenyl)pyrimidin-2-yl]piperazin-1-yl}sulfonyl)-N-(tetrahydro-2H-pyran-2-yloxy)tetrahydro-2H-pyran-4-carboxamide

15

20

ş. :

-3

A solution of the tert-butyl 4-({4-[5-(4-methoxyphenyl)pyrimidin-2-yl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxyate acid trifluoroacetate product from **Part C** (266 mg, 0.57 mmol), N-hydroxybenzotriazole (97.2 mg, 0.72mmol), 4-methylmorpholine (0.20 mL, 1.8 mmol), O-tetrahydro-2H-pyran-2-yl-hydroxyamine (105 mg, 0.9 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (161 mg, 0.84 mmol) in DMF (11 mL) was stirred at ambient temperature under an argon atmosphere for 18 hr. Afterward, the solution was concentrated *in vacuo*, diluted with water (20 mL), and extracted with ethyl acetate. The organic layer was washed with water, washed with

saturated NaCl, dried over MgSO₄, and concentrated *in vacuo* to produce a solid. Chromatography (on silica, 5% methanol/acetate) produced the desired compound in the form of a solid (128 mg, 39%). MS H+ calculated for C₂₆H₃₅N₅SO₇: 562; found: 562.20

[809] Part E. N-hydroxy-4-({4-[5-(4-methoxyphenyl)pyrimidin-2-yl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride

To a suspension of the protected hydroxamic acid from **Part D** (128 mg, 0.228 mmol) in methanol (1 mL) was added 4N HCl (1 mL). The resulting mixture was stirred at ambient temperature under an argon atmosphere for 2 hr. The mixture was then concentrated *in vacuo* to produce a solid. The solid was triturated with diethyl ether and then filtered to produce the desired hydroxamic acid as white solid (95 mg, 81%). HRMS MH+ calculated for $C_{21}H_{27}N_5SO_6$: 478.1760; found 478.1786.

[810] Example 9. Preparation of N-hydroxy-1-(2-methoxyethyl)-4-({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazin-1-yl}sulfonyl)piperidine-4-carboxamide dihydrochloride.

[811] Part A. Preparation of tert-butyl 1-(2-methoxyethyl)-4-({4-[4-(4,4,4-trifluorobutoxy)phenyl] piperazin-1-yl}sulfonyl)piperidine-4-carboxyate. To a

20 solution of the methylene sulfonamide (4.66 g, 10 mmol, prepared according to Part D of Example 7) in dimethylacetamide (25 mL) was added potassium carbonate (4.83 g, 35 mmol), bis-[N-(2-chloroethyl)}-N-(2-methoxyethyl)amine hydrochloride (2.6 g, 11 mmol), and 18-Crown-6 (500mg). The resulting slurry was stirred at 60 °C for 24 hr. Afterward, potassium carbonate (0.48 g, 3.5 mmol) and bis-N- (2-chloroethyl)-N- (2-

5

10

PCT/US03/13123 WO 03/091247

methoxyethyl) amine hydrochloride (0.26 g, 1.1 mmol) were added, and the resulting mixture was stirred at 60 °C for 48 hr. Afterward, the mixture was concentrated in vacuo. The resulting residue was taken up in ethyl acetate, washed with water 3 times, washed with saturated NaCl solution, dried over Na2SO4, filtered, and concentrated in vacuo. Chromatography (on silica, ethyl acetate with 10% methanol/hexanes) produced the desired alpha-piperidine substituted sulfonamide in the form of a light yellow foam (3.15 g, 53%).

Part B: Preparation of 1-(2-methoxyethyl)-4-({4-[4-(4,4,4-[812] trifluorobutoxy) phenyl] piperazin-1-

yl} sulfonyl) piperidine-4-carboxyic acid. The alpha-piperidine substituted sulfonamide product from Part A (3.0 g, 5.06 mmol) was dissolved in methylene chloride (5.0 mL) and trifluoracetic acid (10 mL). The resulting mixture was stirred at ambient temperature for 5 hr. Afterward, the solution was concentrated in vacuo. The resulting residue was taken up in methylene chloride (25 mL), and then concentrated in vacuo. The resulting residue was dissolved in 2.5 N NaOH (30 mL), extracted with ethyl acetate (25 mL), and cooled to 5 15 °C. The aqueous solution was treated with 6N HCl until the pH was 7. The solid was collected by filtration, and dried to produce the desired carboxyic acid product in the form of a white solid (2.35 g, 86%).

Part C. Preparation of 1-(2-methoxyethyl)-N-(tetrahydro-2H-pyran-2yloxy)-4-({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperazin-1-yl}sulfonyl)piperidine-4carboxamide. In dry equipment under N2, the carboxyic acid from Part B (2.25 g, 4.18 mmol) was dissolved in dry dimethylacetamide (25 mL). Afterward, additional reagents were added in the following order: N-hydroxybenzotriazole hydrate (0.85 g, 6.28 mmol), triethylamine (1.75 mL, 12.56 mmol), O-(tetrahydro-2H-pyran-2-yl)hydroxyamine (0.74 g, 6.28 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (1.6 g, 8.37 mmol). The reaction mixture was stirred at 40°C for 24 hr. Afterward, the reaction mixture was concentrated in vacuo. The residue was taken up in ethyl acetate, washed with water, washed with 5% KHSO₄, washed with saturated NaHCO₃, washed with saturated sodium chloride solution, dried over Na₂SO₄, filtered, and concentrated in vacuo. Chromatography (on silica, ethyl acetate with 10% methanol/hexanes) produced the desired THP hydroxamic acid in the form of a light yellow foam (1.73 g, 65%).

5

10

20

25

30

[814] Part D. Preparation of N-hydroxy-1- (2-methoxyethyl)-4-({4-[4-(4,4,4-trifluorobutoxy) phenyl] piperazin-1-yl} sulfonyl) piperidine-4-carboxamide dihydrochloride. To a solution of the THP hydroxamic acid product from Part C (1.57 g, 2.43 mmol) in 1,4-dioxane (3 mL) was added 4N HCl dioxane solution (6.2 mL) and methanol (0.6 mL). After 1 hr at ambient temperature, the mixture was diluted with diethyl ether (30 mL), stirred for 30 min, and filtered under N₂. The resulting solid was washed with acetonitrile (10 mL), and dried over phosphorus pentoxide *in vacuo* to produce the desired compound in the form of a white solid (1.47 g, 95%). HRMS (ES+) M+ hr + calculated for C₂₃H₃₅N₄O₆S₁F₃: 553.2302; found 553.2315.

10

5

[815] Example 10: Preparation of 1-cyclopropyl-4-[[4-[4-(cyclopropylmethoxy)-3-fluorophenyl]-1-piperazinyl]sulfonyl]-N-hydroxy-4-piperidinecarboxamide, dihydrochloride.

15

[816] Part A. Preparation of aryl bromide intermediate. 4-Bromo-2-fluorophenol (5.21 g; 27.2 mmol), cesium carbonate (8.866 g; 27.2 mmol), tetrabutylammonium iodide (0.250 g, 0.7 mmol), and bromomethylcyclopropane (4.334 g; 32.1 mmol) were suspended in N-methylpyrrolidinone (15 mL). The resulting mixture was warmed to 80 °C for 10 min. The temperature was then lowered to 50 °C. After 2 hr, the mixture was allowed to cool, diluted with water (200 mL), and extracted with ethyl ether (200 mL; then 2 X 100 mL). The combined organic phases were dried over magnesium sulfate, filtered through a silica plug, and concentrated to produce an aryl bromide product (6.58 g; 99%). The product was characterized by nuclear magnetic resonance and liquid chromatography mass spectroscopy.

25

20

[817] Part B. Preparation of aryl piperazine intermediate. The aryl bromide from Part A (6.58 g; 26.9 mmol) was combined with t-butylpiperazine carboxyate (5.98 g; 32 mmol), rac-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl (0.665 g; 1.06 mmol), sodium t-butoxide (3.6 g; 37.4 mmol), 1,4-dioxane (25 mL), and, lastly,

tris(dibenzylideneacetone)dipalladium (0) (0.507 g; 0.55 mmol). The mixture was stirred while lowering the temperature in an oil bath set to 50 °C. The temperature of the bath was then raised to 100 °C over 30 min. After 1.5 hr, thin layer chromatography of the mixture indicated that the reaction was complete. The mixture was allowed to cool, diluted with water (300 mL), and extracted with dichloromethane (2 X 150 mL). The combined organic layers were dried using magnesium sulfate. Filtration through a silica plug followed by concentration produced an aryl BOC piperazine product in the form of a dark oil (12.28 g, quantitative), which was characterized by nuclear magnetic resonance and liquid chromatography mass spectroscopy. The crude aryl BOC piperazine product was diluted with methanol (200 mL). Acetyl chloride (12.5 mL, 175 mmol) was then added over 5 min, and the resulting solution was warmed to reflux. After 1 hr, the reaction was finished. The mixture was allowed to cool to ambient temperature, causing a preciptate to begin forming. The solution was decanted into dry ether (500 mL), causing more precipitate to form. The precipitate was collected and dried under vacuum, producing 8.65 g of an aryl piperazine product in the form of a white crystalline product (~ quantitative).

piperazine from Part B (8.65 g, 30 mmol) was diluted with triethylamine (11 mL, 79 mmol), N,N-dimethylformamide (7 mL), and dichloromethane (150 mL). The mixture was stirred while being cooled to 0°C. Methanesulfonylchloride (2.9 mL; 37.5 mmol) was then added over 5 min. Afterward, the mixture was warmed to room temperature and stirred continuously for 2 hr. The resulting residue was diluted with water (500 mL), and extracted with dichloromethane (2 X 100 mL). The combined organic layers were filtered through silica. Removal of the organic solvent produced an aryl sulfonamide in the form of a white solid (8.6 g, 87%).

[819] Part D. Preparation of carboxyic acid intermediate. The aryl sulfonamide (4.8 g; 14.6 mmol) from Part C was dissolved in dry tetrahydrofuran (50 mL) and cooled to -78 °C. Lithium bis(trimethylsilyl)amide (1 M in THF, 43 mL) was added dropwise. The reaction then warmed to ambient temperature, and changed from a suspension mixture into a homogenous orange solution. The mixture was re-cooled to -78 °C, and dimethyl carbonate (1.42 mL, 15.8 mmol) was added all at once. The reaction mixture was warmed to 0°C, and poured into a saturated solution of ammonium chloride.

5

10

15

20

25

The solution was extracted with ethyl acetate (3 X 100 mL). The combined organic layer was dried over magnesium sulfate. Filtration through a silica plug, followed by removing the solvent, produced (4.15 g, 73 %) of a carboxyic acid in the form of a crude product.

[820] Part E. Preparation of carboxyic ester intermediate. Bis
(chloroethyl)cyclopropylamine hydrochloride (3.15 g, 14.4 mmol), 18-crown-6 (0.95 g, 3.6 mmol), and potassium carbonate (9.95 g, 72 mmol) were dissolved in N,N-dimethylformamide (10 mL). The mixture was heated to 85 °C. The carboxyic acid from Part D (4.15 g; 12 mmol) was suspended in N,N-dimethylformamide (5 mL), and slowly added to the mixture. The temperature was increased to 125 °C, and stirred for 3 hr.

Afterward, the mixture was cooled to ambient temperature. 200 mL of water was added to the mixture, and the mixture was extracted with ethyl acetate (2 X 150 mL). The organic layer was dried over magnesium sulfate and filtered through a silica plug. Removal of the

organic solvent produced 2.82 g (52 %) of a carboxyic ester product.

- Part F. Preparation of THP-hydroxamic acid intermediate. The carboxyic ester from Part E (2.82 g; 5.5 mmol) was dissolved in a mixture of ethanol (70 15 mL) and water (22 mL). Potassium hydroxide (2.21 g, 55 mmol) was added, and the resulting mixture was refluxed for 3 hr. The mixture was cooled to ambient temperature and acidified with concentrated HCl to pH~3. The desired carboxyic acid product was extracted with ethyl acetate (2 X 100 mL), dried over magnesium sulfate, and filtered through a silica plug. Removal of the solvent produced a crude carboxyic acid. The crude 20 carboxyic acid was suspended in N,N,dimethylformamide (12mL). 1-Hydroxybenzotriazole (0.912 g, 6.7 mmol), 4-methylmorpholine (1.825 g, 18 mmol), and O-(tetrahydro-2*H*-pyran-2yl)hydroxyamine (1.12 g, 9.5 mmol) were added to the mixture. Lastly, 1-[2-(dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (1.56 g, 8.1 mmol) was added. Afterward, the mixture was heated to 65°C, and stirred for 2 hr. The 25 mixture was then cooled to ambient temperature, and water (500 mL) was added. Ethyl acetate (2 X 100mL) was used to extract the organic product. The combined organic phases were dried over magnesium sulfate and concentrated. The residue was purified by flash chromatography, affording a THP-hydroxamic acid in the form of a white foam (0.86 30 g, 27%).
 - [822] Part G. Preparation of 1-cyclopropyl-4-[[4-[4-(cyclopropylmethoxy)-3-fluorophenyl]-1-piperazinyl]sulfonyl]-N-hydroxy-4-piperidinecarboxamide,

こうことのことで、日本の一年の大学の大学の大学の大学の大学のことできます。

dihydrochloride. The THP-hydroxamic acid from Part F (0.860 g; 1.48 mmol) was diluted with methanol (15 mL). Acetyl chloride (0.2 mL, 2.8 mmol) was added. A white precipitate started to form. After 15 min, the reaction mixture was washed with diethyl ether (2 X 10 mL), and concentrated to produce the desired aryl hydroxamic acid in the form of a white foam (488 mg; 67%). MS MH⁺ calc'd. for C₂₃H₃₃FN₄O₅S 497; found 497.

[823] Example 11. Preparation of 4-[[4-(4-butoxy-3-fluorophenyl)-1-piperazinyl]sulfonyl]-N-hydroxy-1-(2-methoxyethyl)-4-piperidinecarboxamide, dihydrochloride.

10

15

5

[824] Part A. Preparation of aryl ether intermediate. 4-Bromo-2-fluorophenol (19.1 g; 100 mmol), cesium carbonate (39.1 g; 120 mmol), tetrabutylammonium iodide (900 mg), and bromobutane (12.8 mL; 120 mmol) were suspended in N-methylpyrrolidinone (20 mL). The mixture was then warmed to 85°C. During the course of reaction, an additional 20 mL of N-methylpyrrolidinone was added to facilitate stirring. After 2 hr, the mixture was allowed to cool, diluted with water (400 mL), and extracted with 1:1 hexane:ethyl acetate (400 mL; then 100 mL). The combined organic phases were dried over magnesium sulfate, filtered through a silica plug, and concentrated to produce an aryl ether in the form of an oil (23.72 g; 96%). The product was characterized by nuclear magnetic resonance.

20

25

...

[825] Part B. Preparation of aryl piperazine dihydrochloride intermediate. The aryl ether from Part A (23.75 g; 96 mmol) was combined with t-butoxycarbonylpiperazine (21.39 g; 115 mmol), rac-2,2'-bis(diphenylphosphino)-1,1'binaphthyl (2.36 g; 3.8 mmol), sodium t-butoxide (12.0 g; 125 mmol), 1,4-dioxane (75 mL), and, lastly, tris(dibenzylideneacetone)dipalladium (0) (1.10 g; 1.2 mmol). The mixture was lowered into an oil bath set to 50 °C while being stirred. The temperature of the bath was raised over 30 min to 100 °C. At that point, thin layer chromatography of the

reaction mixture indicated that the reaction was complete. The mixture was allowed to cool, and was then diluted with water (500 mL) and extracted with dichloromethane (2 X 300 mL). The combined organic layers were dried using magnesium sulfate. Filtration through a silica plug, followed by concentration, produced an aryl BOC piperazine in the form of a dark oil (33.8 g, 95%), which was characterized by nuclear magnetic resonance. The aryl BOC piperazine was diluted with dry methanol (700 mL). Acetyl chloride (17 mL) was then added over 10 min. The solution was warmed to reflux. After 1 hr, the reaction mixture was allowed to cool to ambient temperature. The mixture was then poured into dry ether (1.6 L). An aryl piperazine dihydrochloride precipitate was collected by filtration and dried *in vacuo*, producing 26.23 g of an aryl piperazine dihydrochloride product as white crystals (81 %). Elemental Anal. Calc'd. for C₁₄H₂₁FN₂O (2HCl): C, 51.65; H, 7.07: N, 8.61; found: C, 51.89; H, 7.03: N, 8.52.

[826] Part C. Preparation of sulfonamide intermediate. The aryl piperazine dihydrochloride from Part B (10.0 g, 39.6 mmol) was suspended in a mixture of methylene chloride (140 mL), N,N-dimethylformamide (13 mL), and triethylamine (14 g, 139 mmol). The resulting mixture was stirred for 30 min at 0 °C. Methanesulfonyl chloride (4.9 g, 43 mmol) was then added dropwise. After 30 min, the ice bath was removed and the mixture was stirred for 2 hr at ambient temperature. The mixture was diluted with water (800 mL), and extracted with methylene chloride (2 X 150 mL). The combined organic layers were dried over magnesium sulfate and filtered through a silica plug. Concentration produced a sulfonamide product (9.7 g, 75%) in the form of a pale yellow solid.

[827] Part D. Preparation of ester intermediate. The sulfonamide product from Part C (9.7 g, 29.5 mmol) was dissolved in tetrahydrofuran (60 mL), and then cooled to -78 °C. Lithium hexamethyldisilazide (1 M in THF, 100 mL) was added over 10 min. The reaction mixture was allowed to warm to room temperature to allow for complete dissolution of the anion. The mixture was then cooled back down to -78 °C. Afterward, dimethylcarbonate (2.65 g, 29.5 mmol) was added. The reaction mixture was allowed to warm to 0 °C, and then poured into 600 mL of saturated ammonium chloride with vigorous swirling to quench the anion. The mixture was then extracted with ethyl acetate (3 X 150 mL). The combined organic phases were dried over magnesium sulfate, filtered through silica, and concentrated to produce an ester in the form of a solid (10.8 g)

5

10

15

20

25

5

10

4

18-crown-6 (0.92 g, 3.49 mmol), potassium carbonate (9.56 g, 69.3 mmol), and N,N-bis(2-chloroethyl)-2-methoxyethylamine hydrochloride (3.30 g, 13.9 mmol) in DMF (23 mL) at 60 °C under an atmosphere of N₂ was added the ester of Part D (4.50 g, 11.6 mmol) as two portions 15 min apart. After 5 hr at 90 °C, the mixture was concentrated *in vacuo*, diluted with water (350 mL), and extracted with ethyl acetate(3x100 mL). The organic layer was washed with water (2x100 mL) and brine (100 mL), dried over magnesium sulfate, concentrated *in vacuo*, and purified by flash chromatography (methyl alcohol/ethyl acetate) to produce a piperidine ester in the form of an off-white solid (3.04 g, 51% yield): MS MH⁺ calcd. for C₂₄H₃₉FN₃O₆S 516; found 516.

[829] Part F. Preparation of O-protected hydroxamic acid intermediate. After a solution of the piperidine ester of Part E (2.90 g, 5.80 mmol) and aqueous 50% NaOH (4.64g, 58.0 mmol) in methanol (29 mL) and THF (59 mL) was heated at reflux for 1.5 hr, the solution was concentrated in vacuo to a white solid. The solid was dissolved into a water-acetonitrile solution, and the pH was adjusted to 1 with concentrated HCl. 15 The solution was concentrated to produce the crude acid as a HCl salt-NaCl mixture (MS MH⁺ calcd. for C₂₃H₃₆FN₃O₆S 502; found 502). A mixture of the crude acid, 1hydroxybenzotriazole hydrate (1.38 g, 10.2 mmol), triethylamine (7.92mL, 56.8 mmol), O-(tetrahydro-2H-pyran-2-yl)hydroxyamine (1.15 g, 9.82 mmol), and 1-(3dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (1.89 g, 9.86 mmol) in DMF 20 (60 mL) under an atmosphere of N₂ was heated at 60°C for 16 hr. The mixture was concentrated in vacuo, diluted with ethyl acetate (300 mL), washed with water (3 x 100 mL) and brine (100 mL), dried over magnesium sulfate, and concentrated to produce a clear, yellow oil. Chromatographic purification (MeOH/CH2Cl2) produced an O-protected hydroxamic acid product in the form of a tan foam (1.80 g, 52% yield): MS MH⁺ calcd. 25 for C₂₈H₄₅FN₄O₇S 601; found 601.

[830] Part G. Preparation of 4-[[4-(4-butoxy-3-fluorophenyl)-1-piperazinyl]sulfonyl]-N-hydroxy-1-(2-methoxyethyl)-4-piperidinecarboxamide, dihydrochloride. A solution of the O-protected hydroxamic acid of Part F (1.80 g, 3.00 mmol) and acetyl chloride (1.09 g, 14.4 mmol) in methanol (30 mL) was stirred at ambient temperature for 30 min. The solution was poured into ethyl ether (300 mL), and the solid was collected, washed with ether, and dried *in vacuo* at 40°C overnight to produce the

desired compound in the form of a white solid (1.32 g, 75% yield): Anal. Calcd. For $C_{23}H_{37}FN_4O_6S^2HCl$: C, 46.86; H, 6.67; N, 7.21; found C, 46.71; H, 7.05; N, 9.47. MS MH⁺ calcd. for $C_{23}H_{37}FN_4O_6S^2HCl$ 517; found 517.

[831] Example 12. Preparation of 4-{[4-(2-fluoro-1,1'-biphenyl-4-yl)piperazin-1-yl]sulfonyl}-N-hydroxytetrahydro-2H-pyran-4-carboxamide hydrochloride.

[832] Part A. Preparation of biphenyl ester intermediate. Tert-butyl 410 (piperazin-1-ylsulfonyl)tetrahydro-2H-pyran-4-carboxyate (1.55 g, 4.6 mmol), 1-bromo-3fluoro-biphenyl (1.16 g, 4.6 mmol), BINAP (115 mg, 0.18 mmol), sodium t-butoxide (622 mg, 6.5 mmol), and dioxane (10 mL) were combined. The resulting mixture was lowered into an 80 °C oil bath. Pd₂(DBA)₃ (85 mg, 0.09 mmol) was added to the mixture, and the mixture was then stirred overnight. Afterward, the reaction mixture was allowed to cool, diluted with water (400 mL), and extracted with ethyl acetate (2 X 150 mL). The organic layer was dried over magnesium sulfate. Concentration produced 2.3 g of a crude biphenyl ester.

[833] Part B. Preparation of biphenyl acid intermediate. The biphenyl ester product from Part A (2.3 g, 4.5 mmol) was dissolved in trifluoroacetic acid and stirred at ambient temperature for 4 hr. The solvent was removed, azeotroping with acetonitrile. The crude biphenyl acid product was dried *in vacuo*.

[834] Part C. Preparation of THP-hydroxamic acid intermediate. To the dried biphenyl acid product from Part B was added N-methylmorpholine (1.4 g, 14 mmol), O-(tetrahydro-2H-pyran-2-yl)hydroxyamine (0.91 g, 7.8 mmol), 1-

hydroxybenzotriazole hydrate (0.74 g, 5.5 mmol), and N,N-dimethylformamide (15 mL). After 10 min of stirring, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (1.22 g, 6.4 mmol) was added to the mixture, and the mixture was heated to 80°C for 4 hr. The reaction mixture was allowed to cool, diluted with water (400 mL), and extracted with

20

25

ethyl acetate (3 X 150 mL). The combined organic layers were dried over magnesium sulfate and concentrated. The resulting residue was purified by flash chromatography, affording a THP-hydroxamic acid in the form of a foam.

[835] Part D. Preparation of 4-{[4-(2-fluoro-1,1'-biphenyl-4-yl)piperazin-1-yl]sulfonyl}-N-hydroxytetrahydro-2H-pyran-4-carboxamide hydrochloride. The THP-hydroxamic acid from Part C was dissolved in methanol. Acetyl chloride (ca. 1 mL) was added slowly. After 10 min, the product was precipitated by addition of ether (20 mL). The solid was collected and dried in a vacuum oven at 50 °C, affording 520 mg of the desired biphenyl hydroxamic acid (23% from the biphenyl ester). MS MH⁺ calcd. for C₂₂H₂₇N₃O₅FS 464.1655, found 464.1650.

[836] Example 13. Preparation of 4-{[4-(3-fluoro-4-pentylphenyl)piperazin-1-yl]sulfonyl}-N-hydroxy-1-(2-methoxyethyl)piperidine-4-carboxamide dihydrochloride.

15

20

25

5

10

2-fluorobenzaldehyde (2.00 g, 9.86 mmol) and potassium carbonate (1.72 g, 12.10 mmol) in isopropyl alcohol (5 mL) under an atmosphere of N₂ at ambient temperature was added butyltriphenylphosphonium bromide (4.92 g, 12.3 mmol). The reaction mixture was heated at 80 °C for 18 hr, concentrated *in vacuo*, diluted with ether, and filtered through a silica bed. The filtrate was concentrated *in vacuo* to produce an alkene in the form of a clear, colorless liquid (1.78 g, 74% yield). The proton NMR spectrum was consistent for the desired alkene as a mixture of *cis* and *trans* isomers.

[838] Part B. Preparation of aryl alkene intermediate. The alkene product from Part A (0.810 g, 3.33 mmol) was added to a 65 °C mixture of tert-butyl 1-(2-methoxyethyl)-4-(piperazin-1-ylsulfonyl)piperidine-4-carboxyate (1.23 g, 3.15 mmol), sodium tert-butoxide (0.354 g, 3.68 mmol), racemic-2,2'-bis(diphenylphosphino)-1,1'-

binaphthyl(0.049 g, 0.078 mmol), and tris(dibenzylideneacetone)-dipalladium(0) (0.024 g, 0.026 mmol) in anhydrous 1,4-dioxane (5.7 mL) under an N₂ atmosphere. After heating the black mixture at 65 °C for 2 hr and 80°C for 3 hr, the ambient mixture was poured into water (150 mL) and extracted with CH₂Cl₂ (3x50 mL). The organic layer was washed with water (2x50 mL), dried over MgSO₄, concentrated *in vacuo*, and purified by flash chromatography (silica gel; methanol/ethyl acetate) to produce an aryl alkene product in the form of a tan solid (1.29 g, 74% yield). The proton NMR spectrum was consistent for the desired structure as a mixture of *cis* and *trans* isomers.

- [839] Part C. Preparation of aryl pentane intermediate. Hydrogenation of the aryl alkene product from Part B (1.20 g, 1.81 mmol) in ethanol with 4% Pd on carbon at ambient temperature produced an aryl pentane product in the form of a white solid (0.95 g, 95% yield): MS MH⁺ calcd. for C₂₈H₄₇FN₃O₅S 556; found 556.
- [840] Part D. Preparation of acid intermediate. A solution of the aryl pentane product from Part C (0.900 g, 1.67 mmol) in trifluoroacetic acid (10 mL) was stirred at ambient temperature for 18 hr. The solution was treated with 4N HCl in dioxane and concentrated *in vacuo* to produce an acid product in the form of a tan solid (0.679 g, 73% yield): MS MH⁺ calcd. for C₂₄H₃₉FN₃O₅S 500; found 500.
- [841] Part E. Preparation of O-protected hydroxamic acid intermediate. A mixture of the acid product from Part D (0.670 g, 1.17 mmol), 1-hydroxybenzotriazole hydrate (0.237 g, 1.75 mmol), N-methylmorpholine (0.43mL, 3.9 mmol), O-(tetrahydro-2H-pyran-2-yl)hydroxyamine (0.238 g, 2.03 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.278 g, 1.75 mmol) in DMF (5 mL) under an atmosphere of N₂ was heated at 60°C for 18 hr. The mixture was concentrated *in vacuo*, diluted with acetonitrile, and concentrated *in vacuo*. The resulting residue was partitioned between saturated NaHCO₃ (150 mL) and CH₂Cl₂ (50 mL). The aqueous layer was extracted with CH₂Cl₂ (2 x 50 mL). The combined organic layers were washed with water (50 mL), dried over MgSO₄, and concentrated *in vacuo* to a clear, yellow oil. Chromatography purification (silica gel; methanol/ethyl acetate) produced an O-protected hydroxamic acid product in the form of a solid (0.396 g, 56% yield): MS MH⁺ calcd. for C₂₉H₄₈FN₄O₆S 599; found 599.
 - [842] Part F. Preparation of 4-{[4-(3-fluoro-4-pentylphenyl)piperazin-1-yl]sulfonyl}-N-hydroxy-1-(2-methoxyethyl)piperidine-4-carboxamide

10

15

20

25

30

Sec. 15. 15.

dihydrochloride. A solution of the O-protected hydroxamic acid product from Part E (0.390 g, 0.651 mmol) and acetyl chloride (0.236 g, 3.13 mmol) in methanol (6 mL) was stirred at ambient temperature for 1 hr. The solution was poured into ethyl ether (100 mL). The solid was collected, washed with ether, and dried *in vacuo* at 40 °C in a vacuum overnight to provide the desired compound in the form of a tan solid (0.27 g, 70% yield) MS MH⁺ calcd. for C₂₄H₄₀FN₄O₅S 515; found 515.

[843] Example 14. Preparation of N-hydroxy-4-({4-[4-(2-methoxyethoxy)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride.

10

20

5

[844] Part A: Preparation of 1-bromo-4-(2-methoxyethoxy)benzene.

To a room temperature solution of 4-bromophenol (5 g, 28.9 mmol) in 15 mL DMF under N₂ was added 2-bromoethyl methyl ether (5 g, 36.4 mmol) and potassium carbonate (4.4 g, 31.8mmol). The resulting solution was stirred overnight at ambient temperature under N₂. Afterward, no starting material remained. The mixture was concentrated, partially dissolved in ethyl acetate (50 mL), and filtered. The filtrate was concentrated under reduced pressure, affording 5.6 g of crude oil. ¹H NMR and mass spectrometry (MNa⁺= 287.0) were consistent with the desired product.

[845] Part B: Preparation of tert-butyl 4-({4-[4-(2-methoxyethoxy)phenyl]piperazinyl}sulfonyl)perhydro-2H-pyran-4-carboxylate.

To a solution of tert-butyl 4-(piperazinylsulfonyl)perhydro-2H-pyran-4-carboxylate (1.5 g, 4.5 mmol, supplied by CarboGen) in toluene (40 mL) under N₂ were added the product from Part A (1.14 g, 4.95 mmol), sodium tert-butoxide (1.08 g, 11.25 mmol), palladium(II) acetate (10 mg, 0.045 mmol), and tert-tri-butylphosphine (7.0 mg, 0.036 mmol). The reaction was continued overnight at 60°C under N₂. Afterward, no starting material remained. The reaction was diluted with methanol and concentrated under reduced pressure. The residue was partially dissolved in dichloromethane and filtered to afford 1.8g (82%) of the crude product. Mass spectrometry (MH⁺ = 486.4) was consistent with desired product.

10 [846] Part C: Preparation of 4-({4-[4-(2-methoxyethoxy)phenyl]piperazinyl}sulfonyl)perhydro-2H-pyran-4-carboxylic acid.

The product from Part B (1.8g, 3.7 mmol) was dissolved in 1:1 trifluoroacetic acid/dichloromethane (10 mL). The reaction was continued overnight at room temperature under N_2 . Afterward, no starting material was detected by HPLC. The mixture was concentrated under reduced pressure. Additional dichloromethane was added, and the solvent was once again removed under reduced pressure. The resulting solid was triturated with ether and filtered to afford the desired product (1.06g (67%)) of as a white solid. ¹HNMR and mass spectrometry (MH⁺ = 429) was consistent with desired product.

[847] Part D: Preparation of [4-({4-[4-(2-methoxyethoxy)phenyl]piperazinyl}sulfonyl)perhydro-2H-pyran-4-yl]-N-perhydro-2H-pyran-2-yloxycarboxamide

5

15

To a solution of the product from Part C (1.0 g, 2.3 mmol) dissolved in N,N-dimethylformamide (15 mL) were added triethylamine (516 mg, 5.1 mmol), N-hyroxybenzatriazole (373 mg, 2.76 mmol), O-(tetrahydro-2H-pyran-2-yl)hydroxylamine (404 mg, 3.4 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (615 mg, 3.2 mmol). The reaction was continued overnight at ambient temperature under N_2 . Afterward, no starting material was detected by HPLC. The mixture was diluted with ethyl acetate and washed with water (3 x 50 mL), saturated sodium bicarbonate (3 x 50 mL), and brine (1 x 50 mL). The organic layer was dried over magnesium sulfate, filtered, and concentrated to afford 1.24 g of crude oil. Mass spectrometry (MNa⁺ = 550) was consistent with desired product.

[848] Part E: Preparation of N-hydroxy-4-({4-[4-(2-methoxyethoxy)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride.

The product from Part D (1.2 g, 2.3 mmol) was dissolved in 4N HCl in dioxane (12 mL) and methanol (1 mL). The reaction was continued at ambient temperature for 1h.

Afterward, no starting material was detected by HPLC. The product was concentrated under reduced pressure and triturated with diethyl ether. The resulting white solid was collected by suction filtration affording 560 mg (51%) of the desired product. ¹HNMR was consistent with desired product. HRMS for C₁₉H₂₉N₃O₇S showed [M+H]_{found} = 444.1802 for [M+H]_{calc} = 444.1799.

[849] Example 15. Preparation of N-hydroxy-1-(2-methoxyethyl)-4-{[4-(4-pentylpheyl)piperidin-1-yl]sulfonyl}piperidine-4-carboxamide hydrochloride.

:: :1: 5

[850] Part A. Preparation of Alcohol Intermediate. Magnesium turnings (0.606 g, 24.95 mmol) and iodine were heated in a 3-neck flask (fitted with an addition funnel and a reflux condensor) with a heat-gun until iodine vapors appeared. After cooling to ambient temperature, tetrahydrofuran (10mL) was added, followed by the slow addition of a solution of 1-bromo-4-n-pentylbenzene (5.00 g, 22.01 mmol) in tetrahydrofuran (50 mL). The mixture was heated with a heat-gun during the addition. After the addition was complete, the mixture was heated at reflux for 1 hr. The reaction mixture was then cooled in an ice-bath, and a solution of 1-benzyl-4-piperidone (2.78 g, 14.67 mmol) in tetrahydrofuran (40 mL) was quickly added. After slowly warming over 3 hr, the reaction mixture was re-cooled in an ice-bath. Water (25 mL) was added, followed by ethyl acetate (25 mL). The organic layer was removed, and the aqueous layer was further extracted with ethyl acetate. The organic layer was washed with saturated NaCl and dried over Na₂SO₄. Chromatography (on silica, ethyl acetate/hexanes) produced an alcohol in the form of a pale yellow oil (4.43 g, 90%).

[851] Part B. Preparation of Alkene Intermediate. To a solution of the alcohol of Part A (3.13 g, 9.27 mmol) in dichloromethane (10 mL) was added trifluoroacetic acid (10 mL, 129.80 mmol). The resulting mixture was stirred at ambient temperature for 3.5 hr, and then concentrated *in vacuo*. The residue was partitioned between diethyl ether and water. The organic layer was washed with saturated NaCl and dried over Na₂SO₄. Concentration *in vacuo* produced an alkene in the form of an amber oil (2.93 g, 99%).

[852] Part C. Preparation of Piperidine Intermediate. To a solution of the alkene of Part B (2.93 g, 9.17 mmol) in methanol (20 mL) was added ammonium formate (1.74 g, 27.51 mmol) and 10% Pd/C (0.917 g). The resulting mixture was heated at reflux. After 7 hr, the reaction mixture was cooled to ambient temperature and filtered through a pad of Celite®, washing with methanol. The filtrate was concentrated *in vacuo* to produce a piperidine in the form of a yellow oil (2.10 g, quantitative yield).

[853] Part D. Preparation of Sulfonamide Intermediate. To an ice-cold solution of the piperidine of Part C (1.00 g, 4.32 mmol) in dichloromethane (8.0 mL) was added diisopropylethylamine (1.66 mL, 9.51 mmol) and N-(benzyloxycarbonyl)-4-(chlorosulfonyl)piperidine (1.65 g, 5.19 mmol). The resulting mixture was slowly allowed to warm to ambient temperature with stirring for 2 days. The reaction mixture was then

5

10

15

20

25

5

10

15

20

• }

; ;

diluted with dichloromethane, washed with H₂O, 5% KHSO₄, washed with saturated NaCl, and dried over Na₂SO₄. Chromatography (on silica, ethyl acetate/hexanes) produced sulfonamide in the form of an off-white oily solid (1.32 g, 60%).

[854] Part E. Preparation of Methyl Ester Intermediate. To a solution of the sulfonamide of Part D (1.32 g, 2.57 mmol) in tetrahydrofuran (5.0mL) was slowly added lithium bis(trimethylsilyl)amide (6.44 mL, 1M in tetrahydrofuran, 6.44 mmol). After 1 hr at ambient temperature, a solution of dimethyl carbonate (0.348 g, 3.86 mmol) in tetrahydrofuran (2.0 mL) was quickly added. The resulting mixture was stirred at ambient temperature overnight. Additional lithium bis(trimethylsilyl)amide (2.57 mL, 1M in tetrahydrofuran, 2.57 mmol) was then added. After 1.5 hr, a solution of dimethyl carbonate (0.174 g, 1.93 mmol) in tetrahydrofuran (1.0 mL) was quickly added. After stirring at ambient temperature overnight, the reaction mixture was cooled in an ice-bath and quenched by the addition of saturated NH₄Cl. Water was added, and the organic layer was removed. The aqueous layer was further extracted with ethyl acetate. The combined organic layers were washed with 5% KHSO₄, washed with saturated NaCl, and dried over Na₂SO₄. Chromatography (on silica, ethyl acetate/hexanes) produced a methyl ester in the form of an off-white solid (0.410 g, 28%).

[855] Part F. Preparation of Amine Intermediate. To a suspension of the methyl ester of Part E (0.923 g, 1.62 mmol) and 10% Pd/C (0.162 g) in ethyl acetate (10 mL) was bubbled H₂. After the uptake of H₂ ceased, the mixture was filtered through a pad of Celite® washing with ethyl acetate methanol, tetrahydrofuran and dichloromethane. The filtrate was concentrated *in vacuo* to produce an amine in the form of a gray solid (0.615 g, 87%).

suspension of the amine of Part F (0.615 g, 1.41 mmol) and K₂CO₃ (0.428 g, 3.10 mmol) in N,N-dimethylformamide (6.0 mL) was added 2-bromoethyl methyl ether (0.199 mL, 2.12 mmol). The resulting mixture was heated at 50°C for 7 hr. The reaction mixture was then diluted with acetonitrile and filtered through a pad of Celite®. The filtrate was concentrated in vacuo. Chromatography (on silica, ethyl acetate with 10% methanol/hexanes) produced an N-methoxyethyl amine in the form of a tan solid (0.446 g, 64%).

[857] Part H. Preparation of Acid Intermediate. To a solution of the N-methoxyethyl amine of Part G (0.446 g, 0.902 mmol) in tetrahydrofuran (5.0 mL) was added potassium trimethylsilanolate (0.231 g, 1.80 mmol). The resulting mixture was stirred at ambient temperature for 24 hr. The reaction mixture was concentrated by blowing N₂ over the mixture. Water was added, and the reaction was neutralized with 1N HCl (pH-7) and partially concentrated in vacuo. The precipitate was collected by filtration to produce an acid in the form of a white solid (0.271 g, 62%).

solution of the acid of Part H (0.271 g, 0.564 mmol) in N,N-dimethylformamide (5.0 mL) was added 1-Hydroxybenzotriazole hydrate (0.091 g, 0.677 mmol), triethylamine (0.236 mL, 1.69 mmol), O-(tetrahydropyranyl)hydroxylamine (0.198 g, 1.69 mmol), and 1-(3-Dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.162 g, 0.846 mmol). The resulting mixture was stirred at 50°C for 8 hr, and then cooled to ambient temperature. The reaction mixture was partitioned between water and ethyl acetate. The organic layer was washed with saturated NaC1, and dried over Na₂SO₄. Chromatography (on silica, ethyl acetate with 10% methanol/hexanes) produced a protected hydroxamic acid in the form of a pale yellow foam (0.109 g, 33%).

[859] Part J. Preparation of N-hydroxy-1-(2-methoxyethyl)-4-{[4-(4-pentylpheyl)piperidin-1-yl]sulfonyl}piperidine-4-carboxamide hydrochloride. To the protected hydroxamic acid of Part I (0.100 g, 0.172 mmol) was added a solution of 4N HCl in dioxane (0.500 mL, 2.00 mmol) and methanol (0.100 mL, 2.47 mmol). The resulting mixture was stirred at ambient temperature for 1.5 hr. Diethyl ether was then added. The solids were collected by filtration and washed with diethyl ether to produce the title compound in the form of a pale pink solid (0.068 g, 74%). HRMS MH⁺ calculated for C₂₅H₄₁N₃O₅S: 496.2845; found 496.2852.

5

10

[860] Example 16. Preparation of 4-{[4-(4-butoxyphenyl)piperidin-1-vllsulfonyl}-N-hydroxy-1-(2-methoxyethyl)piperidine-4-carboxamide hydrochloride.

Part A. Preparation of Alcohol Intermediate. Magnesium turnings 5 (2.40 g, 98.93 mmol) and iodine were heated in a 3-neck flask (fitted with an addition funnel and a reflux condensor) with a heat-gun until iodine vapors appeared. After cooling to ambient temperature, tetrahydrofuran (50 mL) was added, followed by slow addition of a solution of 4-bromo-butoxybenzene (20.0 g, 87.29 mmol) in tetrahydrofuran (200 mL). The mixture was heated with a heat-gun during the addition. After the addition 10 was complete, a small amount of 1,2-dibromoethane was added, and the mixture was heated at reflux for 2.5 hr. The reaction mixture was then cooled in an ice-bath, and a solution of 1-benzyl-4-piperidone (11.01 g, 58.19 mmol) in tetrahydrofuran (200 mL) was quickly added. After slowly warming to ambient temperature overnight, the reaction mixture was re-cooled in an ice-bath and quenched by the addition of 1N HCl (100 mL). 15 Additional water (100 mL) was added, and the organic layer was removed. The aqueous layer was further extracted with ethyl acetate. The combined organic layers were washed with saturated NaCl and dried over Na₂SO₄. Concentration in vacuo produced an alcohol in the form of a tan oil (26.6 g, quantitative yield).

alcohol of Part A (19.75 g, 58.19 mmol) in dichloromethane (50 mL) was added trifluoroacetic acid (50 mL, 649.0 mmol). The resulting mixture was stirred at ambient temperature overnight, and then concentrated *in vacuo*. The residue was partitioned between diethyl ether and water. The aqueous layer was neutralized with 2.5 N NaOH (pH-7), and extracted with diethyl ether. The combined organic layers were washed with saturated NaCl and dried over Na₂SO₄. Chromatography (on silica, ethyl acetate/hexanes) produced an alkene in the form of a yellow oily solid (12.4 g, 66%).

[863] Part C. Preparation of Piperidine Intermediate. To a solution of the alkene of Part B (12.40 g, 38.57 mmol) in methanol (80 mL) was added ammonium

formate (7.30 g, 115.71 mmol) and 10% Pd/C (3.86 g). The resulting mixture was heated at reflux. After 3 hr, the reaction mixture was cooled to ambient temperature and filtered through a pad of Celite®, washing with methanol. The filtrate was concentrated *in vacuo* to produce a piperidine in the form of a yellow oil (9.30 g, quantitative yield).

[864] Part D. Preparation of Sulfonamide Intermediate. To an ice-cold solution of the piperidine of Part C (9.0 g, 38.57 mmol) in dichloromethane (75.0 mL) was added triethylamine (11.83 mL, 84.85 mmol) and N-(benzyloxycarbonyl)-4- (chlorosulfonyl)piperidine (3.58 g, 46.28 mmol). The resulting mixture was slowly allowed to warm to ambient temperature with stirring for 1 hr. The reaction mixture was then concentrated *in vacuo*. The residue was partitioned between water and ethyl acetate. The combined organic layers were washed with H₂O, 5% KHSO₄, washed with saturated NaCl, and dried over Na₂SO₄. Chromatography (on silica, ethyl acetate/hexanes) produced a sulfonamide in the form of an off-white solid (3.46 g, 29%).

[865] Part E. Preparation of Methyl Ester Intermediate. To a suspension (pre-cooled to -40°C) of the sulfonamide of Part D (1.00 g, 3.21 mmol) and dimethyl carbonate (0.325 mL, 3.85 mmol) in tetrahydrofuran (15.0mL) was slowly added lithium bis(trimethylsilyl)amide (8.03 mL, 1*M* in tetrahydrofuran, 8.03 mmol). After 30 min at -40°C, the reaction was quenched by the addition of saturated NH₄Cl. Water was added, and the organic layer was removed. The aqueous layer was further extracted with ethyl acetate. The combined organic layers were washed with 5% KHSO₄, washed with saturated NaCl, and dried over Na₂SO₄. Concentration in vacuo produced a methyl ester in the form of a tan solid (1.22 g, quantitative yield).

solution of bis(2-chloroethyl)-2-methoxyethyl amine hydrochloride (1.80 g, 7.59 mmol) in N,N-dimethylformamide (10 mL) was added K₂CO₃ (5.72 g, 41.4 mmol), 18-C-6 (0.182 g, 0.690 mmol) and a solution of the methyl ester of Part E (2.55 g, 6.90 mmol) in N,N-dimethylformamide (5.0 mL). The resulting mixture was heated at 60°C for 23 hr. After cooling to ambient temperature, the reaction mixture was partitioned between ethyl acetate and water. The organic layer was washed with saturated NaCl, and dried over Na₂SO₄.

Chromatography (on silica, ethyl acetate with 10% methanol/hexanes) produced an N-methoxyethyl amine (1.38 g, 40%).

5

10

15

[867] Part G. Preparation of Acid Intermediate. To a solution of the N-methoxyethyl amine of Part F (1.38 g, 2.78 mmol) in tetrahydrofuran (10.0 mL) was added potassium trimethylsilanolate (0.731 g, 5.56 mmol). The resulting mixture was stirred at ambient temperature for 23 hr, at which time additional potassium trimethylsilanolate (0.019 g, 0.702 mmol) was added. After stirring at ambient temperature for 2.5 hr, the reaction mixture was concentrated by blowing N₂ over the reaction mixture. Water was added, and the reaction mixture was neutralized with 1N HCl (pH-7). Afterward, the reaction mixture was partially concentrated in vacuo. The precipitate was collected by filtration to produce an acid in the form of a white solid (0.860 g, 64%).

solution of the acid of Part G (0.860 g, 7.18 mmol) in N,N-dimethylformamide (8.0 mL) was added 1-Hydroxybenzotriazole hydrate (0.289 g, 2.14 mmol), triethylamine (0.744 mL, 5.34 mmol), O-(tetrahydropyranyl)hydroxylamine (0.626 g, 5.34mmol), and 1-(3-Dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.512 g, 2.67 mmol). The resulting mixture was stirred at 50°C for 14 hr, at which time additional HoBt (0.072 g, 0.534 mmol) and EDC (0.128 g, 0.668 mmol) were added. After heating at 50°C for 6 hr, the reaction was cooled to ambient temperature. The reaction mixture was partitioned between water and ethyl acetate. The organic layer was washed with saturated NaCl, and dried over Na₂SO₄. Chromatography (on silica, ethyl acetate with 10% methanol/hexanes) produced a protected hydroxamic acid in the form of a pale yellow foam (0.879 g, 85%).

N-hydroxy-1-(2-methoxyethyl)piperidine-4-carboxamide hydrochloride. To a solution of the protected hydroxamic acid of Part H (0.879 g, 1.51 mmol) in dioxane (2.0 mL) was added a solution of 4N HCl in dioxane (3.78 mL, 15.11 mmol) and methanol (0.613 mL, 15.11 mmol). The resulting mixture was stirred at ambient temperature for 1.5 hr. The mixture was then slowly added to a rapidly stirred solution of diethyl ether. The precipitate was collected by filtration and washed with diethyl ether to produce the title compound in the form of an off-white solid (0.634 g, 79%). HRMS MH⁺ calculated for C₂₄H₃₉N₃O₆S: 498.2632; found 498.2622.

15

20

25

30

. .

[870] Example 17. Preparation of N-hydroxy-4-({4-[4-(3,3,4,4,4-pentafluorobutyl)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride.

5 Part A. t-Butyl-2-[1-[4-(4-bromophenyl)piperazinyl]sulfonyl]acetate (Carbogen, 15 g, 35.7 mmol), K₂CO₃ (14.83 g, 107.3 mmol), N,N-dimethylformamide (140 mL), 2-bromoethyl ether (Aldrich, 9.13 g, 39.3 mmol), and 18-crown-6 (catalytic amount, spatula tip) were heated at 70°C overnight with mixing under an N2 atmosphere. Additional K₂CO₃ (4.94 g, 35.7 mmol) and 2-bromoethyl ether (3.69 g, 16 mmol) were added, and the resulting mixture was stirred overnight under N2. Afterward, K2CO3 (4.94 10 g, 35.7 mmol) and 2-bromoethyl ether (3.69 g, 16 mmol) were added to the mixture, and the mixture was stirred overnight under N2. The reaction was cooled to ambient temperature and poured into ethyl acetate (500 mL) and deionized water (200 mL). The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (100 mL). The combined ethyl acetate layers were washed with 100 mL of each of a 1:1 15 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO4, and concentrated in vacuo to produce a yellow solid. The solid was stirred in MeOH (50 mL) for 1 hr, filtered, and washed with MeOH (15 mL). The resulting solid was dried in a vacuum oven at 50°C overnight producing 11.1 g (64%) of the desired t-butyl ester pyran product. ¹H NMR confirmed the structure of the desired product. 20

[872] Part B. Zn/Cu couple (1.22 g, 18.8 mmol), 1,1,1,2,2-pentafluoro-4-iodobutane, Matrix Scientific, (3.35 g, 12.2 mmol), benzene (32.5 mL), and N,N-dimethylformamide (6.5 mL) were heated together for 3 hours at 60°C under N₂. The t-butyl ester pyran from Part A (2.0 g, 4.1 mmol) and [1,1'-

Bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with CH₂Cl₂ (1:1), Aldrich, (0.166 g, 0.2 mmol) were added, and the resulting dark mixture was stirred overnight at 78°C under N₂. Zn/Cu couple (1.22 g, 18.8 mmol), 1,1,1,2,2-pentafluoro-4-

5

10

15

iodobutane, Matrix Scientific, (3.35 g, 12.2 mmol), benzene (32.5 mL), and N,N-dimethylformamide (6.5 mL) were heated together for 3 hr at 60°C under N₂. This mixture was added to the original flask along, with an additional portion of the Pd catalyst (same amount used above). The resulting mixture was then stirred overnight at 78°C under N₂. Zn/Cu couple (1.22 g, 18.8 mmol), 1,1,1,2,2-pentafluoro-4-iodobutane, Matrix Scientific, (3.35 g, 12.2 mmol), benzene (32.5 mL), and N,N-dimethylformamide (6.5 mL) were heated together for 3 hr at 60°C under N₂. This mixture was then added to the original flask, and the resulting mixture was stirred overnight at 78°C under N₂. Another portion of the Pd catalyst (same amount used above) was added, and the resulting mixture was stirred overnight at 78°C under N₂. The reaction was allowed to cool to ambient temperature, and 25 mL saturated NH₄Cl(aq) was added to the mixture. The mixture was then stirred for 15 min. The resulting mixture was filtered through a pad of Celite®, and washed with 50 mL each of deionized water and ethyl acetate. The layers were separated, and the organic layer was washed with 100 mL of saturated NaCl(aq), dried over MgSO₄, and concentrated *in vacuo* to produce a red oil (2.35 g, 103%).

[873] Part C. The red oil from Part B was dissolved in CH₂Cl₂ (30 mL), and trifluoroacetic acid (30 mL) was added. The mixture was stoppered with a syringe needle vent over a weekend at ambient temperature. The solution was concentrated *in vacuo* to produce an oil (assumed theoretical yield).

20 Part D. The oil from Part C dissolved in 1-hydroxybenzotriazole (Aldrich, 0.83 g, 6.1 mmol), and 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (Aldrich, 1.18 g, 6.1 mmol) mixed with N,N-dimethylformamide (20mL). The mixture was stoppered at ambient temperature for 1 hr. To the resulting solution were added 4-methylmorpholine (1.76 mL, 16 mmol) and O-(tetrahydropyranyl) hydroxylamine 25 (Carbogen, 0.71 g, 6.1 mmol). The solution was mixed at ambient temperature for 2 hr, after which time 1-hydroxybenzotriazole (Aldrich, 0.55 g, 4.1 mmol), 1-[3dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (Aldrich, 0.79 g, 4.1 mmol), 4methylmorpholine (0.55 mL, 5 mmol), and O-(tetrahydropyranyl) hydroxylamine (Carbogen, 0.48 g, 4.1 mmol) were added. The resulting solution was stirred while stoppered at ambient temperature overnight. 1-Hydroxybenzotriazole (Aldrich, 0.28 g, 2.1 30 mmol), 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (Aldrich, 0.4 g, 2.1 mmol), 4-methylmorpholine (0.5 mL, 4.5 mmol), and O-(tetrahydropyranyl)-

hydroxylamine (Carbogen, 0.24 g, 2.1 mmol) were added to the mixture. The mixture was then allowed to mix at ambient temperature for 4 hr. The reaction mixture was poured into 250 mL ethyl accetate, 50 mL of deionized water, and 50 mL of saturated NaHCO₃(aq). The layers were separated, and the organic layer was washed with 100 mL each of a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄, and concentrated *in vacuo* to produce an oil (assumed theoretical yield).

[875] Part E. The oil from Part D was dissolved in MeOH (5 mL), and 4N HCl in dioxane (20 mL) was added. The mixed contents were stoppered overnight at ambient temperature. The solution was concentrated *in vacuo* to a semi-solid/oil. The crude oil was purified by chromatography (on reversed-phase silica, water/acetonitrile with 0.05% trifluoroacetic acid in both). The trifluoroacetate salt was exchanged for hydrochloride salt by 3 co-evaporations with MeOH (5 mL) and 4N HCl in dioxane (20 mL). After the last coevaporation, the solids were triturated with diethyl ether over a weekend. The solids were filtered and dried in a vacuum oven at 50°C overnight producing 0.55 g of a white solid (24.5% overall yield from step A). MS, M+H calculated for C₂₀H₂₇F₅N₃O₅S: 516.1586, found: 516.1599.

[876] Example 18. Preparation of N-hydroxy-4-({4-[4-(3,3,4,4,4-pentafluorobutyl)phenyl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide.

[877] Part A. A solution of 4-(4-bromophenyl)-4-piperidinol (Aldrich, 50 g, 195 mmol), triethylamine (59.8 mL, 429mmol), and CH₂Cl₂ (400 mL) was cooled to 0°C with mixing under an N₂ atmosphere. To this mixture was added methanesulfonyl chloride (16.6 mL, 214 mmol) in CH₂Cl₂ (100 mL) dropwise, keeping the reaction temperature at less than 10°C. After the addition was complete, the ice bath was removed, and the solution was allowed to stir for 1 hr. Additional methanesulfonyl chloride (10 mL, 129

25

5

10

15

5

10

15

20

25

30

. ;

mmol) in CH₂Cl₂ (50 mL) was added dropwise to the mixture. The mixture was then stirred at ambient temperature under an N₂ atmosphere overnight. The next morning, the mixture was added to 300 mL 0.5 N HCl(aq) and 200mL deionized water. The layers were separated, and the aqueous layer was back-extracted with CH₂Cl₂ (100 mL). The combined CH₂Cl₂ layers were washed with 300 mL of each of saturated NaHCO₃(aq) and saturated NaCl(aq). The CH₂Cl₂ layer was dried over MgSO₄, filtered, and concentrated in vacuo to produce a methylsulfonamide in the form of a solid (62 g, 95.6%).

[878] Part B. To the methylsulfonamide in Part A was added CH₂Cl₂ (300 mL) and triethylsilane (125 mL, 778 mmol). To this slurry was added trifluoroacetic acid (300 mL, 3.9 mol). The resulting mixture was stirred while stoppered at ambient temperature for 1 hr, and then concentrated *in vacuo* to produce a solid. The solid was mixed with MeOH (150 mL) at ambient temperature for 2 days in a stoppered flask. The solid was then filtered from the slurry and washed with an additional 100 mL MeOH. The resulting solid was dried in a vacuum oven at 50°C overnight to produce 54.14 g (91.7%) of the product. ¹H NMR was used to analyze the structure of the product.

Part C. Zinc (dust, 325 mesh, 2.06 g, 31.5mmol), 1,2-dibromoethane (0.243mL, 2.8mmol), and tetrahydrofuran (12.5 mL) were heated together at 65°C under N_2 for 5 min. The slurry was cooled to ambient temperature with mixing under N_2 . Subsequently, trimethylchlorosilane (0.336mL, 2.64 mmol) was added. The resulting mixture was stirred at ambient temperature for 30 min. 1,1,1,2,2-Pentafluoro-4iodobutane (Matrix Scientific, 6.45 g, 23.5 mmol) was added, and the mixture was stirred at 40°C for 3 hr under an N₂ atmosphere. N,N-Dimethylaceamide (35 mL), the product from Part B (5 g, 15.7 mmol), and dichlorobis(tri-o-tolylphosphine)palladium(II) (Aldrich, 802 mg, 1.02 mmol) were then added to the mixture. The resulting mixture was heated at 80°C under N₂ overnight. The mixture was cooled to less than 30°C, and 50 mL saturated NH₄Cl(aq) was added, followed by 200 mL ethyl acetate. This biphasic system was filtered through a pad of Celite®, washing with deionized water (50 mL) and ethyl acetate (50 mL). The layers were separated, and the ethyl acetate layer was washed with 100 mL of each of saturated NaHCO3(aq) and saturated NaCl(aq). The ethyl acetate layer was then dried over MgSO₄, filtered, and concentrated in vacuo to produce a solid that was then slurried in hexanes (50 mL) for 1 hr. The solid was filtered, washed with hexanes (20

mL), and dried at 50°C in a vacuum oven for 2 hr to produce 5.58 g (92%) of a solids product. ¹H NMR was used to analyze the structure of the product.

[880] Part D. Tetrahydrofuran (70 mL), the product from Part C (6.7 g, 17.4 mmol), and di-tert-butyl dicarbonate (Aldrich, 4.55 g, 20.9 mmol) were cooled together to -78°C under N₂. To the resulting mixture was added a solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (1M, 46mL) at such a rate that the temperature remained below -70°C. This solution was allowed to mix at -78°C under N₂ for 1 hr, and was then mixed at 0°C for 20 min. The reaction was then cooled to -40°C, and saturated NH₄Cl(aq) (25 mL) was added. After the addition was complete, the mixture was warmed to ambient temperature, and ethyl acetate (250 mL) and deionized water (100mL) were added. The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (100 mL). The combined ethyl acetate layers were washed with 100 mL of each of saturated NaHCO₃(aq) and saturated NaCl(aq), dried over MgSO₄, filtered, and concentrated *in vacuo*. The resulting solid/oil was co-evaporated several times with acetonitrile to produce a solid that was, in turn, dried in a vacuum oven at 50°C overnight to produce 8.55 g (102%) of a t-butyl ester in the form of a solid.

Dimethylformamide (15 mL), K₂CO₃ (2.76 g, 20 mmol), 2-bromoethyl ether, Aldrich, (1.75g, 7.6 mmol), and 18-Crown-6 (0.49 g, 1.86 mmol) were heated together at 65°C under an N₂ atmosphere overnight. An additional 1 g of K₂CO₃ (7.2 mmol) and 0.87 g of 2-bromoethyl ether (3.78 mmol) were added to the mixture, and it was again stirred overnight at 65°C under an N₂ atmosphere. The reaction mixture was cooled to ambient temperature, and then added to deionized water (75 mL) and ethyl acetate (200 mL). The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (50 mL). The combined ethyl acetate layers were washed with 100 mL of each of a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄, filtered, and concentrated *in vacuo*. Chromatography (on silica, ethyl acetate/hexanes) produced 1.76 g (51.24%) a t-butyl ester pyran in the form of a solid.

[882] Part F. The t-butyl ester pyran from Part E was dissolved in CH₂Cl₂ (11.2 mL). To this solution was added triethylsilane (4.76 mL, 29.8 mmol), trifluoroacetic acid (11.2 mL, 145 mmol), and trifluoromethanesulfonic acid (0.185 mL, 2 mmol) in that order. The resulting solution was mixed at ambient temperature while stoppered with a

5

10

5

10

15

20

25

syringe needle vent overnight. The reaction mixture was concentrated *in vacuo* to produce 1.5 g (95%) of an acid product in the form of a white solid.

[883] Part G. To the acid from Part F was added N,N-dimethylformamide (15 mL), 1-hydroxybenzotriazole (Aldrich,(0.61 g, 4.5 mmol), and 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (Aldrich, 0.86 g, 4.5 mmol). The resulting mixture was stirred for 30 min at ambient temperature while stoppered. To the resulting solution was added 4-methylmorpholine (1.3 mL, 12 mmol) and O-(tetrahydropyranyl)-hydroxylamine (0.53 g, 4.5 mmol). This mixture was allowed to stir overnight while stoppered at ambient temperature. To this mixture was added 250 mL ethyl acetate, 50 mL dH₂O, and 50 mL saturated NaHCO₃(aq). The layers were then allowed to separate. The aqueous layer was back-extracted with ethyl acetate (50 mL). The combined ethyl acetate layers were then washed with 100 mL of each of a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq). The ethyl acetate layer was dried over MgSO₄, filtered, and concentrated *in vacuo* to produce a semi-solid. The semi-solid was, in turn, recrystallized twice from MeOH/dH₂O to produce 1.25 g (69.4%) of a product in the form of a white solid.

[884] Part H. The solid from Part G was dissolved in MeOH (2.5 mL). To this solution was added 4N HCl/Dioxane (10 mL). The resulting solution was mixed while covered at ambient temperature for 1 hr. The solution was then concentrated *in vacuo* to produce a solid. The solids were then co-evaporated three times with 50 mL of diethyl ether per evaporation. The dried solids were placed into a vacuum oven at 50° C overnight to produce 0.95 g (88.4%) of a product in the form of a white solid. MS, M+H calculated for $C_{21}H_{28}F_5N_2O_5S$: 515.1634, found: 515.1620.

[885] Example 19. Preparation of 4-{[4-(5-butylthien-2-yl)piperidin-1-yl]sulfonyl}-N-hydroxytetrahydro-2H-pyran-4-carboxamide.

[886] Part A. Preparation of tert-butyl 4-(5-butylthien-2-yl)-4-hydroxypiperidine-1-carboxylate. A tetrahydrofuran (80 mL) solution of 2-n-

butylthiophene (Lancaster, 5.0 g, 35.7 mmol) was cooled to 0° C under N_2 and then slowly treated with 1.6 M n-butyl lithium (in hexanes) (24.3 mL, 38.9 mmol) over 10 min. After stirring at 0° C for 45 min, the resulting mixture was cooled to -78 °C and then treated with tert-butyl 4-oxo-1-piperidine carboxylate (6.46 g, 32.4 mmol) in THF (30 mL) over 10 min. After 30 min, the mixture was removed from the cold bath, stirred at ambient temperature for 2.5 hr, quenched with water (50 mL), and partitioned with diethyl ether (100 mL). The aqueous layer was separated and extracted with diethyl ether (50 mL). The combined organic layers were washed with 1:1 brine/water (2 x 30 mL), washed with brine (2 x 50 mL), dried over Na_2SO_4 , filtered, and concentrated in vacuo. The resulting yellow oil was purified on silica, eluting with 4:1 hexanes/ethyl acetate to produce the product in the form of a clear, yellow oil (10.0 g, 90.8%). LC/MS m/z = 362 [M + Na]

[887] Part B. Preparation of 4-(5-butylthien-2-yl)piperidine hydrochloride. A methylene chloride solution (20.0 mL) of the alcohol prepared in Part A (8.58 g, 25.3 mmol) was cooled to 0 °C, treated with triethylsilane (12.11 mL, 75.8 mmol) followed by trifluoroacetic acid (19.5 mL, 253 mmol). The resulting mixture was removed from the cold bath and stirred at ambient temperature for 50 min. The mixture was then concentrated *in vacuo*, dissolved in methanol (20.0 mL), treated with 4 N HCl in 1,4-dioxane (5.0 mL), and concentrated *in vacuo*. These steps were repeated two more times. Afterward, the mixture was triturated with diethyl ether. The resulting solid was filtered, washed with diethyl ether and dried *in vacuo* to produce the product in the form of a white solid (5.67 g, 86%). LC/MS m/z = 224 [M + H]

[888] Part C. Preparation of 4-(5-butylthien-2-yl)-1(methylsulfonyl)piperidine. A methylene chloride solution (28.0 mL) of the amine prepared in Part B (6.25 g, 24.1 mmol) was treated under N₂ with triethylamine (8.38 mL, 60.1 mmol). The resulting suspension was cooled to 0°C and slowly treated with a methylene chloride solution (20.0 mL) of methanesulfonyl chloride (2.05 mL, 26.5 mmol) over 15 min, and then removed from the cold bath. After 2 hr at ambient temperature, the reaction mixture was concentrated *in vacuo* and suspended in water (300 mL). The resulting solid was filtered, washed with water, and dried *in vacuo* to produce the product in the form of a yellow solid 6.89 g (95%). LC/MS m/z = 302 [M + H], 324 [M + Na]

[889] Part D. Preparation of tert-butyl {[4-(5-butylthien-2-yl)piperidin-1-yl]sulfonyl}acetate. A tetrahydrofuran solution (44 mL) of the methyl sulfonamide

5

10

15

20

25

5

10

25

30

prepared in Part C (6.64 g, 22.0 mmol) and di-tert-butyl dicarbonate (5.6 g, 25.6 mmol) was cooled to -78 °C under N₂. The resulting yellow suspension was treated with 1M lithium bis(trimethylsilyl)amide (in tetrahydrofuran) (60.6 mL, 60.6 mmol) over 20 min. The resulting homogeneous solution was slowly warmed to ambient temperature by letting the cold bath expire. After 1.5 hr, the mixture was cooled to -78 °C; quenched with aqueous, saturated ammonium chloride (10.0 mL); and warmed to ambient temperature. The mixture was partitioned with ethyl acetate (100 mL) and water (50 mL). The organic layer was separated, washed with 5% aqueous KHSO₄ (50 mL), saturated NaHCO₃ (50 mL), washed with 1:1 brine /water (2 x 100 mL), washed with brine (2 x 50 mL), dried over Na₂SO₄, filtered, and concentrated *in vacuo* to produce the product in the form of a yellow oil (9.38 g, 100%). LC/MS m/z = 424 [M + Na]

[890] Part E: Preparation of tert-butyl 4-{[4-(5-butylthien-2-yl)piperidin-1-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate. An N,N-dimethylformamide (20.0 mL) solution of the ester prepared in Part D (4.0 g, 9.96 mmol) was treated with

15 potassium carbonate (3.44 g, 24.9 mmol), 18-crown-6 ether (catalytic amount; 0.1 g), and 2-bromoethyl ether (1.46 mL, 10.5 mmol) under N₂. The resulting mixture was stirred at 60°C for 2.5 days. Additional potassium carbonate (1.75 g, 12.7 mmol) and 2-bromoethyl ether (0.75 mL, 5.4 mmol) were added to drive the reaction to completion. After 24 hr, the mixture was diluted with ethyl acetate (50 mL) and partitioned with water (100 mL).

20 The organic layer was separated, washed with saturated NaHCO₃ (30 mL), washed with 1:1 brine/water (2 x 50 mL), washed with brine (2 x 50 mL), dried over Na₂SO₄, filtered and concentrated in vacuo. The resulting oil was purified on silica, eluting with 9:1 hexanes/ethyl acetate to produce the product in the form of a white solid (3.51 g, 75%). LC/MS m/z = 494 [M + Na]

[891] Part F. Preparation of 4-{[4-(5-butylthien-2-yl)piperidin-1-yl]sulfonyl}-N-(tetrahydro-2H-pyran-2-yloxy)tetrahydro-2H-pyran-4-carboxamide. A methylene chloride solution (8.0 mL) of the ester prepared in Part E (3.27 g, 6.93 mmol) was treated with trifluoroacetic acid (8.0 mL, 104 mmol) and stirred at ambient temperature. After 4 hr, the mixture was concentrated in vacuo to approximately 8.0 mL, then treated with diethyl ether (15 mL). The resulting mixture was concentrated in vacuo to approximately 4.0 mL, then treated with diethyl ether (15 mL). The resulting precipitate was filtered, washed with diethyl ether, and dried in vacuo. The resulting white

solid (2.93 g) was dissolved in N,N-dimethylformamide (14.1 mL), treated with 1-(3-dimethylamino-propyl)-3-ethylcarbodiimide hydrochloride (2.03 g, 10.6 mmol) and N-hydroxybenzo-triazole hydrate (1.43 g, 10.6 mmol), and stirred at ambient temperature under N_2 . After 1 hr, the resulting suspension was treated with O-(tetrahydro-2H-pyran-2-yl)hydroxylamine (1.24 g, 10.6 mmol), followed by N-methylmorpholine (2.33 mL, 21.2 mmol). After 30 min, the mixture was diluted with ethyl acetate (100 mL) and partitioned with water (50 mL). The aqueous layer was separated and then extracted with ethyl acetate (25 mL). The organic layers were combined, washed with saturated NaHCO₃ (25 mL), washed with 1:1 brine /water (25 mL), washed with brine (25 mL), dried over Na_2SO_4 , filtered, and concentrated *in vacuo*. The resulting oil was purified on silica, eluting with 1:1 hexanes/ethyl acetate to produce the product in the form of a colorless glassy solid having an 11:4 mixture of desired product/impurity (3.52 g, 98.6% mass recovery). LC/MS m/z = 537 [M + Na] for desired product

yl]sulfonyl}-N-hydroxytetrahydro-2H-pyran-4-carboxamide. An ethyl acetate solution (14.0 mL) of the THP hydroxymate prepared in Part F (3.52 g of 11:4 mixture, ca. 4 mmol) was treated with methanol (3.0 mL), followed by 4 N HCl in 1,4-dioxane (8.5 mL, 34.2 mmol). After stirring for 20 hr at ambient temperature, the mixture was concentrated to approximately half the volume in vacuo, and treated with diethyl ether, producing a precipitate which was stirred for 1 hr, filtered, washed with diethyl ether, and dried in vacuo. The resulting white precipitate was recrystallized in acetone, filtered, washed with cold acetone, and dried in vacuo to produce the product in the form of a white solid (0.10 g, ca. 5%). HRMS (ES+) m/z calculated for C₁₉H₃₀N₂O₅S₂: 431.1669, observed [M+H] 431.1688.

25

5

[893] Example 20. Preparation of N-hydroxy-1-(2-methoxyethyl)-4-({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperidin-1-yl}sulfonyl)piperidine-4-carboxamide hydrochloride.

[894] Part A. Preparation of 1-bromo-4-(4,4,4-trifluorobutoxy)benzene. An N,N-dimethylformamide (53.0 mL) solution of 4-bromophenol (Aldrich, 4.57 g, 26.4 mmol) was treated with potassium carbonate (4.57 g, 33.0 mmol) and 1-bromo-4,4,4-trifluorobutane (Lancaster, 5.30 g, 27.7 mmol) under N₂ and stirred at 60°C. After 1.5 days, the mixture was diluted with ethyl acetate (100 mL) and partitioned with water (50 mL). The organic layer was separated, washed with saturated NaHCO₃ (25 mL), washed with 2.5 N NaOH (20 mL), washed with 1:1 brine/water (3 x 20 mL), washed with brine (2 x 25 mL), dried over Na₂SO₄, filtered, and concentrated *in vacuo* to produce a product in the form of an amber oil (7.28 g, 97%). LC/MS m/z = 283 [M + H].

trifluorobutoxy)phenyl]piperidine-1-carboxylate. A tetrahydrofuran (40 mL) solution of the aryl bromide prepared in Part A (5.0 g, 17.7 mmol) was cooled to -78°C under N₂ and then slowly treated with 1.6 M n-butyl lithium (in hexanes) (12.2 mL, 19.4 mmol) over 10 min. The resulting homogeneous solution was stirred at -78 °C for 1 hr, and then treated with tert-butyl 4-oxo-1-piperidine carboxylate (3.52 g, 17.7 mmol) in THF (14 mL) over 10 min. After 1 hr 50 min, the mixture was warmed to 0°C. After 30 min, the mixture was quenched with aqueous, saturated ammonium chloride (20 mL), and partitioned with ethyl acetate (100 mL) and water (50 mL). The aqueous layer was separated and extracted with ethyl acetate (20 mL). The combined organic layers were washed with saturated NaHCO₃ (50 mL), washed with 1:1 brine/water (2 x 100 mL), washed brine (2 x 50 mL), dried over Na₂SO₄, filtered, and concentrated in vacuo. The resulting yellow oil was purified on silica, eluting with 3:1 hexanes/ethyl acetate to produce the product in the form of a light yellow solid (2.79 g, 39%). LC/MS m/z = 426 [M+Na].

5

10

15

20

25

. '. . . . hydrochloride. A methylene chloride solution (20.0 mL) of the alcohol prepared in Part B (2.67 g, 6.62 mmol) was cooled to 0°C, treated with triethylsilane (3.17 mL, 19.9 mmol). followed by trifluoroacetic acid (5.10 mL, 66.2 mmol). The mixture was then removed from the cold bath and stirred at ambient temperature for 1.5 hr. The mixture was concentrated *in vacuo*, dissolved in methanol (15.0 mL), treated with 4 N HCl in 1,4-dioxane (4.0 mL), and concentrated *in vacuo*. These steps were repeated once more. Afterward, the concentrated product was dried *in vacuo* to produce the product in the form of a yellow solid (2.68 g, 125% mass recovery; retained 1,4-dioxane). LC/MS m/z = 288 [M + H].

trifluorobutoxy)phenyl]piperidine. A methylene chloride solution (10 mL) of the amine prepared in Part C (2.14 g, 6.61 mmol) was treated under N₂ with triethylamine (2.3 mL, 16.5 mmol). The resulting suspension was cooled to 0°C and slowly treated with a methylene chloride solution (3.2 mL) of methanesulfonyl chloride (0.56 mL, 7.27 mmol), and then removed from the cold bath. After 16 hr, the reaction mixture was further treated at ambient temperature with triethylamine (0.5 mL, 3.6 mmol) and methanesulfonyl chloride (0.20 mL, 2.60 mmol) to drive the reaction to completion. After 4 hr, the mixture was concentrated *in vacuo* and then partitioned with ethyl acetate (50 mL) and water (30 mL). The aqueous layer was separated, extracted with ethyl acetate (25 mL). The combined organic layers were then washed with saturated NaHCO₃ (25 mL), washed with 1:1 brine /water (2 x 20 mL), washed with brine (2 x 10 mL), dried over Na₂SO₄, filtered, and concentrated *in vacuo* to produce the product in the form of a light yellow solid (2.49 g, 100%). LC/MS m/z = 388 [M + Na].

[898] Part E. Preparation of tert-butyl ({4-[4-(4,4,4-trifluorobutoxy)phenyl]piperidin-1-yl}sulfonyl)acetate. A tetrahydrofuran solution (17 mL) of the methyl sulfonamide prepared in Part D (3.09 g, 8.46 mmol) and di-tert-butyl dicarbonate (2.03 g, 9.30 mmol) was cooled to -78 °C under N₂. The resulting yellow suspension was treated with 1M lithium bis(trimethylsilyl)amide (in tetrahydrofuran) (23.3 mL, 23.3 mmol) over 10 min. After 1 hr, the resulting homogeneous solution was warmed to 0 °C. After 1 hr, the mixture was cooled to -78°C, quenched with aqueous, saturated ammonium chloride (20.0 mL), and warmed to ambient temperature. The mixture was

5

10

15

20

25

5

10

15

20

25

30

partitioned with ethyl acetate (100 mL) and water (50 mL). The organic layer was separated, washed with saturated NaHCO₃ (50 mL), washed with 1:1 brine /water (50 mL), washed with brine (2 x 25 mL), dried over Na₂SO₄, filtered, and concentrated *in* vacuo to produce the product in the form of a yellow solid (4.09 g, 100%). LC/MS m/z = 488 [M + Na].

rifluorobutoxy)phenyl]piperidin-1-yl}sulfonyl)piperidine-4-carboxylate. An N,N-dimethylformamide (10.0 mL) solution of bis(2-chloroethyl)-2-methoxyethylamine hydrochloride (Clariant) (1.32 g, 5.59 mmol), potassium carbonate (3.56 g, 25.8 mmol), and 18-crown-6 ether (0.34 g, 1.29 mmol) was treated (under N₂ while being stirred at 60°C) portion-wise with the ester prepared in Part E (total of 2.0 g, 4.30 mmol – addition protocol: 0.5 g, then 0.25 g 30 min later, followed by 0.25 g portions every 15 min until all the 2.0 g was added to the reaction mixture). After 23 hr, the mixture was diluted with ethyl acetate (30 mL) and partitioned with water (25 mL). The aqueous layer was separated, and extracted with ethyl acetate (2 x 20 mL). The combined organic layers were washed with saturated NaHCO₃ (20 mL), washed with 1:1 brine/water (20 mL), washed with brine (20 mL), dried over Na₂SO₄, filtered, and concentrated *in vacuo*. The resulting solid was purified on silica, eluting with 1:1 hexanes/ethyl acetate to produce the product in the form of a orange solid (1.57 g, 61%). LC/MS m/z = 593 [M+H].

trifluorobutoxy)phenyl]piperidin-1-yl]sulfonyl)piperidine-4-carboxamide hydrochloride. A methylene chloride solution (5.0 mL) of the ester prepared in Part F (1.48 g, 2.50 mmol) was treated with trifluoroacetic acid (5.0 mL, 64.9 mmol) and stirred at ambient temperature. After 24 hr, the mixture was concentrated in vacuo, then treated with 4 N HCl in 1,4-dioxane (5 mL) and concentrated in vacuo. These steps were repeated once more, and the resulting material was then treated with diethyl ether (20 mL), stirred at ambient temperature for 15 min, and concentrated in vacuo. This produced a glassy solid (1.22 g), which was subsequently dissolved in N,N-dimethylformamide (5.0 mL), treated with 1-(3-dimethylamino-propyl)-3-ethylcarbodiimide hydrochloride (0.61 g, 3.19 mmol) and N-hydroxybenzo-triazole hydrate (0.43 g, 3.19 mmol), and stirred at ambient temperature under N₂. After 30 min, the resulting solution was treated with O-(tetrahydro-2H-pyran-2-yl)hydroxylamine (0.37 g, 3.19 mmol), followed by N-methylmorpholine

(0.94 mL, 8.52 mmol). After 3.5 hr, the mixture was diluted with ethyl acetate (25 mL) and partitioned with water (20 mL). The aqueous layer was separated and then extracted with ethyl acetate (2 x 25 mL). The organic layers were combined, washed with saturated NaHCO₃ (25 mL), washed with1:1 brine /water (20 mL), washed with brine (20 mL), dried over Na₂SO₄, filtered, and concentrated *in vacuo*. The resulting orange/brown solid (1.54 g) oil was dissolved in ethyl acetate (5.0 mL), diluted with methanol (1.0 mL), and treated with 4 N HCl in 1,4-dioxane (3.0 mL, 12.1 mmol). After stirring for 20 hr at ambient temperature, the mixture was diluted with ethyl acetate (25 mL) and partitioned with saturated NaHCO₃ (20 mL). The organic layer was washed with brine, dried over Na₂SO₄, filtered, and concentrated *in vacuo*. The resulting oil was purified on reverse phase HPLC (acetonitrile/water/TFA) to produce, after exchange of TFA for HCl (with 4 N HCl in 1,4-dioxane), the product in the form of a white solid (0.51 g, 36% for three steps). HRMS (ES+) m/z calculated for C₂₄H₃₆N₃O₆SF₃: 552.2350, observed [M + H] 552.2378.

[901] Example 21. Preparation of N-hydroxy-4-{[4-(4-pentylphenyl)piperazin-1-yl]sulfonyl}-1-(trifluoroacetyl)piperidine-4-carboxamide hydrochloride.

[902] Part A. Preparation of 1-(4-bromophenyl)-4-

(methylsulfonyl)piperazine. A methylene chloride solution (100 mL) of the 1-(4-bromophenyl)-piperazine hydrochloride (25.0 g, 90.1 mmol) under N₂ was treated with triethylamine (27.6 mL, 198 mmol). The resulting suspension was cooled to 0 °C and slowly treated with a methylene chloride solution (80 mL) of methanesulfonyl chloride (7.67 mL, 99.1 mmol). The mixture was then removed from the cold bath. After 19 hr at ambient temperature, the mixture was concentrated *in vacuo* and then suspended in water (200-300 mL). The suspension was stirred for 2 hr, filtered, washed with water, and dried under high vacuum to afford a yellow solid (29.54 g, >100% mass recovery due to residual solvent). HPLC: > 90% clean. LC/MS m/z = 319 [M + H].

5

10

15

20

[903] Part B. Preparation of 1-(4-bromophenyl)-4-

(methylsulfonyl)piperazine. A tetrahydrofuran solution (30 mL) of 1-pentene (15.6 mL, 135 mmol) was placed in a 0°C bath and slowly treated with 0.5 M 9borabicyclo[3.3.1]nonane in THF (270 mL, 135 mmol) over 20-30 min., keeping the temperature below 10°C. After the addition was complete, the cold bath was removed and the mixture was stirred at ambient temperature overnight. The reaction was then fitted with a reflux condensor treated with aqueous 2M K₃PO₄ (135 mL, 270 mmol), (dppf)PdCl₂ (3.11 g, 3.81 mmol), and the sulfonamide prepared in Part A (24.3 g, 76.1 mmol). The resulting reddish brown suspension was refluxed for 1.5 hr. The mixture was cooled to ambient temperature and concentrated in vacuo. The resulting residue was partitioned with ethyl acetate (400 mL) and water (400 mL). The aqueous layer was removed, and the organic layer was washed with saturated NaHCO3, washed with 1:1 brine/water, washed with brine, dried over Na₂SO₄, filtered, and concentrated in vacuo. The crude material was dissolved in methylene chloride (100 mL), treated with decolorizing charcoal, stirred for 2 hr, and filtered through Celite, and concentrated in vacuo. The resulting reddish brown oil was then recrystallized in methanol to afford a white solid (8.28 g, 35% in three crops of crystals). LC.MS m/z = 311 [M + H]; 333 [M + M]Na].

[904] Part C: Preparation of tert-butyl {[4-(4-pentylphenyl)piperazin-1-yl]sulfonyl}acetate. A tetrahydrofuran solution (52 mL) of the methyl sulfonamide prepared in Part B (8.0 g, 25.8 mmol) was cooled to -78 °C under N₂, and then treated with 1M lithium bis(trimethylsilyl)amide (in tetrahydrofuran) (67.0 mL, 67.0 mmol) over 30 min. After 30 min at -78 °C, the mixture was stirred at 0 °C for 1 hr, cooled to -78 °C, and treated with di-tert-butyl dicarbonate (2.03 g, 9.30 mmol) in THF (10 mL). After 45 min at -78 °C, the mixture was warmed to 0°C to drive the reaction to completion. The mixture was then cooled to -78 °C, quenched with aqueous, saturated ammonium chloride (100 mL), and warmed to ambient temperature. The mixture was partitioned with ethyl acetate (100 mL) and water (50 mL). The organic layer was separated, washed with 1:1 brine /water (50 mL), washed with brine 50 mL), dried over Na₂SO₄, filtered, and concentrated in vacuo. The resulting residue was recrystallized in acetonitrile and methanol to afford a white solid (5.45 g, 51%). The filtrate was further purified on silica, eluting with 1:1 hexanes/ethyl acetate to produce more of the same product as a white,

5

10

15

20

25

yellow solid (2.02 g, 19%): total combined product (7.47 g, 70%). LC/MS m/z = 411 [M + H]

pentylphenyl)piperazin-1-yl]sulfonyl}piperidine-4-carboxylate. An N,N-dimethylformamide (10.0 mL) solution of the ester prepared in Part C (5.50 g, 13.4 mmol) was treated with potassium carbonate (5.55 g, 40.0 mmol), 18-crown-6 ether (catalytic), and N-benzyl-N,N-bis(2-chloroethyl)amine (3.27 g, 14.1 mmol) under N₂ and stirred at 60°C. After 24 hr, the temperature was increased to 70°C to drive reaction to completion. After 4 days, the reaction was cooled to ambient temperature, diluted with ethyl acetate (100 mL), and partitioned with water (100 mL). The aqueous layer was separated and extracted with ethyl acetate (50 mL). The combined organic layers were washed with 1:1 brine /water (60 mL), washed with brine (2 x 20 mL), dried over Na₂SO₄, filtered, and concentrated *in vacuo* to afford an amber oil (8.4 g, 110% mass recovery; residual DMF). LC/MS m/z = 570 [M + H].

Part E. Preparation of tert-butyl 4-{[4-(4-pentylphenyl)piperazin-1yl]sulfonyl}-1'-(trifluoroacetyl)piperidine-4-carboxylate. The ester prepared in Part D (7.5 g, 13.2 mmol) was dissolved in methanol (75 mL) at 50°C, and then cooled to ambient temperature. The resulting solution was charged with ammonium formate (2.5 g, 39.6 mmol), palladium on carbon (Degussa, 10% wt Pd), 50% water) (0.75 g, 10% by wt), and heated to 50 °C for 4 hr. The resulting mixture was cooled to ambient temperature and further charged with ammonium formate (2.5 g, 39.6 mmol), palladium on carbon (Degussa, 10% wt Pd), 50% water) (0.75 g, 10% by wt), and heated to 60 °C for another 4 hr to drive the reaction to completion. Afterward, the mixture was cooled to ambient temperature, filtered through celite, washed with methanol, and concentrated in vacuo. The resulting yellow liquid was partitioned with ethyl acetate (200 mL) and 2M NaOH (100 mL). The aqueous layer was separated and extracted with ethyl acetate (50 mL). The organic layers were then combined and washed with 2M NaOH (50 mL), washed with 1:1 brine/water (50 mL), washed with brine (50 mL), dried over Na₂SO₄, filtered, and concentrated in vacuo to afford a yellow oil. A portion of this material (1.0 g, 2.08 mmol) was dissolved in methylene chloride (3.7 mL), and then treated with triethylamine (0.70 mL, 5.0 mmol) and trifluoroacetic anhydride (0.353 mL, 2.5 mmol). The resulting mixture was stirred at ambient temperature overnight. Afterward, the mixture was

ij

5

10

15

20

25

30

Table 1

concentrated *in vacuo* and then partitioned with ethyl acetate (25 mL) and water (25 mL). The organic layer was separated and washed with saturated NaHCO₃ (10 mL), washed with 1:1 brine /water (20 mL), washed with brine (20 mL), dried over Na₂SO₄, filtered, and concentrated *in vacuo*. The crude orange oil was recrystallized in methanol (3 mL) to afford a white solid (0.64 g, 53% for two steps). LC/MS m/z = 576 [M + H]; 598 [M + Na].

[907] Part F. Preparation of tert-butyl 4-{[4-(4-pentylphenyl)piperazin-1-yl]sulfonyl}-1-(trifluoroacetyl)piperidine-4-carboxylate. A methylene chloride solution (5.0 mL) of the ester prepared in Part E (0.61 g, 1.06 mmol) was treated with trifluoroacetic acid (3.5 mL, 45.4 mmol). After 24 hr of stirring at ambient temperature, the mixture was concentrated *in vacuo* to approximately 25% volume, and then added to vigorously stirred diethyl ether (50 mL). After 2 hr, the resulting suspension was filtered, washed with diethyl ether, dried *in vacuo*, dissolved in acetonitrile (25 mL), and concentrated *in vacuo* (this was, repeated once more) to afford a white solid (0.49 g, 73%). LC/MS m/z = 520 [M + H].

[908] Part G. Preparation of 4-{[4-(4-pentylphenyl)piperazin-1-yl]sulfonyl}-N-(tetrahydro-2H-pyran-2-yloxy)-1-(trifluoroacetyl)piperidine-4-carboxamide:

An N,N-dimethylformamide (5.0 mL) solution of the acid prepared in **Part F** (0.45 g, 0.71 mmol) was treated with 1-(3-dimethylamino-propyl)-3-ethylcarbodiimide hydrochloride (0.21 g, 1.07 mmol) and N-hydroxybenzo-triazole hydrate (0.14 g, 1.07 mmol), and then treated with O-(tetrahydro-2H-pyran-2-yl)hydroxylamine (0.12 g, 1.07 mmol), followed by N-methylmorpholine (0.31 mL, 2.84 mmol). The resulting mixture was stirred at ambient temperature under N₂. After 2.5 days, the resulting solution was diluted with ethyl acetate (15 mL) and partitioned with water (15 mL). The organic layer was separated and then washed with saturated NaHCO₃ (15 mL), washed with 1:1 brine /water (20 mL), washed with brine (20 mL), dried over Na₂SO₄, filtered, and concentrated *in vacuo*. The resulting amber oil was purified on silica, eluting with 3:1 hexanes/ethyl

5

15

20

25

. .

acetate, to afford a clear colorless oil (0.5 g, 100%). LC/MS m/z = 619 [M + H]; 641 [M + Na].

[909] Part H: Preparation of N-hydroxy-4-{[4-(4-pentylphenyl)piperazin-1-yl]sulfonyl}-1-(trifluoroacetyl)piperidine-4-carboxamide hydrochloride. The THP-protected hydroxamate prepared in Part G (0.42 g, 0.67 mmol) was dissolved in methanol (1.0 mL) and then treated with 4 N HCl in 1,4-dioxane (3.0 mL, 12.0 mmol). After stirring for 80 min at ambient temperature, the mixture was concentrated *in vacuo* to 25% volume, and then treated with diethyl ether (30 mL). The resulting suspension was filtered, washed with diethyl ether, and dried *in vacuo* to afford an orange/light peach solid (0.37 g, 97%). HRMS (ES+) m/z calculated for C₂₃H₃₄N₄O₅SF₃: 535.2197, observed [M + H] 535.2167.

[910] Example 22. Preparation of 1-ethyl-4-{[4-(3-fluoro-4-pentylphenyl)piperazin-1-yl]sulfonyl}-N-hydroxypiperidine-4-carboxamine hydrochloride.

[911] Part A. Preparation of:

To a mixture of 4-bromo-2-fluorobenzaldehyde (2.00 g, 9.86 mmol) and potassium carbonate (1.72 g, 12.10 mmol) in isopropyl alcohol (5 mL) under N₂ at ambient temperature was added butyltriphenylphosphonium bromide (4.92 g, 12.3 mmol). The resulting mixture was heated at 80°C for 18 hr. Afterward, the mixture was concentrated in vacuo. Ether was then added, and the resulting mixture was filtered through a silica bed and concentrated in vacuo to provide the alkene as a clear, colorless liquid (1.78 g, 74% yield). The proton NMR spectrum was consistent with the desired alkene as a mixture of cis and trans isomers.

10

15

20

[912] Part B. Preparation of:

5

10

15

BNSDOCID: <WO

: # #

To a 75°C mixture of 18-crown-6(3.05 g,11.6 mmol), potassium carbonate (32.0 g, 232 mmol), and 1,5-dichloro-3-ethyl-3-azapentane hydrochloide (9.58 g,46.4 mmol) (synthetic procedure in J. Org. Chem. 1993, 58, 1359-1366) in DMF(197 mL) under N₂ was added drop wise a solution of *tert*-butyl [(4-benzylpiperazin-1-yl)sulfonyl]acetate (13.7 g,38.7 mmol) in DMF (73 mL). The resulting mixture was heated for 15 hr. The ambient reaction mixture was filtered, and the filtrate was concentrated *in vacuo*. Chromatography (silica gel; hexane/ethyl acetate) provided the piperidine as a yellow solid (9.66 g, 55% yield): HR-MS MH⁺ calcd. for C₂₃H₃₈N₃O₄S 452.2583, found 452.2600.

[913] Part C. Preparation of:

$$\begin{array}{c|c} CH_3 & O & O & O \\ CH_3 & S-N & NH \\ CH_3 & N & NH \end{array}$$

A mixture of the piperidine of **Part B** (9.66 g,21.4 mmol) and a catalytic amount of 20% $Pd(OH)_2/C$ in ethanol was reacted at ambient temperature under H_2 (50 psi). The mixtuer was then filtered and concentrated *in vacuo* to provide the piperazine as a white wax (7.44 g, 96% yield): MS MH⁺ calcd. for $C_{16}H_{32}N_3O_4S$ 362, found 362.

[914] Part D. Preparation of:

To an 82°C mixture of the alkene of Part A (2.38 g, 9.79 mmol), the piperazine of Part C (3.35 g, 9.26 mmol), sodium t-butoxy (1.04 g, 10.8 mmol), and racemic-2,2'-bis(diphenylphosphino)-1,1'-binaphthyl (0.143 g, 0.229 mmol) in dioxane (17 mL) was

added tris(dibenzylideneacetone)-dipalladium(0) (0.069 g, 0.076 mmol) under N₂. The resulting black mixture was heated at 80°C for 18 hr. Afterward, the mixture was diluted with water (300 mL) and extracted with CH₂Cl₂ (3x100 mL). The organic layer was washed with water(2x100 mL) and brine(100 mL), dried over MgSO₄, concentrated *in vacuo*, and purified by flash chromatography (silica gel; methanol/CH₂Cl₂) to provide the alkenyl piperazine as an oil (3.00 g, 62% yield): MS MH⁺ calcd. for C₂₇H₄₃N₃O₄SF 524, found 524. The proton NMR spectrum was consistent for the desired product as a mixture of cis and trans isomers.

[915] Part E. Preparation of:

10

15

20

5

The alkenyl piperazine of **Part D** (1.20 g, 1.81 mmol) was hydrogenated at 5 psi in ethanol with 20% palladium hydroxide on carbon at ambient temperature for 12 hr. The resulting solution was concentrated *in vacuo* and purified by chromatography (silica gel; methanol/CH₂Cl₂) to provide the alkanyl piperazine as an impure yellow oil (2.48 g, 85% yield): MS MH⁺ calcd. for C₂₇H₄₅N₃O₄FS 526, found 526.

[916] Part F. Preparation of:

A solution of the alkanyl piperazine of **Part E** (2.48 g, 4.72 mmol) in 4N HCl in dioxane (12 mL, 47.2 mmol) was stirred at ambient temperature for 18 hr. The resulting solution was concentrated *in vacuo*, treated again for 4 hr with 4N HCl, and poured into ether (30 mL) to precipitate the acid as a pink solid (2.14 g, 84% yield): MS MH⁺ calcd. for C₂₃H₃₇N₃O₄FS 470, found 470.

[917] Part G. Preparation of:

A mixture of the acid of Part F (2.04 g, 3.76 mmol), 1-hydroybenzotriazole hydrate (0.754 g, 5.58 mmol), N-methylmorpholine (1.55 mL, 14.0 mmol), O-(tetrahydro-2Hpyran-2-yl)hydroxylamine (0.761 g, 6.50 mmol), and 1-(3-dimethylaminopropyl)-3-5 ethylcarbodiimide hydrochloride (1.06 g, 5.52 mmol) in NMP (17 mL) under N2 was stirred at ambient temperature for 18 hr, and then heated at 52°C for 48 hr. To the mixture was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.600 g, 3.13 mmol) and O-(tetrahydro-2H-pyran-2-yl)hydroxylamine (0.500 g, 4.27 mmol) and was heated at 75°C for 7 days. The ambient mixture was diluted with water (350 mL), and 10 then extracted with ethyl acetate (3x100 mL). The organic layer was washed with water (100 mL), washed with 1N NaOH (100 mL), washed with water (2x100 mL), washed with brine (100 mL), concentrated in vacuo, and purified by chromatography (silica gel; methanol/CH₂Cl₂/NH₃) to provide the O-protected hydroxamate as a white solid (0.946 g, 44% yield): MS MH⁺ calcd. for C₂₈H₄₆N₄O₅FS 569, found 569. 15

[918] Part H. Preparation of:

A solution of the O-protected hydroxamate of Part G (0.926 g, 1.62 mmol) and acetyl chloride (0.591 g, 7.83 mmol) in methanol (16 mL) was stirred at ambient temperature for 20 min. The resulting solution was poured into ethyl ether (300 mL), concentrated *in vacuo*, triturated with ether, and purified by reverse phase chromatography to provide the title compound as an off-white solid (0.49 g, 55% yield): MS MH⁺ calcd. for C₂₃H₃₈N₄O₄FS 485, found 485.

[919] Example 23. Preparation of 4-{[4-(2-fluoro-4-pentylphenyl)piperazin-1-yl]sulfonyl}-N-hydroxytetrahydro-2H-pyran-4-carboxamide hydrochloride.

[920] Part A. 4-Chloro-3-fluorobenzaldehyde (2.35 g, 15 mmol), n-

- butyltriphenylphosphonium bromide (7.38 g, 19 mmol), and potassium carbonate (2.57 g, 19 mmol) were suspended in isopropanol and heated for 48 hr at 80°C. The mixture was concentrated, and then diluted with water (150 mL) and hexane (50 mL). This mixture was filtered, and the hexane layer was separated. The aqueous layer was extracted with additional hexane (2 X 50 mL). The combined hexane phases were washed with water (50 mL), and then dried over magnesium sulfate. Concentration afforded the desired olefin as a clear yellow oil (2.62 g, 89%).
 - [921] Part B. The olefin from Part A (1.18 g, 6.0 mmol) was subjected to hydrogenation over 5% Pd-C in ethanol for 30 min. The product was filtered through celite, and then concentrated to afford the desired aryl pentane as an oil (1.09 g, 91%)
 - [922] Part C: Tert-butyl 4-(piperazin-1-ylsulfonyl)tetrahydro-2H-pyran-4-carboxylate (1.50 g, 4.5 mmol), 1-(3-fluoro, 4-chlorophenyl)pentane from Part B (1.09 g, 5.45 mmol), 2-(di-t-butylphosphino)biphenyl (89 mg, 0.3 mmol), Pd(OAc)₂ (45 mg, 0.2 mmol), sodium t-butoxide (538 mg, 5.6 mmol), and toluene (3 mL) were combined in a reaction vessel, which was subsequently lowered into a 90°C oil bath. The mixture was stirred for 2 hr, and then allowed to cool. Subsequently, the mixture was diluted with water (50 mL), and extracted with ethyl acetate (2 X 100 mL). The combined organic layers were dried using magnesium sulfate. Concentration followed by chromatography afforded 1.15 g (51%) of a crude t-butyl ester as a solid.
 - [923] Part D. The biphenyl ester from Part C (1.15 g, 2.3 mmol) was dissolved in trifluoroacetic acid. The resulting solution was briefly heated to reflux, and then stirred at ambient temperature for 1 hr. The solvent was removed, and the resulting residue was azeotroped with acetonitrile. The crude biphenyl acid was dried *in vacuo*, and then

15

20

25

※中国最近で野野の一日

combined with N-methylmorpholine (ca. 1 mL), O-(tetrahydro-2H-pyran-2-yl)hydroxylamine (0.468 g, 4 mmol), 1-hydroxybenzotriazole hydrate (0.540 g, 4 mmol), and N,N-dimethylformamide (5 mL). The resulting mixture was stirred for 10 min, and then 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.764 mg, 4 mmol) was added. Stirring was then resumed for 2 hr at ambient temperature. Afterward, the mixture was diluted with water (100 mL), and was extracted with ethyl acetate (2 X 100 mL). The combined organic layers were dried over magnesium sulfate and concentrated. The resulting residue was purified by flash chromatography, affording the desired THP-hydroxamate as a foam (1.1 g, 87% from t-butyl ester).

[924] Part E. The THP-hydroxamate of Part D (1.1 g, 2.0 mmol) was dissolved in methanol (50 mL). Acetyl chloride (ca. 5 mL) was added slowly. After 10 min, the solution was concentrated. The solid was triturated with ether and dried in a vacuum oven at 40°C, affording 849 mg of the title hydroxamate (95%). MS MH⁺ calc'd. for C₂₁H₃₂FN₃O₅S 458.2125, found 458.2143. Anal. Calc'd for C₂₁H₃₂FN₃O₅S(1HCl): C, 51.06; H, 6.73; N, 8.51. Obs.: C, 50.77; H, 7.57; N, 8.52.

[925] Example 24. Preparation of 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}-1-cyclopropyl-N-hydroxypiperidine-4-carboxamide hydrochloride:

hydroxypiperdine (10.0 g, 49.7 mmol) in dichloromethane (200 mL) was added triphenylphosphine (16.9 g, 64.6 mmol) and imidazole (5.07g, 74.5 mmol). The resulting slurry was cooled to 0°C in an ice bath. Iodine (15.1 g, 59.6 mmol) was added in small portions. The solution was then stirred for 18 hr at ambient temperature. Afterward, the solution was diluted with water and extracted with diethyl ether. The organic layer was washed with water and saturated aqueous NaCl, and then dried over sodium sulfate. Concentration *in vacuo* followed by trituration with hexane removed the excess triphenylphosphine and triphenylphosphine oxide. The filtrate was concentrated *in vacuo* to provide the iodo intermediate as a colorless oil (14.4 g, 93 % yield).

5

10

15

20

Part B. Preparation of tert-butyl 4-(5-bromopyridin-2-yl)piperidine-1-carboxylate intermediate. Zinc dust (6.38 g, 97.7 mmol) was suspended into tetrahydrofuran (10 mL), and 1,2-dibromoethane (0.55 mL, 6.43 mmol) was added. The slurry was heated to reflux with a heat gun 3 times. Upon cooling to ambient temperature, trimethylsilyl chloride (0.78 mL, 6.15 mmol) was added. After 15 min, the iodo compound of Part A (22.5 g, 72.3 mmol) was added. After 30 min, 2,5-dibromopyridine (17.1 g, 72.3 mmol) in *N*,*N*-dimethylacetamide(50 mL) was added, followed by tris(dibenzylideneacetone)dipalladium(0) (659 mg, 0.72 mmol) and tri-2-furylphosphine (671 mg, 2.90 mmol). The solution was then heated at 80°C for 18 hr. Afterward, the solution was cooled to ambient temperature and filtered through Celite, rinsing with ethyl acetate and water. The filtrate was diluted with ethyl acetate, washed with water and brine, and dried over sodium sulfate. Concentration *in vacuo* produced tert-butyl 4-(5-bromopyridin-2-yl)piperidine-1-carboxylate as an orange oil (16.44 g, 67 % yield). MS(Cl) M-tBu calculated for C₁₅H₂₁N₂O₂Br: 286, found 286.

PCT/US03/13123

[928] Part C. Preparation of amine intermediate. To a solution of the tert-butyl 4-(5-bromopyridin-2-yl)piperidine-1-carboxylate of Part B (16.4 g, 48.3 mmol) in 1,4-dioxane (30 mL) was added 4M HCl in 1,4-dioxane (30 mL). The solution was then stirred for 48 hr. Afterward, the solution was concentrated *in vacuo* to provide the amine as an orange solid.

[929] Part D. Preparation of benzyl 4-{[4-(5-bromopyridin-2-yl)piperidin-1-yl]sulfonyl}piperidine-1-carboxylate intermediate. To a solution of the amine of Part C (15.6 g, 56.2 mmol) in dichloromethane (200 mL) was added diisopropylethylamine (21.5 mL, 123.5 mmol). The solution was cooled to 0°C, and benzyl 4-(chlorosulfonyl)piperidine-1-carboxylate (17g, 53.5 mmol) was added dropwise as a solution in dichloromethane (100 mL). The solution was then stirred at ambient temperature for 18 hr. The solution was concentrated *in vacuo*, and the residue was dissolved into ethyl acetate. The organic solution was washed with 1M HCl, washed with saturated aqueous sodium bicarbonate, washed with saturated aqueous NaCl, and dried over sodium sulfate. Purification (silica gel/ ethyl acetate/ hexanes) produced benzyl 4-{[4-(5-bromopyridin-2-yl)piperidin-1-yl]sulfonyl}piperidine-1-carboxylate as a yellow solid (8.93 g, 31 %). MS(Cl) MH⁺ calculated for C₂₃H₂₈N₃O₄SBr: 524, found 524.

5

10

15

20

25

30

Case of the parties of the con-

yl)piperidin-1-yl]sulfonyl}piperidine-1,4-dicarboxylate intermediate. To a solution of the carboxylate of Part D (6.93 g, 13.3 mmol) in tetrahydrofuran (20 mL) was added lithium bis(trimethylsilyl)amide (1.0M solution in tetrahydrofuran, 39.8 mL) dropwise over 30 min. After stirring at ambient temperature for 30 min, dimethylcarbonate (1.68 mL, 19.9 mmol) was added. The solution was stirred at ambient temperature for 2 hr. The reaction was quenched with the addition of water. The solution was concentrated in vacuo, and the residue was dissolved into ethyl acetate. The organic solution was washed with water and saturated aqueous NaCl. Concentration in vacuo followed by trituration with methanol produced 1-benzyl 4-methyl 4-{[4-(5-bromopyridin-2-yl)piperidin-1-yl]sulfonyl}piperidine-1,4-dicarboxylate as a solid (4.65 g, 60 %). MS(Cl) MH⁺ calculated for C₂₅H₃₀N₃O₆SBr: 582, found 582.

yl)piperidin-1-yl]sulfonyl}piperidine-1,4-dicarboxylate intermediate. To a solution of the methyl ester of Part E (3.0 g, 5.17 mmol) in tetrahydrofuran (15 mL) was added potassium phosphate (3.29 g, 15.5 mmol) in water (10 mL). To this solution was then added tributylborane (1.0 M in tetrahydrofuran, 7.76 ml) and [1,1'-bis(diphenylphosphino)-ferrocene]dichloropalladium(II).CH₂Cl₂ (211 mg, 0.26 mmol). The resulting solution was heated at 60°C for 20 hr. Afterward, the solution was filtered through Celite, washing with ethyl acetate. The filtrate was then washed with water, washed with saturated aqueous NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate/hexanes) produced 1-benzyl 4-methyl 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}piperidine-1,4-dicarboxylate as a yellow solid (2.82 g, quantitative yield). MS(CI) MH⁺ calculated for C₂₉H₃₉N₃O₆S: 558, found 558.

[932] Part G. Preparation of methyl 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}piperidine-4-carboxylate intermediate. A solution of the methyl ester of Part F (2.47g, 4.43 mmol) was hydrogenated in ethanol in the presence of 20% Pd(OH)₂/C at 20 psi for 3 hr at ambient temperature. The solution was then filtered and concentrated to produce methyl 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}piperidine-4-carboxylate as an oil (1.65 g, 88 %). MS(CI) MH⁺ calculated for

282

25

30

C₂₁H₃₃N₃O₄S: 424, found 424.

5

10

.

[933] Part H. Preparation of methyl 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}-1-cyclopropylpiperidine-4-carboxylate intermediate. To a solution of the amine of Part G (500 mg, 1.18 mmol) in methanol (3 mL) was added glacial acetic acid (0.68 mL, 11.8 mmol). After 10 min of stirring at ambient temperature, (1-ethoxycyclopropyl)oxytrimethylsilane (0.31 mL, 1.53 mmol) was added. After 10 min, sodium cyanoborohydride (334 mg, 5.31 mmol) was added, and the solution was heated to reflux for 6 six hr. Afterward, the solution was stirred at ambient temperature for 18 hr. The solution was then concentrated *in vacuo*, and the residue was then dissolved into ethyl acetate. The organic solution was washed with water, washed with 1M NaOH, washed with saturated aqueous NaCl, and dried over sodium sulfate. Concentration *in vacuo* produced methyl 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}-1-cyclopropylpiperidine-4-carboxylate as a white solid (380 mg, 70 % yield for 2 steps). MS(CI) MH⁺ calculated for C₂₄H₃₇N₃O₄S: 464, found 464.

[934] Part I. Preparation of acid intermediate. To a solution of the cyclopropylamine of Part H (370 mg, 0.80 mmol) in methanol (3 mL) and tetrahydrofuran (3 mL) was added NaOH (320 mg) in water (2 mL). The solution was heated to 60°C for 6 hr. Afterward, the solution was concentrated *in vacuo*, and the residue was dissolved into water. The resulting solution was acidified to pH = 2 with 1M HCl. The solution was then concentrated.

20 [935] Part J. Preparation of 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}-1-cyclopropyl-N-(tetrahydro-2H-pyran-2-yloxy)piperidine-4-carboxamide intermediate. To the crude acid of Part I (0.80 mmol) in N,N-dimethylformamide (3 mL) was added 1-hydroxybenztriazole (130 mg, 0.96 mmol), 4-methylmorpholine (0.44 mL, 4.0 mmol), and tetrahydropyranylamine (140 mg, 1.2 mmol).

25 After 30 min, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (215 mg, 1.12 mmol) was added, and the solution was heated at 70°C for 18 hr. Afterward, the solution was partitioned between ethyl acetate and water. The organic layer was washed with water and saturated aqueous NaCl, and then dried over sodium sulfate.

Chromatography (on silica, ethyl acetate/hexane/methanol) produced 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}-1-cyclopropyl-N-(tetrahydro-2H-pyran-2-yloxy)piperidine-4-carboxamide as an oil (160 mg, 36 % yield for 2 steps). MS(Cl) MH⁺

calculated for C₂₈H₄₄N₄O₅S: 549, found 549.

[936] Part K. Preparation of 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}-1-cyclopropyl-N-hydroxypiperidine-4-carboxamide hydrochloride. To a solution of the protected hydroxamate of Part J (150 mg, 0.27 mmol) in 1,4-dioxane (2 mL) was added 4M HCl in 1,4-dioxane (3 mL). The solution was stirred at ambient temperature for 1 hr. Afterward, the solution was concentrated *in vacuo*. The resulting residue was stirred in ethyl ether. Subsequently, vacuum filtration provided the title compound as a white solid (135 mg, 93 % yield). MS(CI) MH⁺ calculated for C₂₃H₃₆N₄O₄S: 465, found 465. HRMS calculated for C₂₃H₃₆N₄O₄S: 465.2536, found 465.2553. Analytical calculation for C₂₃H₃₆N₄O₄S: C, 48.93; H, 7.32; N, 9.92; Cl, 12.56. Found: C, 49.26; H, 7.71; N, 9.85; Cl, 12.41.

[937] Example 25. Preparation of 1-cyclopropyl-N-hydroxy-4-({4-[4-(2,2,2-trifluoroethoxy)phenyl]piperidin-1-yl}sulfonyl)piperidine-4-carboxamide hydrochloride:

15 [938] Part A:

5

10

...;

To a solution of 4-fluoro-benzaldehyde (1) (Aldrich, 8.0 g, 64.4 mmol) in N,N-dimethylformamide (120 ml) was added potassium carbonate (Aldrich, 13.4 g, 96.7 mmol) followed by 3,3,3-trifluoroethanol (2) (6.4 g, 64.4 mmol). The mixture was stirred at 80°C for 18 hr. After cooling to room temperature, the mixture was diluted with water, and the resulting solid was filtered. The filter cake was washed with water and dried *in vacuo* to afford compound (3) as a white solid (12.5 g, 95 % yield). ¹H NMR indicated the desired compound (3).

[939] Part B:

HOOCF₃

$$HOOCF3$$

$$HOOCF3$$

$$(4)$$

The product (3) from Part A (37 g, 181.2 mmol) and ethylacetoacetate (Aldrich, 69.3 ml, 543.7 mmol) were added neat to a round bottom flask equipped with stir bar. A catalytic amount of piperidine (1.0 ml) was added, and the mixture was stirred for 3 days to form a hard yellow solid. Ethanol (250 ml) was added to the yellow solid. The mixture was then heated to reflux for 20 min and then cooled to ambient temperature. The resulting solid was filtered, washed with hexanes, and dried. Next, a solution of KOH (50.8 g, 56.11 mmol) in water (43 ml) was heated to 80°C. The dried solid was then added portion-wise, maintaining the temperature between 80-90°C. The resulting mixture was stirred at 80°C for 2 hr, and then poured into a flask of ice (300 g), followed by ethyl acetate (300 ml). The bi-phase mixture was separated, and the aqueous layer was titrated to pH 1 with concentrated HCl. An oil fell out which was separated from the aqueous phase. The aqueous phase was then extracted with dichloromethane (2x-150 ml). The organics were combined and added with the oil. The resulting mixture was dried over Na₂SO₄, filtered, and concentrated to form compound (4) as a pale yellow solid (27.7 g, 49.9%). ¹H NMR indicated the desired compound (4).

[940] Part C:

The solid product (4) from Part B (27.6 g, 91.1 mmol) was added to a round bottom flask along with urea (8.1 g, 135 mmol). The solids were heated at 150-160°C for 2 hr, and then cooled to room temperature. Ethanol (30 ml) was added, and the mixture refluxed for 1 hr. As the mixture cooled, solids formed that were slurried in hexanes, filtered, and dried

20

5

10

PCT/US03/13123 WO 03/091247

to form compound (5) as an off-white solid (24.1 g, 93 %). ¹H NMR indicated the desired product (5).

[941] Part D:

5

15

20

A lithium aluminum hydride ("LAH") solution (1.0 M in THF, 46 ml) was heated to 40°C in a round bottom flask. The solid product (5) from Part C (24 g, 83.6 mmol) was added portion-wise, keeping the temperature at less than 60°C. After the addition, the mixture was heated to reflux and stirred for 1.5 hr. Afterward, the vessel was cooled to room temperature. Water (2 ml) was slowly added to quench any remaining LAH. A potassium/sodium tartrate aqueous solution (15 ml) was added, followed by Na₂SO₄ (120 10 g). After standing 1 hr, the solids were filtered. The resulting filtrate was dried over more Na₂SO₄, filtered, concentrated, and dried to produce compound (6) as a clear oil (17.0 g, 78%). ¹H NMR indicated the desired product (6).

Part E: [942]

A solution of the product (6) from Part D (13.6 g, 52.3 mmol) in dichloromethane (110 ml) was cooled to 0°C. A solution of mesylchloride (Aldrich, 5.3 ml, 68.8 mmol) in dichloromethane (10 ml) was slowly dripped in over 15 min. The ice bath was removed and the mixture was warmed to room temperature. After 3 hr, the mixture was concentrated to dryness. The residue was taken up in ethyl acetate (300 ml), washed with 10% HCl (100ml), washed with water (100 ml), washed with brine (100 ml), and dried over Na₂SO_{4.} After filtering, the organic was concentrated and dried to produce compound (7) as a tan solid (14.9 g, 84 %). 1H NMR indicated the desired compound (7).

[943] Part F:

5

10

15

20

A solution of the product (7) from **Part E** (14.8 g, 43.9 mmol) and t-butylcarboxlyate anhydride (Aldrich, 11.5 g, 52.7 mmol) in tetrahydrofuran (80 ml) was cooled to -75°C. Lithium bis(trimethylsilyl)amide (Aldrich, 1.0 M in tetrahydrofuran, 132 ml, 132 mmol) was added slowly, keeping temperature of less than -60°C. After the addition, the mixture was warmed to 0°C and stirred for 1 hr. The mixture was then cooled back to -75°C and slowly quenched with saturated NH₄Cl_{aq} (200 ml), keeping the temperature at less than -20°C. The aqueous froze into a solid chunk of ice. After warming to 5°C, the mixture was separated, and the aqueous extracted via ethylacetate (3x- 200 ml). The organics were washed with saturated NH₄Cl (2x-200 ml), washed with water (1x- 200 ml), washed with brine (1x-200ml), dried over Na₂SO₄, and concentrated to produce a beige solid that was recrystallized from methanol to afford the product (8) (12.0 g, 62% yield). ¹H NMR indicated the desired compound (8).

[944] Part G:

$$\begin{array}{c} H_3C \\ H_3C \\ CH_3 \end{array} \\ \begin{array}{c} O \\ CH_3 \end{array} \\$$

To a solution of the product (8) from Part F (4.0 g, 9.1 mmol), potassium carbonate (Aldrich, 7.6 g, 54.9 mmol), and 18-crown-6 (Aldrich, 0.5 g, cat. amt) in N,N-dimethylformamide (20 ml) was added bis(chloroethyl)-N-cyclopropylamine hydrochloride (E-4668,2.2 g, 10.0 mmol). The mixture was heated at 60°C for 18 hr and then worked up by cooling and pouring into water (50 ml). The resulting mixture was extracted via ethylacetate (2x-150 ml). The organics were combined and washed with water (1x-100 ml), washed with brine (2x-100 ml), dried over Na₂SO₄, and concentrated to afford a brown oil. The oil was purified via silica gel (ethyl acetate: hexanes, 1:9) to

afford compound (9) as a white solid (1.8 g, 36%. ¹H NMR indicated the desired compound (9).

[945] Part H:

To a solution of the product (9) of Part G (1.8 g, 3.3 mmol) in methylene chloride (70 ml) was added trifluoroacetic acid (Aldrich, 15 ml, 195 mmol). The mixture was stirred overnight at room temperature. The mixture was then concentrated to one-third volume. The residue was dripped into stirring diethylether (500 ml). The resulting solid, in turn, was collected, washed with diethylether, and dried to afford the product (10) as a TFA salt (1.9 g, 95 % yield). ¹H NMR indicated the desired compound (10).

[946] Part I:

To a solution of the product (10) of Part H (1.9 g, 3.1 mmol) in N,N-dimethylformamide (10 ml) was added triethylamine (Aldrich, 1.3 ml, 9.3 mmol) followed by N-

hydroxybenzotriazole hydrate (Aldrich, 0.84 g, 6.2 mmol), O- (tetrahydro-2H-pyran-2-yl) hydroxylamine (11) (0.54 g, 4.6 mmol), and, lastly, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (Sigma, 1.5 g, 7.8 mmol). The resulting mixture was stirred at room temperature for 15 hr. The mixture was then diluted with water (15 ml) and ethylacetate (100 ml). The organics were separated, and the aqueous was further extracted with ethylacetate (2x-75 ml). The combined organics were then combined and washed with saturated aqueous NaHCO₃ (2x-150 ml), water (2x-100ml), and brine (1x-200 ml). After drying over sodium sulfate, the organics were concentrated to afford compound (12) as a brown oil (1.7 g, 94 % yield). ¹H NMR indicated the desired compound (12).

15

20

, į

[947] Part J:

To the product (12) of Part I (1.7 g, 2.9 mmol) was added methanol (2 ml) and 4 N HCl in dioxane (10 ml) for 1 hr. The solvent was concentrated to one-third volume.

Diethylether was then added. The resulting solid was filtered, washed with diethylether, and dried to afford compound (13) as a beige solid (0.82 g, 87 % yield). ¹H NMR indicated the desired compound (13). HRMS for C₂₂H₃₀F₃N₃O₅S indicated M^{+H} found = 506.1915 (M^{+H} calc = 506.1931).

[948] Example 26. Preparation of N-hydroxy-4-[(4-octylpiperidin-1-yl)sulfonyl]tetrahydro-2H-pyran-4-carboxamide:

[949] Part A. Preparation of tert-butyl 4-4{[4-(methoxymethylene)piperdin-1-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate:

15 An oven-dried round-bottomed flask fitted with septa and a nitrogen needle was charged with (methoxymethyl)triphenylphosphonium chloride (4.11 g, 12 mmol) and tetrahydrofuran (50 mL). The flask was immersed in an ice bath. A 1 M solution of lithium hexamethyldisilazide in tetrahydrofuran (13 mL, 13 mmol) was then added dropwise while maintaining mixture temperature at less than 5°C. After complete addition, the mixture was stirred with cooling for 15 min. Then, a solution of tert-butyl 4-(4-oxopiperidin-1-yl)sulfonyl]tetrahydro-2H-pyran-4-carboxylate (3.47 g, 10 mmol) in tetrahydrofuran (10 mL) was added dropwise, again maintaining a reaction temperature at

less than 5°C. After complete addition (approximately 30 min), the mixture was stirred with cooling for 15 min, then the cooling bath was removed. The mixture was slowly warmed to room temperature and stirred overnight. Diethyl ether (200 mL) was added to the reaction mixture, resulting in a yellow precipitate, which was removed by vacuum filtration. The filtrate was washed with 5% aqueous HCl (3X100 mL), saturated aqueous sodium bicarbonate (3X100 mL), and brine (1X100 mL). The organic layer was then dried over magnesium sulfate and concentrated *in vacuo*. Purification by flash column chromatography (20-40% ethyl acetate/hexane) yielded 2.82 g of the title compound as a colorless, viscous oil (75%): 1H NMR (CDCl₃) δ 1.51 (s, 9H), 2.05-2.30 (m, 2H), 2.29 (m, 2H), 3.29 (m, 6H), 3.95 (dd, J = 11.4, 4.2 Hz, 2H), 5.84 (s, 1H); electrospray mass spectroscopy m/z = 376 (M+H).

[950] Part B. Preparation of tert-butyl 4-[(4-formylpiperidin-1-yl)sulfonyl]tetrahydro-2H-pyran-4-carboxylate:

A round-bottomed flask was charged the product of **Part A** (0.50 g, 1.34 mmol), tetrahydrofuran (5 mL), and 5% aqueous HCl (1 mL, 1.37 mmol). The resulting mixture was stirred at room temperature for 2 hr, and then heated to 50°C overnight. Afterward, the mixture was partitioned between diethyl ether (25 mL) and saturated aqueous sodium bicarbonate (25 mL). The organic layer was washed with brine (25 mL), dried over magnesium sulfate, and concentrated *in vacuo*. This resulted in isolation of 0.50 g (quantitative) product as a yellow solid: 1H NMR (CDCl₃) δ 1.51 (s, 9H), 1.70 (m, 2H), 1.93 (m, 2H), 2.08 (td, J = 12.4, 4.8 Hz, 2H), 2.29 (d, J = 12.4 Hz, 2H), 2.41 (m, 1H), 3.11 (m, 2H), 3.29 (td, J = 12, 1.6 Hz, 2H), 3.70 (m, 2H), 3.95 (dd, J = 11.2, 4 Hz, 2H), 9.65 (s, 1H); electrospray mass spectroscopy m/z = 362 (M+H).

15

20

1.1

Part C. Preparation of tert-butyl 4-({4-[1E)-oct-1-enyl]piperdin-1yl}sulfonyl)tetrahydro-2H-pyran-4-carboxylate:

An oven-dried, round-bottomed flask fitted with septa and a nitrogen needle was charged with (heptyl)triphenylphosphonium bromide (1.1 g, 2.5 mmol) and tetrahydrofuran (10 mL), resulting in a white slurry. The flask was immersed in an ice bath. Subsequently, a 1 M solution of lithium hexamethyldisilazide in tetrahydrofuran (2.7 mL, 2.7 mmol) was added dropwise, maintaining the reaction temperature at less than 5°C. After complete addition, the mixture was stirred with cooling for 15 min. Then, a solution of the product from Part B (0.75 g, 2.07 mmol) in tetrahydrofuran (2 mL) was added dropwise, again maintaining the reaction temperature at less than 5°C. After complete addition (approximately 15 min), the mixture was stirred with cooling for 15 min. The cooling bath was then removed. The mixture was slowly warmed to room temperature and stirred for 1 hr. Diethyl ether (25 mL) was added to the mixture. This resulted in a tan precipitate, which was removed by vacuum filtration. The filtrate was washed with water 15 (50 mL) and brine (50 mL). The organic layer was dried over magnesium sulfate and concentrated in vacuo. Purification by flash column chromatography (10% ethyl acetate/hexane) yielded 0.66 g of the title compound as a white crystalline solid (72%): 1H NMR (CDCl₃) δ ; mass spectroscopy (electrospray) m/z = 444 (M+H).

[952] Part D. Preparation of tert-butyl 4-[(4-octylpiperdin-1yl)sulfonyl]tetrahydro-2H-pyran-4-carboxylate:

A 150 mL hydrogenation flask was charged with 10% palladium on carbon (20 mg) and a solution of the product from Part C (0.35 g, 0.79 mmol) in methanol (5 mL). The flask was placed under an H₂ atmosphere and agitated at room temperature for 1.5 h.

5

10

20

Afterward, the mixture was filtered through celite and concentrated to produce 0.328 g of product as a white solid (93%): mass spectroscopy (electrospray) m/z = 446 (M+H).

[953] Part E. A 2-dram vial was charged with the product of Part D (0.307 g, 0.69 mmol) and a 1:1 mixture of trifluoroacetic acid and dichloromethane (1 mL). The mixture was stirred at room temperature for 5 hr and then concentrated *in vacuo*. The product was precipitated by the addition of a 1:1 mixture of diethyl ether/hexane. The resulting solid was collected by vacuum filtration. After further drying *in vacuo*, the yield of product was 0.232 g as a white solid (86%): mass spectroscopy (electrospray) m/z = 390 (M+H).

[954] Part F. A 2-dram vial was charged with the product from Part E (0.232 g, 0.60 mmol), a 0.5 M solution of hydroxybenotriazole in dimethylformamide (2.4 mL, 1.2 mmol), a 0.5 M solution of THP-ONH₂ (2.4 mL, 1.2 mmol), triethylamine (0.33 mL, 2.4 mmol), and EDC (0.228 g, 1.2 mmol). The resulting mixture was stirred at room temperature overnight, and then partitioned between water (25 mL) and ethyl acetate (25 mL). The organic layer was washed with 5% aqueous HCl (3X25 mL), washed with brine (1X100 mL), filtered through a celite column, and concentrated *in vacuo*. Purification by preparative reverse phase HPLC yielded 0.169 g of product as a white crystalline solid: mass spectroscopy (electrospray) m/z = 506 (M+H).

[955] Part G: Preparation of:

20

25

3

5

10

15

A 2-dram vial was charged with the product from Part F (0.169 g), methanol (1 mL), dioxane (1 mL), and 4 N HCl in dioxane (0.1 mL). The resulting solution was stirred at room temperature for 30 min. Then the solvents were removed *in vacuo*. Treatment with HCl in dioxone/methanol was repeated for 30 min. The solvents were then removed *in vacuo*, leaving 0.162 g of title compound as a white crystalline solid (67%--two steps): mass spectroscopy (electrospray) m/z = 444 (M+H), HRMS: calculated for $C_{19}H_{37}N_2O_5S$ (M+H) 405.2418, observed 405.2398.

[956] Example 27. Preparation of:

part A. 2-Aminopyrazine (Aldrich, 20 g, 0.21 mol) was dissolved in 600 mL of CH₂Cl₂ and then cooled to 0°C in an ice bath. To the resulting slurry was added N-Bromosuccinimide (Aldrich, 37.6 g, 0.211mol) portion-wise over approximately 10 min. The slurry was allowed to mix in the ice bath for 1.5 hr. The slurry was then filtered through a bed of Celite®. The bed of Celtite® was washed with ~150 mL CH₂Cl₂. The filtrate was then concentrated *in vacuo* to solids. The resulting solids were purified by chromatography (silica, ethyl acetate/hexanes), producing 19.4 g (53%) of product. ¹H NMR confirmed the structure of the desired product.

[958] Part B. Concentrated H₂SO₄ (55mL) was cooled to approximately 0°C in a round-bottomed flask. NaNO₂ (8.23 g, 119.3 mmol) was added portion-wise to the flask over approximately 5 min. After the addition was complete, the solution was allowed to mix and warm to ambient temperature over 30 min. The solution was cooled again in an ice bath, and a separate solution of the product from Part A (18.33 g, 105.3 mmol) in concentrated H₂SO₄ (90 mL) was added dropwise while maintaining a temperature of less than 10°C. After addition was complete, the solution was mixed in the ice bath for 15 min and then warmed to 40°C for 15 min. The resulting mixture was allowed to cool to ambient temperature and then slowly poured into 500 g of ice. The resulting aqueous mixture was extracted with diethyl ether (3 x 500 mL). The organic extracts were dried over MgSO₄, filtered, and concentrated *in vacuo* to solids. The solids were slurried in hexanes (100mL) at ambient temperature for approximately 1 hr, filtered, and desiccated to produce 9.55 g (51.8%) of solids.

pyridine (25 mL) and cooled to 0°C in an ice bath. Triflic anhydride (Aldrich, 8.12 g, 28.8 mmol) was added in several portions over approximately 5 min. The mixture was allowed to mix, stoppered with a syringe needle vent in an ice bath for approximately 30 min, and then stoppered overnight at ambient temperature. The reaction mixture with diethyl ether

5

10

15

20

(300 mL) and aqueous 1N HCl (500mL). Separated layers and back-extracted the aqueous layer with diethyl ether (200 mL). The combined organic extracts were washed with saturated aqueous NaHCO₃ (2 x 100 mL) and saturated aqueous NaCll (200 mL). The organic layers were dried over MgSO₄, filtered, and concentrated *in vacuo* to an oil that was purified by chromatography (silica, ethyl acetate/hexanes) to produce 5.55 g (75%) of the desired product. ¹H NMR confirmed the structure of the product.

4-carboxylate (Carbogen, 20 g, 57.6 mmol) was added to methanol (200 mL). The mixture was cooled to 0°C under N₂ in an ice bath. NaBH₄ (Aldrich, 2.72 g, 72 mmol) was added in small portions to the above mixture over approximately 10 min. Once addition was complete, the mixture was allowed to stir in the ice bath for approximately 10 min and then warmed to ambient temperature with mixing for approximately 1.5 hr. The mixture was placed in an ice bath and approximately 10 mL of deionized water ("dH₂O") was added with mixing while under N₂. The resulting mixture was further diluted with ethyl acetate (500 mL) and dH₂O (200 mL). The layers were separated, and the organic layer was washed with 0.5 N HCl and saturated aqueous NaCl (200 mL each). The organic layer was dried over MgSO₄ and filtered. The resulting filtrate was concentrated *in vacuo* to give 19 g (94%) of solids. ¹H NMR confirmed the structure of the solids as the desired product.

mmol/g, 126.5 mmol) was added to methylene chloride (600mL) and stirred for approximately 1 hr to let the resin swell. Added imidazole (Aldrich, 163.2 mmol, 11.11 g) to the above mixture and cooled in an ice bath to 0°C. Added iodine (Aldrich, 41.42 g, 163.2 mmol) to the reaction mixture and let mix approximately 10 min at 0°C. To the resulting mixture was added the solids from Part D (19.0 g, 54.4 mmol) and it was allowed to stir and warm to ambient temperature over a weekend. The polymer supported resin was filtered from the reaction mixture and washed with methylene chloride (500 mL). The filtrate was washed with saturated aqueous NaSO₃, 1/1 dH₂O/saturated aqueous NaCl and saturated aqueous NaCl (400 mL each). The methylene chloride layer was dried over MgSO₄, filtered, and concentrated to give 18.6 g (74.5%) of product. ¹H NMR confirmed the structure of the solids as the desired product.

5

10

15

20

25

30

- * - \$

PCT/US03/13123 WO 03/091247

[962] Part F. Zinc dust (Aldrich, 325 mesh, 263 mg, 4.05 mmol) was stirred and heated in tetrahydrofuran (5 mL) with 1,2-dibromoethane (Aldrich, 68 mg, 0.364 mmol) at 65°C under N₂ for approximately 5 min. The mixture was cooled to ambient temperature. Chlorotrimethylsilane (Aldrich, 39 mg, 0.364 mmol) was then added. This mixture was allowed to stir under N₂ at ambient temperature for approximately 30 min. The iodide from Part E (1.36 g, 3.0 mmol) was added, and the resulting mixture was stirred at 40°C under N₂ for approximately 3 hr. The product from Part C (0.7 g, 2.28 mmol), N,N-Dimethylacetamide (14 mL), and [1,1'bis(diphenylphosphino)ferrocene]dichloropalladium(II) complex with dichloromethane (Aldrich, 93 mg, 0.114 mmol) were added to the mixture. It was stirred overnight at 80°C 10 under N2. The mixture was cooled to ambient temperature. Saturated aqueous NH4Cl (10 mL) was then added. The resulting mixture was diluted further with dH₂O (50 mL) and ethyl acetate (100 mL), and then filtered through a bed of Celite®. The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (50mL). The combined organic layers were washed with 1/1 dH₂O/saturated aqueous NaCl and 15 saturated aqueous NaCl (50 mL each), dried over MgSO₄, filtered, and concentrated in vacuo to produce an oil that was purified by chromatography (silica, ethyl acetate/hexanes) to produce 90 mg (7%) of product.

[963] Part G. The product from Part F (180 mg, 0.322 mmol, 90 mg from Part F remainder from an additional lot), N,N-Dimethylformamide (10 mL), K₂CO₃ (89 mg, 0.64 mmol), 18-Crown-6 (Aldrich, catalytic amount), and 2,2,3,3,3-pentafluoropropan-1ol (Aldrich, 58 mg, 0.38 mmol) were mixed in a stoppered flask at ambient temperature overnight. The resulting mixture was diluted with dH₂O (50 mL) and ethyl acetate (100 mL). The layers were then separated, and the aqueous layer was back-extracted with ethyl acetate (50 mL). The combined organic layers were washed with 1/1 dH₂O/saturated 25 aqueous NaCl and saturated aqueous NaCl (50 mL each), dried over MgSO₄, filtered, and concentrated in vacuo to produce 160 mg (89%) of dark oil.

[964] Part H. The oil from Part G (160 mg, 0.286 mmol) was dissolved in methylene chloride (5 mL) and trifluoroacetic acid (5 mL) and then mixed in a stoppered flask with syringe needle vent overnight at ambient temperature. The resulting mixture was concentrated in vacuo to an oil 130 mg (90%).

30

5

20

Salar Salar Salar

Part I: The oil from Part H (130 mg, 0.258 mmol), 1hydroxybenzotriazole (Aldrich, 65 mg, 0.48 mmol), and 1-[3-(dimethylamino)propyl]-3ethylcarbodiimide hydrochloride (Aldrich, 92 mg, 0.48 mmol) were dissolved in N,Ndimethyformamide (10 mL). The resulting mixture was stirred in a stoppered flask at ambient temperature for approximately 30 min. N-methylmorpholine (Aldrich, 130 mg, 1.3 mmol) and O-(tetrahydropyranyl) hydroxylamine (Carbogen, 56 mg, 0.48 mmol) were added to the above mixture, and it was allowed to mix stoppered at ambient temperature overnight. 1-Hydroxybenzotriazole (65 mg, 0.48 mmol), 1-[3-(dimethylamino)propyl]-3ethylcarbodiimide hydrochloride (92 mg, 0.48 mmol), N-methylmorpholine (130 mg, 1.3 mmol), and O-(tetrahydropyranyl) hydroxylamine (56 mg, 0.48 mmol) were again added to the mixture, and it was allowed to mix at ambient temperature another night. The reaction mixture was diluted with dH₂O (50 mL) and ethyl acetate (100 mL). The layers were separated and the aqueous layer was back-extracted with ethyl acetate (50 mL). The combined organic layers were washed with 1/1 dH₂O/saturated aqueous NaCl and saturated aqueous NaCl (50 mL each), dried over MgSO₄, filtered, and concentrated in vacuo to give 130 mg (84%) of an oil.

(Fluka, 10 mL) and was mixed covered for approximately 1.5 hr. The solution was concentrated *in vacuo*, re-dissolved, and concentrated *in vacuo* 2 additional times with 1.25 N HCl in methanol (10 mL each time) to give an oil. The oil was purified by chromatography (reversed phase C-18 silica, Acetonitrile/dH₂O with 0.05% trifluoroacetic acid in each). Column fractions were concentrated *in vacuo* to an oil that was then coevaporated with 1.25 N HCl in methanol 3 times (10 mL each time) to exchange salts, *i.e.*, trifluoroacetate for HCl. The resulting residue after the third co-evaporation was dissolved in a minimum amount of acetonitrile, precipitated with dH₂O, and filtered to produce 45 mg (40%) of solids whose structure was confirmed by ¹H NMR to be the desired product.

[967] Examples 28-54. In Vitro MMP Inhibition Analysis

[968] Several hydroxamic acids and salts thereof were analyzed in *in vitro* assays to determine their ability to inhibit the MMP cleavage of peptide substrates. Inhibition (K_i) and IC₅₀ constants were calculated from the assayed hydroxamic acid-MMP interactions.

5

10

15

20

25

[969] Human recombinant MMP-1, MMP-2, MMP-9, MMP-13, and MMP-14 were used in this assay. All enzymes were prepared in Assignee's laboratories following usual laboratory procedures. Protocols for the preparation and use of these enzymes are available in the scientific literature. See, e.g., Enzyme Nomenclature (Academic Press, San Diego, CA, 1992) (and the citations therein). See also, Frije et al., J Biol. Chem., 26(24), 16766-73 (1994).

[970] The MMP-1 proenzyme was purified from the spent media of MMP-1-transfected HT-1080 cells provided by Dr. Harold Welgus of Washington University (St. Louis, MO). The protein was purified on a zinc chelating column.

[971] The MMP-2 proenzyme was purified by gelatin Sepharose chromatography from MMP-2- transfected p2AHT2 cells provided by Dr. Gregory Goldberg of Washington University (St. Louis, MO).

[972] The MMP-9 proenzyme was purified by gelatin Sepharose chromatography from spent media of MMP-9- transfected HT1080 cells provided by Dr. Howard Welgus of Washington University (St. Louis, MO).

[973] The MMP-13 was obtained as a proenzyme from a full-length cDNA clone using baculovirus, as described by V.A. Luckow, "Insect Cell Expression Technology," *Protein Engineering: Principles and Practice*, pp. 183-218 (edited by J.L. Cleland et al., Wiley-Liss, Inc., 1996). The expressed proenzyme was first purified over a heparin agarose column, and then over a chelating zinc chloride column. The proenzyme was then activated by APMA for use in the assay. Further details on baculovirus expression systems may be found in, for example, Luckow et al., *J. Virol.*, 67, 4566-79 (1993). *See also*, O'Reilly et al, *Baculovirus Expression Vectors: A Laboratory Manual* (W.H. Freeman and Co., New York, NY, 1992). *See also*, King et al., *The Baculovirus Expression System: A Laboratory Guide* (Chapman & Hall, London, England, 1992).

[974] The MMP-14 full length cDNA was provided by Dr. Gregory Goldberg of Washington University (St. Louis, MO). The catalytic domain enzyme was expressed in *E. coli* inclusion bodies, solubilized in urea, purified on a preparative C-14 reverse phase HPLC column, and then refolded in the presence of zinc acetate and purified for use.

[975] All MMPs were activated using 4-aminophenylmercuric acetate ("APMA", Sigma Chemical, St. Louis, MO) or trypsin. MMP-9 also was activated using human

5

10

15

20

25

30

これのお客を続けていない。

recombinant MMP-3 (purified in Assignee's laboratory following standard cloning and purification techniques).

[976] Two fluorogenic, methoxycoumarin-containing polypeptide substrates were used in the MMP inhibition assays:

MCA-ProLeuGlyLeuDpaAlaArgNH₂

(I)

 $MCA-ArgProLeuGlyLeuDpaAlaArgGluArgNH_2\\$

(II)

Here, "Dpa" is 3-(2,4-dinitrophenyl)-L-2,3-diaminopropionyl group, and "MCA" is 7-methoxycoumarin-4-yl acetyl. Substrate (I) was purchased from Baychem (Redwood City, CA), and substrate II was prepared Assignee's laboratory. Substrate I was used in the IC₅₀ determination assays, while substrate II was used in the K_i determination assays. In the absence of MMP inhibitory activity, either substrate is cleaved at the Gly-Leu peptide bond. This cleavage separates the highly fluorogenic peptide from the 2,4-dinitrophenyl quencher, thus resulting in increase of fluorescent intensity.

[977] The stock solutions of the assayed hydroxamic acids (or salts thereof) were prepared in 1% dimethyl sulfoxide (DMSO). These stock solutions were diluted in Buffer A (100 mM Tris-HCl, 100 mM NaCl, 10 mM CaCl₂, 0.05% polyoxyethylene 23 lauryl ether, pH 7.5) to obtain solutions with different hydroxamic acid concentrations, *i.e.*, assay solutions with different concentrations of the assayed MMP inhibitory compound. The experiment controls contained the same amount of Buffer A/DMSO as the assayed sample, but contained no hydroxamic acid (or salt thereof).

[978] The assays from which the IC₅₀ determinations were made were performed as follows. The MMPs were activated with either trypsin or APMA (4-aminophenylmercuric acetate, Sigma Chemical, St. Louis, MO). The assayed hydroxamic acid samples were incubated in MicrofluorTM White Plates (Dynatech, Chantilly, VA) and analyzed on a Perkin Elmer L550 plate reader (Norwalk, CT). The excitation wavelength was 328 nm, and the emission wavelength – 415 nm. All samples (assayed hydroxamic acids and controls) were incubated in separate plates at room temperature in the presence of 4 μ M of MMP substrate (I). As stated in the previous paragraph, samples containing varying concentrations of the same assayed hydroxamic acid were prepared. Inhibition

5

10

15

20

25

was measured as a reduction in fluorescent intensity as a function of MMP inhibitor concentration.

The assays from which the K_i determinations were made were performed as follows. The assayed hydroxamic acid samples were incubated in separate wells of untreated white polystyrene plates (Nunc Nalgene International, Rochester, NY), and analyzed on a Tecan SpectraFlour Plus plate reader. The excitation wavelength was 330 nm, and the emission wavelength - 420 nm. All samples (assayed hydroxamic acids and controls) were incubated in separate plate wells at room temperature for 1 hr in the presence of 4 μ M of MMP substrate (II). In the absence of MMP inhibitory activity, substrate II was cleaved at the Gly-Leu bond resulting in an increase of relative fluorescence. Inhibition was observed as a reduced rate of this increase in relative fluorescence. The various hydroxamic acids were analyzed using a single low enzyme concentration with a single substrate concentration fixed at or below the K_m. This protocol is a modification of method by Knight et al., FEBS Lett., 296(3), 263-266 (1992). Apparent inhibitory constants were determined by non-linear regression of reaction velocity as a function of inhibitor and enzyme concentration using Morrison's equation, as described by Kuzmic, Anal. Biochem. 286, 45-50 (2000). Modifications were made in the non-linear regression method to allow a common control reaction rate and effective enzyme concentration to be shared between all dose-response relationships on a given assay plate. Since the substrate concentration was chosen to be at or below the K_m, the apparent K_i's from this analysis were reported as K_i's without correction for the influence

[980] The above protocols were used to determine IC_{50} constants and K_i values for the compounds in Examples 1-27 above. The results are shown in Table 2. All values in Table 2 are given in nM units. The IC_{50} measurements are in parenthesis.

Table 2

Ex. #	Compound	MMP-1 K _i (IC ₅₀)	MMP-2 K _i (IC ₅₀)	MMP-9 K _i (IC ₅₀)	MMP-13 K _i (IC ₅₀)	MMP-14 K _i (IC ₅₀)
28	Example 1	>10000	1.52	0.696	1.82	4290
29	Example 2	>10000	0.74	1.28	0.77	1945
30	Example 3	7530	0.59	0.93	1.46	1260
31	Example 4	1470	0.104	0.739	0.216	954
32	Example 5	>10000 (>10000)	0.62 (<0.1)	0.108 (<0.1)	0.522 (<0.1)	1545.72 (4546)

5

10

15

20

25

of substrate.

Rv #	Compound	MMP-1	MMP-2	MMP-9	MMP-13	MMP-14
L'A. II	Compound	K _i (IC ₅₀)				
33	Example 6	>10000	0.501	0.287	0.27	2296
33	Diminiple 6	(>10000)	(0.2)	(0.2)	(0.1)	(>10000)
34	Example 7	>10000	0.497	7.35	0.17	4329.20
35	Example 8	748	1.98	1.65	0.11	468
36	Example 9	>10000	0.223	2.76	0.05	5910.13
37	Example 10	>10000	0.52	0.97	3.88	4336
31	Danie 10	(>10000)	(0.2)	(0.3)	(1.3)	(5824.0)
38	Example 11	>10000	0.71	2.67	0.67	3603
130		(>10000)	(0.2)	(2.3)	(0.8)	(7122)
39	Example 12	>10000	0.18	1.0	0.77	1710
40	Example 13	>10000	0.549	0.712	0.61	3520
41	Example 14	>10000	3.84	20	2.67	9170
42	Example 15	>10000	0.89	0.13	0.23	2960
42	Zama-pa-	(>10000)	(0.1)	(0.3)	(0.1)	(6169)
43	Example 16	>10000	1.24	0.47	0.34	2930
44	Example 17	>10000	0.418	1.01	0.328	7970
45	Example 18	7350	0.565	0.398	0.444	1770
46	Example 19	>10000	2.06	0.50	5.47	2190
47	Example 20	>10000	0.83	3.86	0.15	2670
48	Example 21	>10000	3.82	8.18	6.17	6910
49	Example 22	>10000	3.19	3.2	2.78	9320
50	Example 23	>10000	8.25	2.67	4.17	>10000
51	Example 24	>10000	0.91	0.12	0.54	2900
52	Example 25	>10000	1.18	06	0.97	5380
53	Example 26	2970	0.78	0.33	0.51	657
54	Example 27	4780	0.59	0.54	0.50	6200

[981] Examples 55-420.

[982] Additional piperazinyl- and piperidinyl-sulfonylmethyl hydroxamic acid compounds (and salts thereof) can be prepared by one skilled in the art using methods similar to those described in Examples 1-27 alone or in combination with techniques well known in the art. Such compounds include, for example, the compounds summarized in the following Table 3. Table 3 also summarizes *in vitro* MMP inhibition results obtained by Applicants with the listed hydroxamic acids. As with Table 2, all *in vitro* K_i and IC_{50} results in Table 3 are given in nM units. The K_i measurements are in parenthesis.

10

5

Table 3
Additional Examples of
Piperazinyl- or Piperidinyl-Sulfonylmethyl Hydroxamic acid Compounds

MIMP-14	K ₁ (IC-50)	2450	795	
MP-13		3.94	1.74	
MMP-9	K, 07C-500 0	0.35	3.49	
MMR-2	K,	2.2	1.02	
MMP-1	K _i		>10000	
Observed	Mass	488.2247 488.2257 >10000	447.1730 447.1755 >10000	514
Calc.	Mass	488.2247	447.1730	514
Structure		HO N HCI HCI CH3	HON O O O HON O O O O O O O O O O O O O	HONN HCI H CF3
100	•	55	56	57

MIMP-14 K ₁ (IC-50)			328
MIMIP-13 K ₁ (IC-50)			0.32
MMP-9 K, (IC-50)			7.05
MMP-2 K K (IC-50)			0.54
MIMP-1 K ₁ (IC-50)			555
Observed Mass	532.1478 532.1495	515.1576 515.1587	481.1312 481.1335
Calc. Mass	532.1478	515.1576	481.1312
Structure	HO N HCI HCI N CF3	HON HCI	HO N HCI
Ex.	28	59	09

MMP-14 K, (IC-50)	199	1150	>10000	6360
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i Mass C-50 C-50 C-50 C-50	0.16	0.50	3.16	1.31
MMP-9 K _i (IC-50)	12.3	1.5	7.71	2.75
MMP-2 Ki	0.39	0.22	6.77	7.44
MIMP-1 Ki	493	2310	>10000	>10000
Observed Mass	477.1808 477.1806	502.1088 502.1075	398.1744 398.1771	435.1697 435.1686
Calc. Mass	477.1808	502.1088	398.1744	435.1697
Structure	HO O O O HCI	HON HCI HCI F F	HO N HCI	HO N HCI HCI N HCI
Ex.	61	62	63	64

1年1、1、日本の機能の日本機能の日本には、11年1

MMP-14 K ₁ (IC-50)		1120	>10000
Observed MIMP-1 MMP-2 MMP-9 MMP-13 Mass K ₁ K ₁ K ₁ K ₁ Mass (IC-50) (IC-50) (IC-50)	32.7	0.25	
MMP-9 K ₁ (IC-50)	128	0.52	1380
MMP-2 K _i (IC-50)	23.6	2.52	50.5
MIMP-1 K ₁ (IC-50)		<i>L</i> 96	>10000
Observed Mass	633.2375 633.2372	482.1265 482.1281	500.113
Calc. Mass	633.2375	482.1265	500.1109
Structure	1 % ~ ×	HON HCI	HON HCI
Ex.	65	99	29

MMP-14 K ₁ (IC-50)	>10000	>10000	>10000	
		2.11	0.61	0.79
MMP-9 K	508	202	49.7	13
MMP-2 Ki	4.69	5.44	2.57	2.35
MMP-1 Ki	>10000	>10000	>10000	>10000
Observed Mass	1			514.1645
Calc. Mass	614.1566 614.1571	582.1503 582.1527	532.1535 532.1519	514.1629 514.1645
Structure	HON HCI	HO N HCI HCI O F F F CF3	HON HCI HCI F.F.	HO N HCI H O F F
Ex.	89	69	02	71

こうしょう きゅう 情報できる 医機嫌けられる かっかい かっぱ 内心臓のなっしゃ

				·
MMP-14 K ₁ (IC-50)		2360	454	1160
MIMP-13 K ₁ (IC-50)	0.85	9.78	0.06	0.14
MMP-9 Ki	2.86	7.97	8.4	0.44
MMP-2 Ki	2.44	2.2	0.5	0.10
MMP-1 Kı	>10000	>10000	3210	3360
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass Ki Ki Ki Mass Ki CC-50 CC-50	482	458	477.1808 477.1806	543.1895 543.1922
Calc. Mass	482	458	477.1808	543.1895
Structure		HO N HCI HCI F	HO, N HCI	HON S N HCI H H HCI CH3
Ex.	72	73	74	75

		· · · · · · · · · · · · · · · · · · ·			
MMP-14	(IC-50)	358	1180	>10000	8815
MIMIP-13	K _i (IC-50)	0.40	0.84	0.43	6.62
NIMP-9	-	0.50	0.80	22.8	41.5
MINIP-2	K ₁ (IC-50)	0.19	0.38	2.56	10.1
MMP-1	K ₁ (IC-50)	1340	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13	Mass	446	466.1618 466.1599	523.2197 523.2202	476
Calc.	Mass	446	466.1618	523.2197	476
Structure		HO O O O HOCI	HO N HCI	HO N HCI HCI O CF3	HONN SIN HCI
Ex.		92	77	78	79

307

The country of the second of the control of the second of

MIMP-14 K _i (IC-50)	06.71	2430	1600	981
MMP-13 K ₁ (IC-50)	0.22	0.261	7.49	0.048
2 MMP-9 N K _i (TC-50)	=======================================	29.2	249	4.21
MMP-2 K _i (IC-50)	0.52	0.407	8.74	0.251
MMP-1 K, (IC-50)		>10000	>10000	2850
		514	438	497.1682 497.1703
Calc. Mass	609.2701 609.2717	514	438	497.1683
Structure	HON S N HCI HCI N O O O HCI O O O O O O O O O O O O O O O O O O O	H Z DH	HO HCI HCI CF3	HO N HCI
Ex.	08	81	82	83

MMP-14 K _i	>10000	1510	4120	>10000
		0.25	1.20	29.8
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i Mass C _i C _i C _i C _i C _i	 	1.17	1.82	25.9
MMP-2 Ki		0.64	5.51	40.7
MMP-1 Ki		4770	>10000	>10000
Observed Mass	515	475.2032	422.2139	489.2463
Calc. Mass	515	475.2015 475.2032	422.2134 422.2139	489.2490 489.2463
Structure	HO N HCI N H	HCI N N		HO M HCI H N N N O CH ₃
Ex.	48	88	98	87

MIMP-14 K, (IC-50)	2765	2800	4550	1740
	0.18	0.17	0.39	1.64
MMP-9 K ₁ (IC-50)	2.18	2.23	2.15	0.452
MIMP-2 K _i (IC-50)	0.54	0.49	1.68	1.22
MMP-1 K _i (IC-50)		>10000	>10000	5110
Observed Mass MMP-1 MMP-2 MMP-9 MMP-13 Mass K ₁ K ₁ K ₁ K ₁ (IC-50) (IC-50) (IC-50) (IC-50)		460.1912 490.1895	460	444
Calc. Mass	517.2491 517.2460	460.1912	460	444
Structure	HON HCI HCI OCH2F	HO N HCI	HO HCI	HO N HCI HCI F
Ex.	88	68	06	91

.

			_
MMP-14 K ₁ (IC-50)		0986	221
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.49	. 26	0.82
, MIMP-9 K ₁ (IC-50)	4.55	60.1	14.3
MMP-2 K _i (IC-50)	1.81	6.92	99.0
MMP-1 K ₁ (IC-50)	V 10000	>10000	767
Observed Mass	460	574.2152 574.2179	439.1258 439.1216
Calc. Mass	460	574.2152	439.1258
Structure	HO N HCI H CH3	HO N HCI HCI S N HCI S	HON BY HCI
Ex.	92	93	94

MMP-14 K _i (IC-50)	765	816	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.68	0.44	21.9
MMP-9 K, (IC-50)	66.0	0.21	21.9
MMP-2 K ₁ (IC-50)	0.64	0.20	6.69
MIMP-1 K _i (IC-50)	>10000	>10000	>10000
Observed Mass	518.2549 518.2567	503.2441 503.2444	555.2847 555.2819
Calc. Mass	518.2549	503.2441	555.2847
Structure	HO N HCI HCI HCI HCI N N N N N N N N N N N N N N N N N N N	HCI N	HO N HCI H CH ₃ CH ₃
Ex.	95	96	97

A STATE OF THE PARTY OF THE PAR

	 -		
MMP-14 K _i (IC-50)	1620	225	411
MMP-13 K _i (IC-50)	0.38	0.30	0.06
2 MMP-9 I K ₁ (IC-50)	1.24	0.16	0.30
MMP-2 K _i (IC-50)	0.5	0.17	0.13
MMP-1 IV K, (IC-50)	>10000	8300	1600
Observed Mass	523.2216	504.2393 504.2397	443.1964 443.1972
Calc. Mass	523.2221	504.2393	443.1964
Structure	HO N HCI	HO N HCI HCI HCI N	HO N HCI HCI N HCI N CH ₃
Ex.	86	66	100

MMP-14 K, (IC-50)	4330	7130	227
Observed MMP-1 MMP-2 MMP-9 MMP-13 K ₁ K ₂ (IC-50) (IC-50	0.92	0.19	3.48
MIMP-9 K _i (IC-50)	စ် လ	18.1	10.5
MMP-2 K ₁ (IC-50)	1.64	1.25	3.44
MMP-1 K ₁ (IC-50)	^10000 ^	×10000	989
Observed Mass		571	450.0447 450.0459
Calc. Mass	539.2534 539.2567	571	450.0447
Structure	HO N HCI	HO N F HCI HCI O CF3	HO N S N HCI
Ex.	101	102	103

MMP-14 K ₁ (IC-50)	305	1660	7510
13	3.55	1.88	27.2
MMP-9 K ₁ (IC-50)	11.9	0.74	235
MMP-2 K _i (IC-50)	4.73	2.94	134
MMP-1 K ₁ (IC-50)	835	6620	1470
Observed Mass	450.0447 450.0461	428.1968 428.1970	372.1362 372.1351
Calc. Mass	450.0447	428.1968	372.1362
Structure	HO N N N N N N N N N N N N N N N N N N N	HO N HCI HCI CH ₃	HO N HCI
Ex.	104	105	106

		<u>.</u>	Т	
MMP-14 K ₁ (IC-50)	0000	>10000	>10000	>10000
MMP-13 K ₁ (IC-50)	22.4	478	472	3.23
2 MMP-9 N K ₁ (IC-50)	153	401	744	40.6
MMP-2 K _i (IC-50)	115	431	774	61.7
MMP-1 K ₁ (IC-50)	1190	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	372.1357	401.1495 401.1496	401.1495 401.1514	498.2750 498.2763
Calc. Mass	372.1342 372.1357	401.1495	401.1495	498.2750
Structure	HON S O O O H	HO N HCI HCI HCI HCI CH ₃	HO N N N CH ₃	HONN HCI
Ex.	107	108	109	110

MMP-14 K,	(IC-50)	>10000	1170	2330
Observed MMP-1 MMP-2 MMP-19 MMP-13 MMP-14 Mass K _i K _i K _i K _i K _i	(IC-50)	2.58	0.27	0.25
MMP-9 K,	(IC-50)	30.6	15.4	1.01
MMP-2 K _i	\neg	49.6	69.0	0.4
MMP-1	(IC-50)	>10000	>10000	>10000
Observed Mass		<u>49</u> 8.2750 498.2755 >10000	573,2102 573,2117	531.2283 531.2253
Calc. Mass		498.2750	573.2102	531.2283
Structure		HON N N CH	HO N HCI	HO I
Ex.		1111	112	113

MMP-14 K _i (IC-50)	97	>10000	8030
MIMP-13 K _i (IC-50)	0.748	1.17	1.21
MIMP-9 K ₁ (IC-50)	2.64	4.97	49.5
MMP-2 K ₁ (IC-50)	0.367	1.48	4.31
MMP-1 K _i		0000 ^	>10000
Observed Mass		567.2095 567.2107 >10000	569
Calc. Mass		567.2095	569
Structure	HO N HCI HCI CH3	HO N HCI N H	HO N F F HCI HCI CF3
Ex.	114	115	116

MMP-14 K,	(IC-50)	5690	2600	4380
IMP-13 Ki		0.40	0.43	0.79
MMP-9 Kı	(IC-50)	27.7	1.5	1.35
MMIP-2 K	(IC-50	2.58	0.75	1.19
MMP-1	(IC-50)	>10000	V-10000	>10000
Observed Mass	11,1433	513 (MH) >10000	542.2643 542.2658	525.1989 525.1971
Calc.		513 (MH)	542.2643	525.1989
Structure		HON SON HCI	HO N HCI H N HCI O N O CH ₃	HO N HCI HCI CF3
Ex.		117	118	119

MIMIP-14	K ₁ (IC-50)	4.	>10000	3090
MIMP-13		0.029	0.68	0.03
MMP-9	K _i (IC-50)	0.233	3.6	0.01
MMP-2	K ₁ (IC-50)	0.019	2.15	0.34
MIMP-1	K _i (IC-50)	485	>10000	>10000
Observed	Mass	511	533.2428 533.2406 >10000	600.2098 600.2087 >10000
Calc.		511	533.2428	600.2098
Skruchire		HO, N HCI		HON CF3
<u> </u>	EX.	120	121	122

MMP-14	K ₁ (IC-50)	5650	>10000	2760
Observed MMP-1 MMP-2 MMP-9 MMP-13	K _i (IC-50)	0.74	0.121	1.67
MMP-9	K_i (IC-50)	2.72	0.429	7.2
MMP-2	K _i (IC-50) (1.28	0.193	8:
MMP-1	K _i (IC-50)	>10000	^10000 ^	>10000
Ohserved	Mass	528.2309 528.2298	554.2648 554.2650	532.2594 532.2576 >10000
مامل		528.2309	554.2648	532.2594
	Structure	HONN HCI H N CH3	HO N GO O O HOCI	H ₃ C _N O O O O O O O O O O O O O O O O O O O
	Ex.	123	124	125

MMP-14 K ₁ (IC-50)	>10000	>10000	5380
	7.06	6.18	0.211
MMP-9 K ₁ (IC-50)	19	24	1.92
MMP-2 K ₁ (IC-50)	8.24	6.02	0.785
MMP-1 1 Ki	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i Mass (IC-50) (IC-50) (IC-50)		585.2383 585.2356	495.2641 495.2601
Calc. Mass		585.2383	495.264
Structure	HO N HCI	HON HCI	HON HCI CH3
Ex.	126	127	128

Observed Mass K _i	1300	>10000
MMP-13 K _i (IC-50)	0.302	
MIMP-9 K _t (IC-50)	1.2	23.2
MMP-2 K ₁ (IC-50)	0.508	5.23
MMP-1 K ₁ (IC-50)	>10000	>10000
Observed Mass	593.2725	587.2264 587.2264 >10000
Calc. Mass	593.2758 593.2725 >10000	587.2264
Structure	HCI	HON SN HCI HCI HCI CF3
Ex.	129	130

MMP-14 K ₁ (IC-50)	3660	158	2120
MMP-13 K _i (IC-50)	0.621	0.395	0.227
MMP-9 K ₁ (IC-50)	3.03	28.3	0.52
MMP-2 Ki	1.39	1.2	0.251
MIMIP-1 Ki	×10000	66.1	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 K _i K _i	532.2594 532.2600	572.2119 572.2211	441.2172 441.2196 >10000
Calc. Mass	532.2594	572.2179	441.2177
Structure	HO N HCI HCI HCI CH3	HON ON HCI	HO N HCI HCI CH ₃
Ex.	131	132	133

MMP-14	K _i (IC-50)	1980	1430	159	97.0
IMP-13	K _i (IC-50)		0.134	0.423	0.75
MMP-9	K_i (IC-50)	9.58	0.657	0.196	2.64
MMP-2	K _i (IC-50)	0.926	0.169	0.142	0.37
MMP-1	K _i (IC-50)	9460	>10000	2380	1610
Observed	Mass	427.2042	455.2353	413.1845	399.174
Calc.		427.2015 427.2042	455.2323 455.2353	413.1859 413.1845	399.1702
Structure		HO N HCI HCI HCI HCI HCH3	HO N HCI	HO N CS N HCI	HO O O O HCI .
- A-G		134	135	136	137

MMP-14 K ₁ (IC-50)	9.99	1260	945
MMP-13 K _i (IC-50)		2.03	0.446
MIMIP-9 K ₁ (IC-50)	5.09	7.45	1.76
MMP-2 K _i (IC-50)	0.469	2.18	0.672
MMP-1 K _i (IC-50)		7240	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i Mass (IC-50) (IC-50) (IC-50)	385.1546 385.1513	532.2594 532.2601	519.2390 519.2385
Calc. Mass	385.1546	532.2594	519.2390
Structure	HO O O O HCI	O O O O O O O O O O O O O O O O O O O	HO O O O HOI HCI HCI HCI HCI HCI HCI HCI HCI HCI HC
Ex.	138	139	140

MMP-14 K _i (IC-50)		2630
8	0.151	0.505
MIMP-9 K ₁ (IC-50)	5.33	2.15
MIMP-2 K ₁ (IC-50)	0.266	0.978
MMP-1 K ₁ (IC-50)	0068	>10000
Observed Mass	543.2474	548.2537 548.2525 >10000
Calc. Mass	543.2488 543.2474	548.2537
Structure	HON S N HCI H N N HCI O O O O O O O O O O O O O O O O O O O	HO N HCI
Ex.	141	142

MMP-14 K ₁ (IC-50)	00001	>10000	2350
MIMP-13 K ₁ (IC-50)	60.7	0.306	0.347
2 MMP-9 N K _i (IC-50)	£	2.31	1.18
MMP-2 K ₁ (IC-50)	8.97	69.0	0.695
MMP-1 K _i (IC-50)	>10000	>10000	>10000
		575.1957 575.1950 >10000	442.2012 442.2016 >10000
Calc. Mass	601.2149 601.2161	575.1957	442.2012
Structure	HON SN HCI	HCI NO O O O O O O O O O O O O O O O O O O	HON O O O HCI
Ex.	143	144	145

MMP-14 K _i (IC-50)	0998	>10000	0869
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	9.38	7.35	0.24
MMP-9 K _i (IC-50)	2.29	13.7	2.35
MMP-2 K ₁ (IC-50)	6.41	20.5	1.19
MMP-1 K ₁ (IC-50)	^ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	>10000	>10000
Observed Mass	515.2692 515.2690	529.2849 529.2851	513.2741 513.2734
Calc. Mass	515.2692	529.2849	513.2741
Structure	HON HCI H N HCI	HO N O O O O O O O O O O O O O O O O O O	HO N HCI CH ₃ O CH ₃ CH ₃
Ex.	146	147	148

MIMP-14 K _i (IC-50)	2660	8650	2630
MIMP-13 K _i (IC-50)	1.31	11.2	0.602
MMP-9 K _i (IC-50)	5.87	31.4	11.5
MIMP-2 K ₁ (IC-50)	1.89	4.25	0.305
MIMP-1 K _i (C-50)	×10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i Mass (IC-50) (IC-50) (IC-50)		558.2386 558.2391	593
Calc. Mass	518.2437 518.2447	558.2386	593
Structure	HON HCI HCI HCI HCI HCI HCI HCI H3	HO N HC! H N HC!	HONN HCI HCI O CF3
Ex.	149	150	151

-	(IC-50)		6770	. 3600
Observed MMP-1 MMP-2 MMP-9 MMP-13	(IC-50)	5.74	0.099	0.561
MMP-9	N: (IC-50)	06	6.1	2.15
MIMP-2	K ₁ (1C-50)	0.871	0.502	1.07
MMP-1	K _i (IC-50)	00001<	>10000	^ 10000 ^
Observed	Mass	559.1655 559.1673	535.2197 535.2206	518.2437 518.2447
Calc.	Mass	559.1655	535.2197	518.2437
Structure		HONN SON HCI	HO N S N HCI	HON OOO HCI H N HCI H HCI CH3
Ex.		152	153	154

MIMP-14 K ₁ (IC-50)	on one	2430	2760
	3.30	0.31	1:02
MIMP-9 K ₁ (IC-50)	88. 89.	1.2	4.28
MIMP-2 K _i (IC-50)	1.83	0.75	1.47
MMP-1 K ₁ (IC-50)	>10000 	×10000	>10000
		535.2206	524.1996 524.2006
Calc. Mass	547.2703 547.2691	535.2221	524.1996
Structure	HCI N O CH ₃	HO N HCI	HONN HCI H HCI H HCI N HCI
Ex.	155	156	157

C212 Observed MAR 1 MAR 2 MAR 9 MAR 13 MMP-14		(AC-50) (A	0.80 2.09 0.70	519.2390 519.2399 >10000 0.702 1.93 0.587 2060	.H ₃ 551.1993 551.1986 >10000 0.599 1.79 0.417 2760
•	Structure		HO N HCI	ОН	HO N HCI
	Ex.		158	159	160

MMP-14 K _i (IC-50)	>10000	>10000	
MMP-13 K _i (IC-50)	2.91	7.71	4.01
MMP-9 K ₁ (1C-50)		402	16.4
MMP-2 K ₁	8.26	18.4	6.3
MMP-1 K ₁		>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i K _i IC-50 (IC-50)		483.2272 483.2250	587.1662 587.1667
Calc. Mass	585.2353 585.2362	483.2272	587.1662
Structure	HO N HCI HCI N HCI O CF3	HO N HCI	HO N HCI HCI O CH ₃
Ex.	161	162	163

P-14	99	9	20	000
MMP-14 K	띡	1	Ocor	>10000
Observed MIMP-1 MIMP-2 MIMP-9 MIMP-13 Mass K. K. K. K.	(IC-50)	77	1.03	0.71
MMP-9 K.	(IC-50)	7.53	14.7	2.22
MMP-2 K	(IC-50)	28.6		0.72
MIMIP-1	(IC-50)		~10000	>10000
Observed	141433	23	535	517
Calc.	IMASS	500.2543	535	517
Structure		HON HCI HCI HCI CH3	HONN SN HCI H N HCI N CH ₃	HO N S N HCI H N HCI CH ₃ CH ₃
Ex.		164	165	166

MMP-14 K ₁ (IC-50) 457.7 534.44 84.94	
Σ Θ'	
MMP-13 K ₁ (IC-50) 0.08 0.21 0.21 0.96	
MMP-9 Ki (IC-50) 0.20 0.16 4.99	
0.15 0.15 0.15 0.15	
Ki (IC-50) 6216.67 6375.4 6375.4	
Mass 441.2166 447.1988 371.1379	
Calc. Mass 441.2166 427.201 371.1384	
HO N HCI	O HCI S CF3
168 168 170 170	

Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K _i K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0111	>10000
9 MMP-13 K _i (IC-50)	21.5	191.89
-2 MMP-9 M K _i 0) (IC-50) ((6.91	112.11
MMP-2 K ₁ (IC-50)	6.82	47.33
MMP-1 MMP-2 M K _i K _i (IC-50) (IC-50) (IO	>10000	>10000
Observed Mass	501.2536 501.2534 >10000	527.1894 527.1877 >10000
Calc. Mass	501.2536	527.1894
Structure	HO N HCI HCI CH3	HO N HCI HCI HCI HCI N CH ₃
Ex.	171	172

Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K _i K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50) (IC-50)		2905.8
MMP-13 K ₁ (IC-50)		3.522
MIMP-9 K ₁ (IC-50)		28.938
MIMP-2 K ₁ (IC-50)	607.0	2.132
MMP-1 K ₁ (IC-50)	^10000 	4654.81
Observed Mass	501	468.2155 468.2161 4654.81
Calc. (Mass	501	468.2155
Structure	HO O O O HOUSE THE CH3	HONN HCI H CH3
Ex.	173	174

MMP-14 K ₁ (IC-50)	>10000	181.20
Observed MMP-1 MMP-2 MMP-2 MMP-19 MMP-13 MMP-14 Mass K _i K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50) (IC-50)	8.25	1.73
MMP-9 K _i (IC-50)	439.99	9.63
MMP-2 K ₁ (IC-50)	46.87	1.59
MMP-1 K ₁ (IC-50)	V 10000	1457.26
Observed Mass	512.2537	428.1968 428.1967 1457.26
Calc. Mass	512.2543 512.2537	428.1968
Structure	HO N HCI	HON SON HCI HCI HCI HCI
Ex.	175	176

MMP-14 K _i (IC-50)	71000	2589.54
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 K _i (IC-50) (IC-5	0.847	5.26
MMP-9 K, (IC-50)	18.64	2.23
MMP-2 MMP-9 I K _i K _i (IC-50) (IC-50)	2.33	7.88
MIMP-1 K _i (IC-50)	7358.60	>10000
Observed Mass	511.2589 511.2590 7358.60	471.2409 471.2390 >10000
Calc. Mass	511.2589	471.2409
Structure	HO N HCI N HCI OCH3	HO N HCI HCI N CH ₃
Ex.	177	178

MMP-14 K ₁ (IC-50)	(3615.48)	(5562.14)
MMP-13 K ₁ (IC-50)	(0.53)	(1.21)
MMP-9 K ₁ (IC-50)	(3.39)	(2.25)
MIMP-2 K _i (IC-50)	(1.02)	(2.14)
MMP-1 K ₁ (IC-50)	(>10000)	(>10000)
Observed Mass	513.2769	499.261 (>10000) (2.14)
Calc. Observed MMP-1 MMP-2 MMP-9 Mass K _i K _i K _i (IC-50) (IC-50) (IC-50)	513.2741	499.2585
Structure	HO N S N HCI H N HCI O CH ₃	HO N HCI HCI N HCI
Ex.	179	180

Calc. Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K _i K _i K _i K _i K _i (IC-50) (IC-50) (IC-50)	(>10000)	(7848.42)
MMP-13 K ₁ (IC-50)	(18.02)	(0.14)
MIMP-9 K ₁ (IC-50)	(45.56)	(1.72)
MIMP-2 K ₁ (IC-50)	(10.18)	(0.12)
MMP-1 K _i (IC-50)	(>10000)	(>10000)
Observed Mass	523.2943	523.2949 523.2963 (>10000) (0.12)
Calc. Mass	523.2949	523.2949
Structure	HO O O HOUNT	HON BOOK HCI
Ex.	181	182

1 1	(2035.88)	(2400.02)
MMP-13 K ₁ (IC-50)	(2.76)	(2.26)
MIMIP-9 K _i (IC-50)	(1.67)	(2.79)
MMP-2 K _i (IC-50)	(2.31)	(0.65)
MMP-1 K _i (IC-50)	(>10000)	(>10000)
Calc. Observed MMP-1 MMP-2 Mass Mass K _i K _i (IC-50) (IC-50) (IC-50)	495.2665	489
Calc. Mass	495.2636	489
Structure	HON HCI H HCI H HCI	HO N HCI HCI N HCI
Ex.	183	184

MMP-14 K ₁ (IC-50)		(7483.14)
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 K ₁ K ₂ K ₂ (IC-50) (IC-50)	(1.63)	(2.63)
MMP-9 K ₁	(1.19)	(55.82)
MMP-2 K ₁	(0.59)	(>10000) (3.14) (55.82)
MMP-1 MMP-2 MMP-9 K, K, K, K, C, E0, GC, E0, G	(>10000)	(>10000)
Observed Mass	503	452
Calc. Mass	503	452
Structure	HONN SN HCI	HO N HCI HCI N HCI
Ex.	185	186

1 1	(>10000)	(>10000)
	(47.27)	(4.01)
MMP-9 K ₁ (IC-50)	(154.96)	(33.66)
MMP-2 K _i (IC-50)	(77.98)	(12.45)
MMP-1 K ₁ (IC-50)	(>10000)	(>10000)
Calc. Observed MMP-1 MMP-2 MMP-9 Mass K _i K _i K _i (IC-50) (IC-50) (IC-50)	457.2233	511.2949 511.296 (>10000) (12.45) (33.66)
Calc. Mass	457.2251	511.2949
Structure	HO N HCI N CH ₃	HO O O O O O O O O O O O O O O O O O O
Ex.	187	88

IMP-14 K ₁ IC-50)	0000	6096.14
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 K ₁ K ₂ (IC-50) (IC-50)	2.08	(2.4)
MMP-9 N K _i (IC-50)	34.69	3.76
MMP-2 K, (IC-50)	9.78	(1.6)
MMP-1 K _i (IC-50)	>10000	>10000
Observed Mass	511.2949 511.2963 >10000	497.2792 497.2805 >10000
Calc. Mass	511.2949	497.2792
Structure	HONN SN HCI	HO N HCI HCI CH ₃
Ex.	189	190

· an

MMP-14 K ₁ (IC-50)	6692.13	6976.18
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K _i K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50) (IC-50)	0.578 (<1.0)	1.93 (3.6)
.2 MMP-9 K ₁ (IC-50)	4.21	9.11
MMP-2 K ₁ (IC-50)	0.986 (<0.1)	(1.3)
MMP-1 K ₁ (IC-50)	>10000	>10000 >1
Observed Mass	525.3105 525.3143	483.2636 483.2633 >10000
Calc. Mass	525.3105	483.2636
Structure	HO N HCI HCI CH ₃	HO N HCI HCI CH ₃
Ex.	191	192

という ことの 日本 美味の この 一般できます

MMP-14 K ₁ (IC-50)	`	307.19
Observed MMP-1 MMP-2 MMP-9 MMP-13 K _i CC-50 (IC-50) (IC-50)	(1.9)	(3.1)
MMP-9 K ₁ (IC-50)	3.11	7.19
MMP-2 K _i (IC-50)	(0.2)	(0.5)
MMP-1 K ₁ (IC-50)	7178.46	7728.05
Observed Mass	455.2323 455.2319 7178.46	441.2166 441.2174 7728.05
Calc. Mass	455.2323	441.2166
Structure	HON HCI H HCI H HCI CH ₃	HO N HCI HCI CH ₃
Ex.	193	194

MMP-14 K _i (IC-50)	414.42	6842.26
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)		56.14 (177.4)
MMP-9 K ₁ (IC-50)	23.20	79.64
MMP-2 K, (IC-50)	6.168 (2.4)	(30.5)
MIMP-1 K _i (IC-50)	2982.43	>10000
Observed Mass	427.201 427.1996 2982.43	468.1936 468.1917 >10000
Calc. Mass	427.201	468.1936
Structure	HO N HCI N H	HO N HCI N HCI N CO
Ex.	195	196

MMP-14 K ₁ (IC-50)	>10000	1278.71	4616.01 (6709)
MMP-13 K ₁ (IC-50)	1	59.89 (285)	(0.2)
MMP-9 K _i (C-50)	20.22	252.44	(1.0)
MMP-2 K _i	5.78 (19.1)	(18.2)	0.633 (<0.1)
MMR-1 Ki		8653.80	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K ₁ K ₁ K ₁ K ₁ Mass C. 50 C. 50 C. 50 C. 50	442.2119 442.2122	406.0946 406.0936	511.2949 511.2937 >10000)
Calc. Mass	442.2119	406.0946	511.2945
Structure	HO N N N N N N N N N N N N N N N N N N N	HON N N N N N N N N N N N N N N N N N N	HO N HCI HCI CH3
Ex.	197	198	199

MIMP-14 K ₁ (IC-50)	842.4 (1487)	(300.6)
MIMP-13 K ₁ (IC-50)	1.61 (0.6)	(0.8)
MMP-9 I K _i (IC-50)	0.28 (<0.1)	3.476 (5.7)
MMP-2 N K, (IC-50) (0.521 (<0.1)
MMP-1 K _i (IC-50)	(> 10000) (> 10000)	2730 (6853)
Observed Mass	469.2479 469.2488 >10000 0.524 (>10000) (<0.1)	505.1144
Calc. Mass	469.2479	505.1115 505.1144
Structure	HO O O O O O O O O O O O O O O O O O O	HONN HCI HCI Br
Ex.	200	201

		T	
MMP-14 K ₁ (IC-50)	(1170.3)	(648)	
MMP-13 K ₁ (IC-50)	(0.2)	0.5)	
MMP-9 K ₁ (IC-50)	4.674 (6.3)	2.50 (3.2, 1.9)	
MMP-2 K ₁ (IC-50)	0.432	0.28 (<0.1)	
MMP-1 K _i (IC-50)	7518 (>10000)	7356.6 (>10000)	
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i Mass (IC-50) (IC-50) (IC-50) (IC-50)	511	492	481
Calc. Mass	511	492	481
Structure	HON HCI HCI OCF3	HON S N HCI OCF3	204 HO O O HCI
Ex.	202	203	20

÷.;

1 '	(1C-50)	5020	110	>10000
	딕	2.4	0.41	0.94
MIMP-9		248	0.62	12.3
MMP-2	(IC-50)	2.03	0.63	2.02
MMP-1		>10000	>10000	3250
Observed	Mass	518.2102 518.2100 >10000	495.2636 495.2607 >10000	460
Calc.	Mass	518.2102	495.2636	460
Structure		HONN HCI NOTE OF STATE OF STAT	HON HCI H N HCI O CH ₃	HO, N HCI
Ex.		205	206	207

MIMP-14 K ₁ (IC-50)	621	>10000	4470	2060
MMP-13 K ₁ (IC-50)	0.36	3.32	69.0	1.16
MIMP-9 K ₁ (IC-50)	0.70	157	141	22.9
MMP-2 I	0.24	3.79	1.04	7.41
Ki Ki	1730	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 K ₁ K ₂ (IC-50) (IC-	464	482.168 482.1636 >10000	518.1491 518.1515	475.1890 475.1910
Calc. Mass	464	482.168	518.149	475.189
Structure	HO, N HCI	HON HCI	HO,N THCI	HON HCI
Ex.	208	209	210	211

Structure		Calc. Observed Mass Mass 518.1379 518.1397	Observed Mass 518.1397	MMP-1 K ₁ (IC-50) 9810	MMP-2 K _i (IC-50) 0.54	2 MMP-9 I K _i (IC-50) 2.91	Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i IC-50 IC-50 IC-50 IC-50 518.1397 9810 0.54 2.91 0.30	MMP-14 K ₁ (IC-50) 5630
HON HCI	CF3						. 1	
HO N HCI	CH ₃	444	444	>10000	12.6	82.4	16.1	4275
HON HON N	.	434.1526	434.155	>10000	102	220	482	>10000
HO N S N	N N	378.09	378.0921	×10000	2370	>10000	1890	>10000

Observed MIMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)		1510	4570	
MMP-13 K ₁ (IC-50)	+ 67	1.21	2.03	
MMP-9 K ₁ (IC-50)	596	0.45	2.29	
MMP-2 K ₁ (IC-50)	214	0.29	1.39	
MIMP-1 K ₁ (IC-50)	>10000	>10000	>10000	
Calc. Observed MIMP-1 Mass Ki (IC-50)	420.1412	371.1748 371.1751 >10000	468.1523 468.1517 >10000	
Calc. Mass	420.137	371.1748	468.152	
Structure	HO N S N OH	HON OOO	HO N HCI	HCI N CF3
Ex.	216	217	218	

Â.

MMP-14 K ₁ (IC-50)	3210	>10000
MMP-13 K ₁ (IC-50)	177	10.7
MMP-9 K ₁ (IC-50)	0.46	38.5
MMP-2 K ₁ (IC-50)	2.5	12.7
MMP-1 K ₁ (IC-50)	×10000	>10000
Observed Mass	442.2119 442.2084	469.2125 469.2148
Calc. Mass	442.2119	469.2125
Structure	HON HCI H N N HCI HCI N CH3	HO, N S, N HCI H CF3 HO CF3
Ex.	219	220

MMP-14 K ₁ (IC-50)		>10000	7100
MMP-13 K ₁ (IC-50)	3.52	3.99	1.4
MIMP-9 K _i (IC-50)	14.6	21.5	66.1
MMP-2 K ₁ (IC-50)	8.53	7.88	3.46
MMP-1 K	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i Mass (IC-50) (IC-50) (IC-50)	561.2377 561.2411	490.1676 490.1691	3 523.2012
Calc. Mass	561.2377	490.1676	523.2043
Structure	HO N HCI HCI N HCI CH ₃	HON O O HCI	HON HCI H HCI H CH3
Ex.	221	222	223

Ę	Structuro	Calc.	Observed	MMP-1	MMP-2	MMP-9	MP-13	MMP-14
EX.			Mass	Ķ	Ķ	×	K	K
				(IC-50)	(IC-5((IC-50)	IC-50	(IC-50)
224	HO N HCI HCI N HCI	485.2541	485,2541 485,2545	V10000	2.46	0.73	2.32	7890
225	HCI N HCI	542.2432	542.2432 542.246 >10000	>10000	9.28	28.1	5.88	>10000

PCT/US03/13123

MMP-14 K _i (IC-50)	7880	2510	1530
MMP-13 K ₁ (IC-50)		0.27	0.17
MMP-9 K ₁ (IC-50)	4.64	0.87	0.71
MMP-2 1 K ₁ (TC-50)	2.67	0.46	1.32
MMP-1 K ₁ (IC-50)	- 10000 	000001	>10000
Observed Mass	577.2686	567.2959 567.2988	538.2694 538.2702
Calc. Mass	577.269	567.2959	538.2694
Structure	HO N HCI	HONN HCI	HONN HCI
Ex.	229	230	231

PCT/US03/13123

	T. 1		
MIMP-14 K _i (IC-50)	3510	3080	2880
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K _i K _i K _i K _i K _i K _i Mass (IC-50) (IC-50) (IC-50) (IC-50) (IC-50)	0.56	0.26	1.61
MMP-9 K ₁ (IC-50)	2.3	0.972	33.6
MMP-2 K _i (IC-50)	26.5	0.771	3.16
MIMIP-1 K _i (IC-50)	>10000	>10000	>10000
Observed Mass	458.1778 458.1746 >10000	554.3007 554.2999 >10000	474.1720 474.1727
Calc. Mass	458.1778	554.3007	474.1720
Structure	HO N HCI	HO N HCI N H	HONN HCI
Ex.	232	233	234

MIMP-14 K _i (IC-50)	3960	>10000	7120
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.30	1.47	1.69
MMP-9 K _i (IC-50)		2.61	2.79
MMP-2 K _i (IC-50)	0.76	2.58	2.03
MMP-1 K _i (IC-50)	10000	>10000	>10000
Observed Mass	540.3214 540.3220	546.2415 546.2418 >10000	517.2149 517.2112
Calc. Mass	540.3214	546.2415	517.2149
Structure	HO N HCI	HO N HCI H N CH ₃ O S N - CH ₃	HONN HCI H N HCI H N HCI O=S CH ₃
Ex.	235	236	237

MMP-14 K ₁ (IC-50)	6040	1050
Observed Mass Ki Ki	0.53	0.37
-2 MMP-9 M K _i (IC-50) (2.49	0.46
MMP-2 K _i (IC-50)	1.63	0.54
MMP-1 K, (IC-50)	>10000	>10000
Observed Mass	551.2510 551.2519 >10000	481.2479 481.2448 >10000
Calc. Mass	551.2510	481.2479
Structure	HO N HCI HCI CF3	HONN HCI H NATH
Ex.	238	239

MMP-14 K _i (IC-50)		>10000
MMP-13 K ₁ (IC-50)	0.327	1.06
K _i (TC-50)	1.03	4.74
MIMP-2 K _i (IC-50)	0.536	3.64
MMP-1 K ₁ (IC-50)	>10000	>10000
Observed Mass	540.2850 540.2826 >10000	
Calc. Mass	540.2850	560.2901 560.2883
Structure	HO N HCI HCI H3C CH ₃ CCH ₃	HO O O O O O O O O O O O O O O O O O O
Ex.	240	241

MMP-14 K _i (IC-50)	2390	2050	5310
MMP-13 K ₁ (IC-50)	0.331	0.24	0.57
MMP-9 K ₁ (IC-50)	1.14	0.70	3.9
MIMP-2 K _i (IC-50)	0.591	0.34	1.57
MIMP-1 K ₁ (IC-50)	>10000	V 10000	>10000
Observed Mass	540.2850 540.2843	552.2850 552.2874	568.3163 568.3156
Calc. Mass	540.2850	552.2850	568.3163
Structure	HO N HCI HCI HCI O CH ₃	HONN HCI H N N HCI O N O CH ₃	HON CH ₃ HON CH ₃ CH ₃ CH ₃ CH ₃
Ex.	242	243	244

MMP-14 K	(IC-S0)	2810	5950	1980
	(IC-50)		0.396	0.166
MMP-9 K	(IC-50)	0.588	1.74	0.718
MMP-2 K	(IC-50)	0.475	1.2	0.686
MMP-1 K	(IC-50)	>10000	×10000	>10000
Observed Mass		535.2703 535.2662	535,2590 535,2595	521.2546 521.2554
Calc.	141433	535.2703	535.2590	521.2546
Structure		HO N HCI CH ₃	HO N HCI N HCI CH ₃	HO N HCI H O CH ₃
Ex.		245	246	247

、A. C. A. C. C. A. C. C. Salamondo Salamondo Salamondo A. C. C. Salamondo Salamondo

MIMP-14 K _i	(IC-50) 7220		^10000 ^	>10000
4MP-13 N K ₁	- 1		2.46	18.4
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i	(IC-50) 25.2		11.3	73.9
MMP-2 Kı	(IC-50)		4.98	29.9
MMP-1 Ki	(IC-50) >10000		>10000	^ 10000
Observed Mass	458.1952		547.254	585.1705 585.1711 >10000
Calc. Mass	11		547.259	585.1705
Structure	0	HON HCI	HCI HCI	HO N HCI HCI HCI HCI CH ₃
Ex.	5	748	249	250

MMP-14 K _i (IC-50)	>10000	5180	1930
3	12.9	0.373	0.357
MIMP-9 K ₁ (IC-50)	57.4	1.43	1.57
MIMP-2 K ₁ (IC-50)	22.5	1.38	0.761
MIMP-1 K _i (IC-50)	>10000	>10000	>10000
Observed Mass	551.2075	521.2472	484.2206
Calc. Mass	551.2095 551.2075 >10000	521.2434 521.2472	484.2230 484.2206 >10000
Structure	HON HCI	HON HCI HCI HCI HCI CH ₃	HON HCI H HCI O NH2
Ex.	251	252	253

MMP-14 Kı	856	9995	416
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K ₁ K ₁ K ₂ K ₃	0.10	0.39	0.161
MIMP-9 K	0.63	2.54	0.099
MMP-2 K ₁	0.309	0.858	0.17
MMP-1 K _i	>10000	>10000	>10000
Observed Mass	512.2521	545.2398	411.2061
Calc. Mass	512.2543 512.2521 >10000	545.2434 545.2398	411.2063 411.2061
Structure	HON HCI H N CH ₃	HONN HCI	HONN SON HCI
Ex.	254	255	256

MMP-14 K _i (IC-50)	>10000	4890	2650	2800
	12.9	30.5	0.359	0.301
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	37	457	1.35	0.946
MMP-2 K ₁ (IC-50)	9.64	4.06	0.468	0.467
MMP-1 K ₁ (IC-50)	>10000	>10000	>10000	>10000
Observed Mass	586.2354		546.2426	509.2384
Calc. Mass	586.2311 586.2354		546.2386 546.2426	509.2434 509.2384
Structure	HO N HCI HCI HCI HCI CH3	HO N S N HCI H S O O O O O O O O O O O O O O O O O O	HON HCI H HCI H HCI N HCI	HON HCI H HCI HCI O CH ₃
Ex.	257	258	259	260

P-14	т.	δ.	34	>10000
Z C	48.1	599	<i>w</i>	>10
MMP-13 K _i (IC-50)	1	0.132	0.262	0.048
MIMP-9 K ₁ (IC-50)	1.53	0.061	0.634	20.4
MMP-2 K _i CC-50)	0.276	0.106	0.188	8.23
K, K,	632	2970	605	>10000
Observed MIMP-1 MIMP-2 MIMP-9 MIMP-13 Mass K _i K _i K _i K _i Mass GC-50 GC-50 GC-50 GC-50	383.1778 383.1748	425.2201 425.2217	397.1931 397.1904	517.2479 517.2479
Calc. Mass	383.1778	425.2201	397.1931	517.2479
Structure	HON SON HCI	HON HCI H N N HCI CH ₃	HON HCI	HONN HCI H HCI H HCI H HCI H CH3
Ex.	261	262	263	264

<u>_</u>				
1	K _i (IC-50)	3790	2390	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13	K _i (IC-50)	0.637		0.64
MMP-9	K _i (IC-50)		0.957	2.54
MMP-2	K_i (IC-50)	0.878	0.422	0.836
MMP-1	K ₁ . (IC-50)		>10000	>10000
Observed	Mass	551.2151 551.2184	546.2386 546.2397	525.2747 525.2777 >10000
Calc.		551.2151.	546.2386	525.2747
Structure		HO N S N HCI H CH3	HON SON HCI	HON SON HCI H CH3 OCH3 OCH3
Ex.		265	266	267

MIMP-14 K _i (IC-50)	390	1200	1110
20) (Te			·
MMP	0.31	0.25	0.339
MIMP-9 K ₁ (IC-50)	1.08	0.953	0.205
MMP-2 K ₁ (IC-50)	0.564	0.436	0.176
MMP-1 K _i	9320	6400	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i Mass CC-50 CC-50 CC-50 CC-50	513.2377 513.2362	469.2121 469.2108	484.2606 484.2588
Calc. Mass	513.2377	469.2121	484.2606
Structure	HONN HCI	HCI	HCI CH ₃
Ex.	268	269	270

MMP-14 K _i (IC-50)	1460	4351	5090
Observed MIMP-1 MIMP-2 MIMP-13 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.452	0.33	0.313
MMP-9 K _i (IC-50)	1.49	0.542	1.21
MMP-2 K _i (IC-50)	0.668	0.662	0.622
MIMP-1 K ₁ (IC-50)	7470	>10000	>10000
Observed Mass	499.2228	479.2664	511.2544
Calc. Mass	499.2221 499.2228	479.2687 479.2664	511.2585 511.2544
Structure	HO N HCI	HO N S N HCI HCI HCI HCI CH3	HO N HCI H CH ₃ CH ₃ CH ₃
Ex.	271	272	273

4			00
MMP-14 K _i (IC-50)		818	>10000
MMP-13 K ₁ (IC-50)	0.484	0.216	2.49
MIMP-9 K ₁ (IC-50)	1.66	0.807	9.39
MIMP-2 K _i (IC-50)	0.826	0.381	5.7
MMP-1 Ki	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i K _i IC-50 (IC-50)	497.2428 497.2461	533.2541 533.2575	441.2166 441.2171
Calc. Mass	497.2428	533.2541	441.216
Structure	HCI PCI	HON CH ₃ O CH ₃ HON HCI HCI HCI HCI HCI HCI HCI HCI	HON HCI H HCI H HCI
Ex.	274	275	276

.; .;

-				
MMP-14 K ₁ (IC-50)	3020	5260	4270	7310
Observed MIMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.23	0.49	0.32	1.02
MMP-9 K ₁ (IC-50)	0.95	2	3.07	3.61
MMP-2 K _i (IC-50)		0.81	1.11	2.76
MMP-1 K _i (IC-50)		>10000	>10000	>10000
Observed Mass	546.2381 546.2408	525.2741 525.2715	456.2163 456.2176	455.2323 455.2300
Calc. Mass	546.2381	525.2741	456.2163	455.2323
Structure	HONN SON HCI	HO N HCI H CH ₃ CH ₃	HO N HCI CH3	HONN SN HCI H N HCI CH3
Ex.	277	278	279	280

MMP-14 K ₁ (IC-50)	. 1630	1480	548.90
MMP-13 K ₁ (IC-50)	0.442	0.27	0.19
MMP-9 K _i (IC-50)	2.16	0.098	0.69
MMP-2 K ₁ (IC-50)	0.769	0.50	0.37
MMP-1 K ₁ (IC-50)		>10000	9790.62
Observed MIMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i AC-50 (IC-50) (IC-50) (IC-50)	553.1994 553.1982	483.2272 483.2241	535.2333 535.2329
Calc. Mass	553.1994	483.2272	535.2333
Structure	HCI CH3	HO O O O HOCI OF THE HOCI OF T	HO N HCI HCI N HCI
Ex.	281	282	283

MMP-14 K ₁ (IC-50)		>10000	>10000
	0.12	2.06	5.97
MMP-9 K ₁ (IC-50)	0.99	9.83	22.31
MMP-2 K ₁ (IC-50)	0.81	1.55	5.17
MMP-1 K _i (IC-50)	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	517	549	459
Calc. Mass	517	549	459
Structure	HON HCI FORM	HO N HCI N H	HO N S N HCI H N HCI H HCI O CH ₃
Ex.	284	285	286

MMP-14 K _i . (IC-50)	6936.23	2095.67	4043.59
		0.31	0.82
MMP-9 K ₁ (IC-50)	13.92	1.86	7.523
MMP-2 K _i (IC-50)	9.44	0.227	1.229
MIMP-1 K _i (IC-50)	>10000	>10000	>10000
Observed MMP-1 MMR-2 MMR-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	517	508.2588 508.2607	494.2532 494.2444
Calc. Mass	517	508.2588	494.2532
Structure	HO N HCI N H	HON S'N HCI HCI NOCH,	HON HCI H HCI HCI HCI N HCI
Ex.	287	288	289

MMP-14 K,	(IC-50)	(3796.20)	>10000 (>10000)	6536.44
_			5.948 (3.02)	(0.7)
MMP-9 K		(1.42)	24.003 (16.01)	3.51
MMP-2 K.	(IC-50)	(59.46)	5.52 (2.83)	1.74 (0.2)
MIMP-1	(IC-50)	(>10000)	>10000)	>10000
Observed	IVIASS	511.2563 (>10000) (59.46)	519	498.2381 498.2389
1	Mass	5112585	519	498.2381
Structure		HO N S N S N S N S N S N S N S N S N S N	HO N HCI HCI HCI CH ₃	T X F
Ex.		290	291	292

MIMP-14 K ₁ (IC-50)	5438.06	1859.51
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K _i K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50) (IC-50)	0.313	(0.5)
MMP-9 K ₁ (IC-50)	2.21	32.36
MMP-2 K ₁ (IC-50)	0.486 (0.3)	(<0.1)
MMP-1 K _i (IC-50)	>10000	>10000
Observed Mass	550	515
Calc. Mass	550	515
Structure	HO N HCI N H	HO N HCI HCI N HCI S CF3
Ex.	293	294

MMP-14 K _i (IC-50)	8645 (>10000)	(>10000)	(>10000, 6469.7)
	9.133 (<0.1)	(0.9)	(1.7)
MMP-9 K _i (IC-50)	(0.1)	47.61 (115.9)	(31.1)
MMP-2 K ₁ (IC-50)		6.73 (<0.1)	1.36 (0.4)
MMP-1 K _i (IC-50)	>10000 (>10000)	>10000 (>10000)	>10000
Observed MMP-1 Mass K ₁ (IC-50)			501
Calc. Mass			501
Structure	HO O O O HCI HCI HCI CH ₃	HO N HCI HCI CH ₃	HO N HCI HCI N HCI
Ex.	295	296	297

MMP-14 K ₁ (IC-50)	>10000 >10000)	>10000	00000 1
		3.04 (9.3)	(61.2)
MMP-9 K ₁ (IC-50)	(3.0)	43.6	141.73
MMP-2 K _i (IC-50)	3.27	22.49 (12.5)	67.05 (27.3)
MMP-1 K ₁ (IC-50)	>10000)	^ 10000 ^	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)		442.2012 442.1992 >10000	448.1212 448.1214
Calc. Mass		442.2012	448.1212
Structure	HO N S N HCI CH3	HO N CH ₃	HO N S N CH ₃
Ex.	298	299	300

1、1、1のでは一個では、100円である。

			
MIMP-14 K ₁ (IC-50)	(>10000)	645	31.7
Observed MIMP-1 MIMP-2 MIMP-9 MIMP-13 MIMP-14 Mass K _i K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50) (IC-50)	(6:0)	0.136	0.863
MIMP-9 K _i (IC-50)	(2010)	0.133	1.03
MMP-2 K ₁ (IC-50)	(2.6)	0.407	0.444
MMP-1 K ₁ (IC-50)	(>10000)	6700	602
Observed Mass	532.1748 532.1759 (>10000)	440.2219 440.2231	448.0542 448.0530
Calc. Mass	532.1748	440.2219	448.0542
Structure	HON HCI HCI HCI NOTH,	HO N HCI	HO N HCI
Ex.	304	305	306

Σ	K _i (IC-50)	1290	1040	1440
13	K _i (IC-50)	0.654	4.26	0.355
MIMP-9	K _i (IC-50)	0.94	11.3	0.102
MIMP-2		0.505	6.36	0.328
MMP-1	K _i (IC-50)	6810	6780	>10000
Observed	Mass	426.2063 426.2069	482.1563	522.2208
Calc.	Mass	426.2063	482.1561 482.1563	522.2244 522.2208 >10000
Structure		HO N HC!	HO N HCI	HO N S N CF3
Ex.		307	308	309

MIMP-14 K _i (IC-50)	4820	>10000	2045
	0.268	1.56	0.2
MMP-9 K _i (IC-50)	0.346	35.7	0.24
MMP-2 K ₁ (IC-50)	0.919	103	0.52
MIMP-1 K, (IC-50)	>10000	×10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	536,2401 536,2418	487.2043 487.2038	572.2212 572.2191
Calc. Mass	536.2401	487.2043	572.2212
Structure	HO N S N HCI HCI CF3	HO O O O O O CH3	HO N HCI HCI F F
Ex.	310	311	312

i. }

Calc. Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass Mass K _i K _i K _i K _i K _i S20.2588 520.2602 >10000 1.47 1.89 0.44 5750 460.61 461.15 >10000 9.1 22 19.6 1310 487.1776 487.1772 >10000 1822.42 4958.8 419.87 >10000
s K ₁
s K ₁ K ₁ K ₁ K ₁ K ₁ (1C-50) (1C
s K ₁ K ₁ K ₁ (1C-50) (1C-50) (02 >10000 1.47 5 >10000 9.1
s K ₁ (1C-50) (02 >10000 5 >10000
s s s 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Mass 520.2602 461.15 487.1772
Calc. Observed Mass Mass 520.2588 520.2602 460.61 461.15 487.1776 487.1772
HON CF3COH
313 314 315 315

MIMIP-14 K ₁ (IC-50)	910	653	1490	>10000	3930
	0.77	0.71	62.3	4.62	0.501
MIMP-9 K ₁ (IC-50)	2.39	2.18	1380	923	133
MIMP-2 K, (IC-50)		0.55	79	33.1	0.842
MMP-1 K ₁ (IC-50)	5520	2410	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)					
Calc. Mass					
Structure	HO'N S'N N F	HO, N S-N HCI	HO'N S'N N O'H	HO,N S-N N N P	HO, N S-N N CF3
Ex.	316	317	318	319	320

MIMP-14 K _i (IC-50)	>10000	>10000	1290	1150
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	>10000	>10000	0.65	3.55
MIMP-9 K _i (IC-50)	>10000	>10000	60.0	2.39
MMP-2 K ₁ (IC-50)	>10000	7870	0.50	1.22
MMP-1 K _i (IC-50)	>10000	>10000	6210	1860
Observed Mass				
Calc. Mass	·			
Structure	$HO_{N} \xrightarrow{O}_{S-N} \xrightarrow{N} \xrightarrow{O}_{N}$	HO, N, S, N, OH	HO'N S'N NO HCI	HO, N S-N N O O CH ₃
Ex.	321	322	323	324

391

MMP-14 K ₁ (IC-50)	912	2430	1370	2690
MIMP-13 K ₁ (IC-50)	60.0	0.31	0.499	0.71
MMP-9 K _i (IC-50)	0.32	2.03	35.6	95.7
MIMIP-2 K _i (IC-50)	0.18	0.34	0.97	3.58
MMP-1 K _i (IC-50)	7510	6580	7300	3720
Observed MMP-1 MMP-2 MMP-9 Mass K _i K _i K _i (IC-50) (IC-50) (IC-50)				
Calc. Mass				
Structure	HO'N S'-N N N N N N N N N N N N N N N N N N N	HO N S N HCI		HO, N S-N ACI
Ex.	325	326	327	328

			· · · · · · · · · · · · · · · · · · ·		
MIMP-14	$K_{\rm i}$ (IC-50)	>10000	>10000	13.5	>10000
Observed MMP-1 MMP-2 MMP-13	K _i (IC-50)	×10000	0.92	0.193	28.2
NIMP-9	K _i (IC-50)	>10000	3.03	1.7	260
MMP-2	K _i (1C-50)	>10000	1.18	0.103	190
MMP-1	K _i (IC-50)	>10000	5360	279	5110
Observed	Mass				
Calc.	Mass				
Structure		HON SON CI	HO, N S, N H	HO, N S-N N N H	HO, N S-N N N N N N N N N N N N N N N N N N
Ex.		329	330	331	332

MMP-14 K ₁ (IC-50)	2360	5770	9290
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K ₁ K ₁ K ₁ K ₁ K ₁ (IC-50) (IC-50) (IC-50) (IC-50) (IC-50)	1.12	2.75	0.489
MMP-9 K _i (IC-50)	1.05	1.19	0.384
MMP-2 K ₁ (IC-50)	0.58	5.99	0.618
MMP-1 K ₁ (IC-50)	>10000	>10000	>10000
Observed Mass			,
Calc. Mass			
Structure	HO, N S-N N HCI	HO, N O O O O O O O O O O O O O O O O O O	HO, N, S, N, HCI F, HCI CF ₃
Ex.	333	334	335

MIMP-14 K _i (IC-50)	2520	1610	1330
MP-13 K _i [C-50)	0.522	0.708	0.302
-2 MMP-9 M K _i (IC-50) ((1.38	0.792	0.738
MMP-2 K _i (IC-50)	0.606	0.427	1.09
MIMP-1 K _i (IC-50)	2640	3290	0986
Observed Mass			
Calc. Mass			
Structure	HON SON H	HO,N S-N H	HO _N S-N N CF ₃
Ex.	336	337	338

. :

MMP-14 K _i (IC-50)	>10000	34.9	75	38.1	114
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	3.89	0.167	0.267	0.236	0.167
MMP-9 K ₁ (IC-50)	108	0.489	0.492	0.416	2.05
MMP-2 K _i (IC-50)		0.113	0.177	0.169	0.215
MMP-1 K _i (IC-50)	^ 10000	5250	3520	5540	5690
Observed Mass					
Calc. Mass					
Structure	HO, N S N N CF3	HO, N S-N N S	HO, N S-N S-N S CH ₃	HO,N S-N N S-N N S-N N S-N N N N N N N N N	HONN S-N N S CF3
Ex.	342	343	344	345	346

MMP-14 ·K ₁ (IC-50)		650	>10000	4470
	1.48	2.99	5.08	0.523
MMP-9 K ₁ (IC-50)	6.38	9.57	29.2	1.21
MIMP-2 K _i (IC-50)	8.57	4.61	2.12	0.891
MIMP-1 K, (IC-50)	2770	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i (IC-50) (IC-50) (IC-50)				
Calc. Mass				
Structure	HO, N S CH ₃		0)×	HO,N S-N HCI FF
Ex.	347	348	349	350

14			0	
MMP-	K _i	4740	>10000	2710
MIMP-13	K,	0.359	3640	0.378
MMP-9	K,	0.431	6610	0.546
MMP-2	$K_i = K_i = K_i = K_i = (C-50)$	1.26	2130	1.29
MMP-1	K _i (IC-50)	>10000	>10000	8580
Observed	Mass			
Calc.	Mass			
Structure		HONN SON	HO N S N N O O O O O O O O O O O O O O O	HONN SON
Ex.		351	352	353

MMP-14 K _i (IC-50)	4140	3440	3420
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	165	51.1	35.3
MMP-9 K _i (IC-50)		638	
MMP-2 K ₁ (IC-50)	89.4	38.3	65.7
MMP-1 K ₁ (IC-50)	>10000	>10000	>10000
Observed Mass			
Calc. Mass			
Structure	HO, N S N N N N N N N N N N N N N N N N N	HO N S-N N HCI O HCI OCE3	HO, N S N N N N N N N N N N N N N N N N N
Ex.	354	355	356

٠,;

P-14	K _i (IC-50)	06:	2950	42.9	216
~	TC TC	22	29		2.5
MMP-13	K _i (IC-50)	1.2	0.15	0.439	0.426
MMP-9	(IC-50)	0.718	0.86	1.21	6.28
MMP-2	(IC-50)	0.919	0.281	0.266	0.395
MMP-1	K ₁ (IC-50)	3780	>10000	2600	>2500
Observed MMP-1 MMP-2 MMP-9 MMP-13	Mass				
	Mass				
Structure		HO,N S-N HOON	HO, N S-N N N N CH3	HO, N S-N N-S-N F	HO, N S-N S-N B N S HCI
Ex.		357	358	359	360

MMP-14 K ₁ (1C-50)	497, 460	150	27.8	69.7
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K ₁ K ₁ K ₁ K ₁ K ₁ Mass Control of Contr	06, 1.07	0.408	0.076	0.106
-2 MMP-9 I	32.9 32.9	1.37	1.74	0.802
MMP-2 N Ki	1.37	0.333	0.056	0.187
MMP-1 Ki	>2500, >2500,	2120	2350	3940
Observed Mass				
Calc. Mass				
Structure	HON NON NON NON NON NON NON NON NON NON	HO, N S N N S N N S N N N N N N N N N N N	HONN SON NOT S	HO, N S CF ₃ H S N N S N CF ₃
Ex.	361	362	363	364

The state of the s

				· · · · · · · · · · · · · · · · · · ·
MMP-14 K _i (IC-50)		50.3	3290	180
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	101	0.182	0.835	0.329
MMP-9 K ₁ (IC-50)	1240	2.44	0.625	0.423
MMP-2 I K ₁ (IC-50)	201	0.264	0.978	0.225
MMP-1 K ₁ (IC-50)	>10000	2160	9760	3350
Observed Mass			·	:
Calc. Mass	·			
Structure	HO, N S N S N S N S N S N S N S N S N S N	HO, N S CH ₃ HO, N S CH ₃ HO, N S CH ₃	HON SON NO OF OF THE OF	HO, N S-N S-N S-N S-N S-N S-N S-N S-N S-N S
Ex.	365	366	367	368

MMP-14 K, (IC-50)	343	341	1590	462, 470
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	1.35	4.16	1.35	0.485, 0.654
MMP-9 K ₁ (IC-50)	22.7	9.1	6.5	0.665,
MMP-2 K _i (IC-50)	0.879	1.34	4.14	0.451, 0.479
MIMP-1 K ₁ (IC-50)	>10000	5740	8250	611, 795
Observed Mass				
Calc. Mass				
Structure	HO, N S N S N O O O O O O O O O O O O O O O	HO, N S-N S-N S CH ₃	HO, N S N S CH ₃	HO,N S'N N N
Ex.	369	370	371	372

MMP-14 K ₁ (IC-50)		195	2860	3120
MMP-13 K _i (IC-50)	3.37	5.72	509	31.2
MMP-9 I K ₁ (IC-50)	7.65	219	105	114
MMIP-2 K ₁ (IC-50)	6.12	18.6	44.1	27.1
MMP-1 K _i (IC-50)	×10000	303	^10000	>10000
Observed Mass				
Calc. Mass				
Structure	HON OOO OOO	HO, N S-N CH ₃	HON SON OF F	HO,N S-N H C O
Ex.	373	374	375	376

MMP-14	K _i (1C-50)	>10000	>10000	283	3210
MMP-13	K _i (IC-50)	87.5	48.4	0.167	0.651
MMP-9	K ₁ (IC-50)	174	219	3.97	16.2
MIMIP-2	K, (IC-50)	37.5	24.8	0.14	1.39
MMP-1	K _i (IC-50)	>10000	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-13	Mass				
Calc.					
Structure		HONN SAN F	HONN SON BEAUTY	HONN S'N S'N CH3	HONN SON SON SON SON SON SON SON SON SON
\$ [2	EÅ.	377	378	379	380

MIMP-14 K _i (IC-50)	54.1	778	>10000	867
(IC-50)	0.074	0.647	104	0.272
2 MMP-9 N K _i (IC-50)	1.03	4.26	9520	6.4
MMP-2 K _i (IC-50)	0.209	0.68	1230	0.185
MIMP-1 K ₁ (IC-50)	3250	2690	>10000	266
Observed Mass				
Calc. Mass				
Structure	HO, N S-N S CH ₃	HONN SON NO ON NO N	HO N S-N N-S HCI O NH2	HONN S-N N S
Ex.	381	382	383	384

MMP-14 K _i (IC-50)	2930	>10000	4550
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.378	2.29	31
MMP-9 K ₁ (IC-50)	0.829	4.9	34.6
MMP-2 K ₁ (IC-50)	0.573	4.88	6.71
MMP-1 K _i (IC-50)	×10000	>10000	>10000
Observed Mass			
Calc. Mass			
Structure	HO, N S-N HCI F	HONN SON F	HONN SON HCI
Ex.	385	386	387

MMP-14 K _i (IC-50)	>10000	3170	>10000	136
	15.1	0.47	6.72	2.48
MMP-9 Ki (IC-50)	2.3	1.34	53.2	4.44
MIMP-2 K ₁ (IC-50)	11.2	0.38	12.3	1.93
MIMP-1 K _i (IC-50)	>10000	>10000	7880	2370
Observed MMR-1 MMR-2 MMR-9 MMR-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)				
Calc. Mass				
Structure	HO, N HCI N HCI HCI CH3	HO'N S'-N N F	HCI N	HO, N S-N N- H
Ex.	388	389	390	391

		T	r	T
17	K _i (IC-50)	7650	2920	514
<u> </u>	K _i (IC-50)		0.54	0.15
MMP-9	K ₁ (IC-50)	0.39	0.00	5.67
MMP-2	$\left \begin{array}{c} \mathbf{K_i} \\ (\mathbf{IC-S0}) \end{array} \right $	2.32	0.69	1.31
MMP-1	K _i (IC-50)	>10000	>10000	1950
Observed	Mass			
Calc.	Mass			
Structure		$\begin{array}{c c} & O & O & HCI \\ & W & W & W \\ & H & W & HCI \\ & CH_3 & CH_3 \end{array}$	HO, N S-N HCI H N HCI CH ₃	HO, N S-N HCI
Ex.		396	397	398

MMP-14 K ₁ (IC-50)	69.6	724	2720	
		0.28	9.05	0.58
MIMP-9 K ₁ (IC-50)	0.57	1.4	4.22	0.19
MIMP-2 K _i (IC-50)		0.71	12.8	0.83
MMR-1 K, (IC-50)		3320	>10000	3650
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)				
Calc. Mass				
Structure	HO, N S N N S N N S N N N N N N N N N N N	HO, N S CH ₃	HO N S - N	HO, N S-N
Ex.	399	400	401	402

1					T
MMP-14 K ₁ (IC-50)		71.8	95.7	1190	3030
Observed MIMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	2.47	0.33	0.18	1.28	0.78
MIMP-9 K _i (IC-50)	7.37	2.29	3.39	0.76	1.9
MMP-2 K _i (IC-50)	4.96	1.41	1.27	1.76	0.361
MMP-1 K _i (IC-50)	>10000	>10000	8320	9010	>10000
Observed Mass					
Calc. Mass					
Structure	HO'N S'N O	HO, N S-N O CF3	HON SON O O O O O O O O O O O O O O O O O	HO, N S-N CH ₃	HO, N S-N HCI
Ex.	403	404	405	406	407

MMP-14 K ₁ (IC-50)	1050	1770	1360	>10000	>10000
		22.3	0.20	7.75	>10000
MMP-9 K ₁ (IC-50)	10.2	13.6	0.55	2.04	>10000
MIMP-2 K ₁ (IC-50)	6.48	24.3	0.55	15.3	>10000
MMP-1 K _i (IC-50)	>10000	>10000	3490	>10000	^10000
Observed MIMP-1 MIMP-2 MIMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)					
Calc. Mass					
Structure	HO, N S-N N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N	HON SON HCI	HONN SON HCI	HO, N S-N CF3	HO, N S-N N S
Ex.	408	409	410	4111	412

MMP-14 K ₁	00000	>10000	>10000	
		4190	2420 >	1.35
Observed MIMP-1 MIMP-2 MIMP-9 MIMP-13 Mass K ₁ K ₁ K ₁ K ₁ (IC-50) (IC-50) (IC-50) (IC-50)		>10000	>10000	1.49
MIMP-2 K _i (IC-50)	<u> </u>	2660	2880	2.07
MIMP-1 K _i (IC-50)		>10000	>10000	6420
Observed Mass				
Calc. Mass				
Structure	HONN SON HCI	HO, N S-N N N N S	HO-N S'-N N N N N N N N N N N N N N N N N N N	HONN SON HCI
Ex.	413	414	415	416

MMP-14 K ₁ (IC-50)		5360	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	3.84	0.46	34	175
MMP-9 K ₁ (IC-50)	4.1	1.86	112	80.3
MMP-2 K _i (IC-50)	4.13	0.97	27.9	181
MMP-1 K ₁ (IC-50)	1830	3080	>10000	>10000
Observed Mass				
Calc. Mass				
Structure	HO,N S-N N-S-N HCI	HONN S-N N- CF3	HO, N N N N N N N N N N N N N N N N N N N	HONN SON OH
Ex.	417	418	419	420

[983] **Examples A1-A67**

[984] Examples A1 thru A69 provide additional illustrations for preparing compounds of this invention.

[985] Example A1. Preparation of 4-(4-benzyloxymethyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[986] Part A. Preparation of 4-hydroxymethyl-piperidine-1-carboxylic acid tert-butyl ester:

10

15

20

25

5

A 500 mL round-bottom flask was charged with 4-piperidinyl methanol (25.2 g, 0.22 mol) and tetrahydrofuran (125 mL). Triethylamine (33.6 mL, 0.24 mol) was added, and the flask was immersed into an ice bath. A solution of di-tert-butyl dicarbonate (50.2 g, 0.23 mol) in tetrahydrofuran (50 mL) was then added dropwise, maintaining the temperature at less than -5°C. After complete addition, the ice bath was removed and the reaction mixture was stirred overnight (18 hr). The solvent was subsequently removed *in vacuo*, and the residue was partitioned between ethyl acetate (300 mL) and water (150 mL). The organic layer was separated, washed with 5% HCl aqueous solution (150 mL), washed with water (150 mL), and washed with brine (150 mL). The organic layer was then dried over magnesium sulfate, filtered, and concentrated *in vacuo*. The crude product was triturated with hexane to form a white crystalline solid. The solid was collected by vacuum filtration, and further dried *in vacuo* to produce 42.7 g of a white crystalline solid product (91% yield). 1 H NMR (CDCl₃) δ 1.13 (m, 2H), 1.45 (s, 9H), 1.55-1.75 (m, 3H), 2.70 (m, 2H), 3.49 (d, J = 6 Hz, 2H), 4.12 (br d, J = 13.5 Hz, 2H); electrospray mass spectrometry showed m/z = 116 (M-Boc+H).

Part B. Preparation of 4-benzyloxymethyl-piperidine-1-carboxylic acid tert-butyl ester:

$$H_3C$$
 H_3C
 N
 O
 O
 O

A 500 mL round-bottom flask was charged with 60% NaH oil dispersion (7.82 g, 0.2 mol) and dimethylformamide (150 mL). The flask was immersed into an ice water bath. To this suspension was added dropwise a solution of the product from Part A (35 g, 0.16 mol) in dimethylformamide (100 mL), maintaining the temperature at less than 5°C. After complete addition, the mixture was warmed to room temperature and stirred for 45 min. The flask was again immersed into an ice water bath, and a solution of benzyl bromide (25.2 mL, 0.212 mol) in dimethylformamide (25 mL) was added dropwise into the reaction mixture. After complete addition, the flask was removed from the ice bath, and the reaction mixture was warmed to 60°C for 4 hr. The flask was then cooled to room temperature and stirred overnight. The reaction mixture was poured into 1.5 L ice water, and the aqueous layer was extracted twice with ethyl acetate (250 mL). The combined organic layers were washed with brine (400 mL), dried over magnesium sulfate, filtered, 15 and concentrated in vacuo to afford 52.9 g of a yellow oil product. Electrospray mass spectrometry showed m/z = 206 (M-Boc+H).

Part C. Preparation of 4-benzyloxymethyl-piperidine: 19881

The product from Part B (52.9 g) was dissolved in 1,4-dioxane (100 mL) in a 500 mL round-bottom flask, and 4 N HCl in 1,4-dioxane (120 mL, 0.48 mol) was added. The reaction mixture was stirred at room temperature for 1 hr. Volatiles were removed in vacuo, and the residue was triturated with hexane. A white solid formed, which was collected by vacuum filtration, further washed with hexane, and dried in vacuo. The solid was partitioned between ethyl acetate (400 mL) and 10% potassium carbonate/water (400 mL). The organic layer was separated, dried over magnesium sulfate, filtered, and concentrated in vacuo to afford 18.4 g of a yellow oil product (55% yield over two reaction steps). ¹H NMR (CDCl₃) δ 1.14 (m, 2H), 1.70-1.80 (m, 3H), 2.58 (m, 2H), 3.06

5

10

20

(br d, J = 12 Hz, 2H), 3.29 (d, J = 6 Hz), 4.48 (s, 2H), 7.25-7.35 (m, 5H); Electrospray mass spectrometry showed m/z = 206 (M+H).

[989] Part D. Preparation of 4-benzyloxymethyl-1-methanesulfonyl-piperidine:

5

10

15

A 250 mL round-bottom flask was charged with the product from **Part C** (18.3 g, 89 mmol), dichloromethane (175 mL), and triethylamine (15 mL, 107 mmol). The flask was immersed into an ice water bath. A solution of methanesulfonyl chloride (7.2 mL, 93 mmol) in dichloromethane (25 mL) was then added dropwise, causing the temperature to be maintained at from 5 to 10°C. After complete addition, the flask was slowly warmed to room temperature and stirred for 18 hr. The reaction mixture was then washed sequentially with water (250 mL), 5% HCl (250 mL), and water (250 mL). The organic layer was dried over magnesium sulfate, filtered, and concentrated *in vacuo* to afford 23.7 g of a tan solid product (94% yield). ¹H NMR (CDCl₃) δ 1.35 (m, 2H), 1.73 (m, 1H), 1.86 (br d, J = 12.8 Hz, 2H), 2.66 (m, 2H), 2.75 (s, 3H), 3.32 (d, J = 6.4 Hz, 2H), 3.79 (br d, J = 11.6 Hz, 2H), 4.49 (s, 2H), 7.25-7.35 (m, 5H); Electrospray mass spectrometry showed m/z = 284 (M+H).

[990] Part E. Preparation of (4-benzyloxymethyl-piperidine-1-sulfonyl)-acetic acid tert-butyl ester:

20

25

A 1 liter round-bottom flask was charged with the product from **Part D** (23.4 g, 83 mmol) and tetrahydrofuran (100 mL). The flask was immersed into a dry ice/acetone bath. A 1 M solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (0.25 L, 0.25 mol) was then added via an addition funnel at a rate which caused the temperature to be maintained at from -70 to -65°C. After complete addition, the reaction mixture was stirred for 10 min with cooling. A solution of di-tert-butyl dicarbonate (18.9 g, 86.7 mmol) in tetrahydrofuran (25 mL) was then added dropwise, maintaining temperature at from -70 to -65°C. After complete addition, the reaction flask was immersed into an ice water bath

PCT/US03/13123 WO 03/091247

and stirred for 30 min. The reaction was subsequently quenched by careful addition of saturated ammonium chloride (200 mL). Afterward, the organic layer was separated, and the aqueous layer was extracted twice with ethyl acetate (250 mL). The combined organic layers were washed with 5% HCl (2x200 mL) and brine (200 mL). The organic layer was then dried over magnesium sulfate, filtered, and concentrated in vacuo to afford 29.4 g of a tan crystalline solid product (93% yield). ¹H NMR (CDCl₃) δ 1.32 (m, 2H), 1.48 (s, 9H), 1.64 (m, 1H), 1.82 (br d, J = 13.6 Hz, 2H), 2.85 (m, 2H), 3.32 (d, J = 6.8 Hz, 2H), 3.80 (s, 2H), 3.82 (br d, J = 13 Hz, 2H), 4.48 (s, 2H), 7.25-7.35 (m, 5H); Electrospray mass spectrometry showed m/z = 384 (M+H).

[991] Part F. Preparation of 4-(4-benzyloxymethyl-piperidine-1-sulfonyl)tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 500 mL round-bottom flask was charged with the product from Part E (29.1 g, 76 mmol), dimethylformamide (125 mL), 18-crown-6 (6 g, 22.8 mmol), potassium carbonate (31.5 g, 228 mmol), and 2-bromoethyl ether (11.7 mL, 83.5 mmol). The resulting mixture was heated to 60°C with vigorous stirring for 44 hr. After cooling to room temperature, the reaction mixture was poured into 500 mL ice water. The mixture was then extracted with ethyl acetate (300 mL). Afterward, the organic layer was washed with brine (400 ml). The organic layer was then dried over magnesium sulfate, filtered, and concentrated in vacuo to form 40 g of a dark yellow oil. Purification via flash column chromatography on silica gel (3X6 inch column) afforded 30.2 g of a yellow oil product (88% yield). ¹H NMR (CDCl₃) δ 1.30 (m, 2H), 1.50 (s, 9H), 1.77 (m, 3H), 2.10 (dt, J = 4.6, 12.6 Hz, 2H), 2.31 (d, J = 11.6 Hz, 2H), 2.94 (t, J = 12.4 Hz, 2H), 3.25-3.33 (m, 4H), 3.77-3.84 (m, 2H), 3.95 (dd, J = 4.2, 11.1, 2H), 4.48 (s, 2H), 7.25-7.35 (m, 5H); Electrospray mass

spectrometry showed m/z = 454 (M+H). 25

5

10

15

20

: ;

[992] Part G. Preparation of 4-(4-benzyloxymethyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid:

A 2-dram glass vial was charged with the product from Part F (302 mg, 0.67 mmol),

dichloromethane (1 mL), and trifluoroacetic acid (1 mL). The vial was capped, and the mixture was stirred at room temperature for 2 hr. The solvent was then removed in vacuo, and the product was precipitated with diethyl ether/hexane (1:1). The white crystalline precipitate was collected by vacuum filtration and dried in vacuo. The yield after drying overnight was 210 mg (79% yield). Electrospray mass spectrometry showed m/z = 398

(M+H).

[993] Part H. Preparation of 4-(4-benzyloxymethyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

A 2-dram glass vial was charged with the product from Part G (210 mg, 0.53 mmol), a

0.5 M solution of hydroxybenzotriazole in dimethylformamide (2.1 mL, 1.05 mmol), a 0.5

M solution of tetrahydropyanyl hydroxylamine in dimethylformamide (2.1 mL, 1.05 mmol), ethyl 3-(dimethylamino)propyl carbodiimide hydrochloride (182 mg, 1.05 mmol), and triethylamine (294 uL, 2.1 mmol). The resulting mixture was stirred at room temperature for 18 hr, and then partitioned between ethyl acetate (5 mL) and water (5 mL).

The organic layer was washed with 5% HCl (5 mL) and filtered through a pad of celite. The filtrate was concentrated *in vacuo* and purified by preparative reversed-phase high-pressure liquid chromatography using a gradient of 10-90% acetonitrile/water with 0.05% trifluoroacetic acid. This afforded 133 mg of a white solid product. Electrospray mass spectrometry showed m/z = 497 (M+H).

5

15

20

25

Part I. Preparation of 4-(4-benzyloxymethyl-piperidine-1-sulfonyl)tetrahydro-pyran-4-carboxylic acid hydroxyamide:

A 2-dram glass vial was charged with the product from Part H (133 mg, 0.27 mmol), 1,4dioxane (1 mL), and methanol (1 mL). A 4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was added, and the mixture was stirred at room temperature for 10 min. Volatiles were removed in vacuo, leaving 116 mg of a white crystalline solid product (61% yield over two reaction steps). ¹H NMR (DMSO-d6) δ 1.12 (m, 2H), 1.64 (d, J = 12 Hz, 2H), 1.69 (m, 1H), 1.83 (td, J = 4.4, 12.8 Hz, 2H), 2.30 (d, J = 13.2 Hz, 2H), 2.88 (t, J = 11.6Hz, 2H), 3.15 (t, J = 11.4 Hz, 2H), 3.25 (d, J = 6 Hz, 2H), 3.29 (s, 2H), 3.57 (d, J = 12.410 Hz, 2H), 3.81 (dd, J = 3.6, 11.6 Hz, 2H), 9.12 (s, 1H), 10.93 (s, 1H); Electrospray mass spectrometry showed m/z = 413 (M+H). High-resolution mass spectroscopy: calculated for C₁₉H₂₉N₂O₆S: 413.1741; observed: 413.1745.

Example A2. Preparation of 4-(4-hydroxymethyl-piperidine-1sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A thick-walled glass pressure vessel containing 10% palladium on carbon (1 g, 0.94 mmol) was charged with a solution of the ester from Example A1, Part F (5 g, 11 mmol) in ethyl acetate (100 mL). The flask was placed on a Parr shaker under 40 PSI hydrogen and agitated for 15 hr at room temperature. The resulting mixture was then filtered through a pad of celite. Afterward, the filtrate was concentrated in vacuo. Purification by flash column chromatography (40-75% ethyl acetate/hexane) afforded 3.21 g of a colorless crystalline solid product (80% yield). Electrospray mass spectrometry showed m/z = 364 (M+H). H NMR (CDCl₃) δ 1.28 (m, 2H), 1.51 (s, 9H), 1.63 (m, 1H), 1.73 (br d, J = 12.8 Hz, 2H), 2.10 (td, J = 4.6, 12.6 Hz, 2H), 2.31 (d, J = 11.2 Hz, 2H), 2.94 (td, J = 11.2 Hz, 2H), 2.95 (td, J = 12.8 Hz, 2H), 2.96 (td, J = 12.8 Hz, 2H), 2.97 (td, J = 12.8 Hz, 2H), 2.98 (td, J = 12.8 Hz, 2H), 2.99 (

2.4, 12.6 Hz, 2H), 3.29 (td, J = 1.8, 12.2 Hz, 2H), 3.48 (t, J = 5.6 Hz, 2H), 3.81 (m, 2H), 3.82 (dd, J = 4.2, 11.4 Hz, 2H).

[996] Example A3. Preparation of 4-(4-methanesulfonyloxymethylpiperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 100 mL round-bottom flask was charged with the alcohol from Example A2 (1.18 g. 3.25 mmol) and dichloromethane (8 mL). Diisopropylethylamine (0.85 mL, 4.9 mmol) was then added dropwise. The flask was immersed into an ice water bath, and 10 methanesulfonyl chloride (0.3 mL, 3.9 mmol) was added dropwise while maintaining temperature of the mixture at less than 5°C. The reaction mixture was then stirred with cooling for 2 hr. Afterward, the flask was removed from the cooling bath. Upon warming to room temperature, the reaction mixture was partitioned between 50 mL dichloromethane and 50 mL water. The organic layer was separated, washed with 5% 15 HCl aqueous solution, dried over magnesium sulfate, filtered, and concentrated in vacuo. This afforded 1.38 g of a yellow solid product (96% yield). ¹H NMR (CDCl₃) δ 1.37 (m, 2H), 1.52 (s, 9H), 1.78 (d, J = 12.8 Hz, 2H), 1.92 (m, 1H), 2.11 (td, J = 4.5, 12.6 Hz, 2H), 2.31 (d, J = 12.8 Hz, 2H), 2.96 (t, J = 12 Hz, 2H), 3.00 (s, 3H), 3.30 (t, J = 11 Hz, 2H), 3.85 (m, 2H), 3.96 (dd, J = 4, 11.6 Hz, 2H), 4.06 (d, J = 6.4 Hz, 2H); Electrospray mass 20 spectrometry showed m/z = 459 (M+H).

[997] Example A4. Preparation of 4-(4-formyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

[998] Part A. Preparation of 4-(4-methoxymethylene-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 100 mL round-bottom flask was charged with (methoxymethyl)triphenylphosphonium chloride (4.11 g, 12 mmol) and tetrahydrofuran (50 mL). This resulted in a white slurry. 5 The flask was then immersed into an ice bath, and a 1 M solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (13 mL, 13 mmol) was added dropwise while maintaining the temperature at less than 5°C. After complete addition, the reaction mixture was stirred with cooling for 15 min. A solution of 4-(4-oxo-piperidine-1sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester (3.47 g, 10 mmol) in 10 tetrahydrofuran (20 mL) was then added dropwise, maintaining the temperature at less than 5°C. After complete addition, the flask was slowly warmed to room temperature and stirred for 72 hr. Diethyl ether was then added to the reaction mixture (200 mL), resulting in precipitation of a brown solid. The solid was filtered, and the filtrate was washed with 5% HCl solution (3X100 mL), saturated aqueous sodium bicarbonate (3X100 mL), and 15 brine (100 mL). The organic layer was dried over magnesium sulfate, filtered, and concentrated in vacuo. Purification by flash column chromatography (20-40% ethyl acetate/hexane) afforded 2.82 g of a colorless crystalline solid product (75% yield). ¹H NMR (CDCl₃) δ 1.51 (s, 9H), 2.05-2.15 (m, 4H), 2.31 (m, 4H), 3.29 (m, 6H), 3.54 (s, 3H), 3.95 (dd, J = 4.2, 11.4 Hz, 2H), 5.84 (s, 1H); Electrospray mass spectrometry showed m/z 20 = 376 (M+H).

[999] Part B. Preparation of 4-(4-formyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 100 mL round-bottom flask was charged with the product from Part A (1.64 g, 4.37 mmol), tetrahydrofuran (16 mL), and a 5% solution of HCl in water (2 mL). The resulting mixture was heated to 50°C for 2 hr, cooled to room temperature, and partitioned between ethyl acetate (100 mL) and saturated aqueous sodium bicarbonate. The organic layer was

washed with brine (100 mL), filtered, and concentrated *in vacuo* to afford 1.64 g of a white crystalline solid product (100% yield). ¹H NMR (CDCl₃) δ 1.51 (s, 9H), 1.72 (m, 2H), 1.95 (m, 2H), 2.10 (td, J = 4.8, 12.6 Hz, 2H), 2.30 (d, J = 12.4 Hz, 2H), 2.41 (m, 1H), 3.11 (m, 2H), 3.29 (td, J = 1.8, 12.2 Hz, 2H), 3.70 (m, 2H), 3.96 (dd, J = 4.4, 11.6 Hz, 2H), 9.65 (s, 1H); Electrospray mass spectrometry showed m/z = 394 (M+Na).

[1000] Example A5.Preparation of 4-(4-hydroxy-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

10 A 250 mL round-bottom flask was charged with 4-(4-oxo-piperidine-1-sulfonyl)tetrahydro-pyran-4-carboxylic acid tert-butyl ester (10 g, 29 mmol) and methanol (100 mL). The resulting slurry was rapidly stirred with an overhead-stirring paddle, and the flask was immersed into an ice bath. Sodium borohydride (1.09 g, 29 mmol) was added in three portions over 15 min. After complete addition, the homogeneous mixture was warmed to room temperature and stirred for 30 min. The flask was again immersed into 15 an ice water bath, and the reaction was quenched by careful addition of a saturated ammonium chloride solution (25 mL). The mixture was then warmed to room temperature, diluted with water (100 mL), and extracted with methylene chloride (3X100 mL). The combined organic layers were dried over magnesium sulfate, filtered, and 20 concentrated in vacuo. This afforded 10 g of an off-white, crystalline solid (99% yield). ¹H NMR (CDCl₃) δ 1.50 (s, 9H), 1.53-1.62 (m, 2H), 1.68 (br s, 1H), 1.86-1.92 (m, 2H), 2.11 (td, J = 4.7, 12.8 Hz, 2H), 2.30 (d, J = 11.2 Hz, 2H), 3.17 (m, 2H), 3.29 (t, J = 12.2Hz, 2H), 3.63 (m, 2H), 385 (m, 1H), 3.94 (dd, J = 4, 11.2 Hz, 2H); Electrospray mass spectrometry showed $m/z = 350 \text{ (M+H)}^{+}$.

25

5

[1001] Example A6.Preparation of 4-[4-(2-oxo-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

[1002] Part A. Preparation of 4-[4-(2-methoxy-vinyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 100 mL round-bottom flask was charged with (methoxymethyl)triphenylphosphonium chloride (3.41 g, 10 mmol) and tetrahydrofuran (15 mL). This resulted in a white slurry. The flask was then immersed into an ice bath, and a 1 M solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (10.8 mL, 10.8 mmol) was added dropwise at a 10 rate that caused the temperature to be maintained at less than 5°C. After complete addition, the reaction mixture was stirred with cooling for 15 min. A solution of the aldehyde from Example A4 (3.0 g, 8.3 mmol) in tetrahydrofuran (5 mL) was then added dropwise, maintaining the temperature at less than 5°C. After complete addition, the flask was slowly warmed to room temperature. The mixture was then stirred for 16 hr. 15 Subsequently, the reaction was quenched by the addition of saturated aqueous ammonium chloride (10 ml), and the mixture was partitioned between ethyl acetate (25 mL) and water (25 mL). The organic layer was washed with 5% HCl solution (2X50 mL), water (1X50 mL), and brine (1x50 mL). The organic layer was dried over magnesium sulfate, filtered, and concentrated in vacuo. Purification by flash column chromatography (20-60% ethyl 20 acetate/hexane) afforded 2.08 g of a colorless oil product (63% yield). ¹H NMR (CDCl₃) mixture of geometric isomers in ratio of 1:1.4: δ 1.30-1.50 (m, 2H), 1.51 (s, 9H), 1.62-1.68 (m, 2H), 1.95-2.05 (m, 1H—major isomer), 2.10 (td, J = 4.7, 12.8 Hz, 2H), 2.31 (d, J = 4.7, 2H), 2H), 2H = 11.2 Hz, 2H, 2.50-2.60 (m, 1H-minor isomer), 2.96 (t, J = 12.4 Hz, 2H-major isomer),2.99 (t, J = 13.6 Hz, 2H—minor isomer), 3.30 (t, J = 11.4 Hz, 2H), 3.48 (s, 3H—major 25 isomer), 3.56 (s, 3H-minor isomer), 3.68-3.80 (m, 2H), 3.95 (dd, J = 4.4, 12 Hz, 2H), 4.19

(dd, J = 6.4, 8.4 Hz, 1H-minor isomer), 4.63 (dd, J = 8, 12.8 Hz, 1H-major isomer), 5.82 (d, J = 6.4 Hz, 1H-minor isomer), 6.31 (d, J = 12.8 Hz, 1H-major isomer).

[1003] Part B. Preparation of 4-[4-(2-oxo-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

5

10

15

A 100 mL round-bottom flask was charged with the product from **Part A** (2.08 g, 5.34 mmol), tetrahydrofuran (40 mL), and a 5% solution of HCl in water (4 mL). The resulting mixture was heated to 50° C for 0.5 hr, cooled to room temperature, and partitioned between ethyl acetate (50 mL) and saturated aqueous sodium bicarbonate (50 mL). The organic layer was washed with brine (50 mL), dried over magnesium sulfate, filtered, and concentrated *in vacuo* to afford 2.02 g of a white crystalline solid (100% yield). ¹H NMR (CDCl₃) δ 1.20-1.40 (m, 2H), 1.50 (s, 9H), 1.70 (d, J = 12.9 Hz, 2H), 2.20-2.16 (m, 3H), 2.28 (d, J = 12.9 Hz, 2H), 2.39 (d, J = 6.6 Hz, 2H), 2.96 (t, J = 12.7 Hz, 2H), 3.28 (t, J = 12.2 Hz, 2H), 3.75 (d, J = 12.6 Hz, 2H), 3.94 (dd, J = 3.9, 11.7 Hz, 2H), 9.74 (s, 1H); Electrospray mass spectrometry showed m/z = 394 (M+Na).

[1004] Example A7. Preparation of 4-[4-(3-hydroxy-propyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

20

[1005] Part A. Preparation of 4-[4-(2-methoxycarbonyl-vinyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 100 mL round-bottom flask was charged with

(carbomethoxymethyl)triphenylphosphonium bromide (5.99 g, 14.4 mmol) and

25 tetrahydrofuran (30 mL). This resulted in a white slurry. The flask was then immersed

into an ice bath, and a 1 M solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (15 mL, 15 mmol) was added dropwise while maintaining the temperature at less than 5°C. After complete addition, the reaction mixture was stirred with cooling for 15 min. A solution of the aldehyde from Example A4 (4.0 g, 11.1 mmol) in tetrahydrofuran (10 mL) was then added dropwise, maintaining the temperature at less than 5°C. After complete addition, the flask was slowly warmed to room temperature and then stirred for 1 hr. The resulting mixture was diluted with diethyl ether (150 mL), resulting in a white precipitate. The solid was filtered, and the filtrate was washed with water (1x100 mL), 5% HCl solution (2x100 mL), and brine (1x100 mL). The organic layer was dried over magnesium sulfate, filtered, and concentrated in vacuo. Purification by flash column chromatography (25-40% ethyl acetate/hexane) afforded 2.09 g of a colorless crystalline solid product (45% yield). ¹H NMR (CDCl₃) predominantly one geometric isomer (>95%): δ 1.53 (s, 9H), 1.76 (d, J = 13.5 Hz, 2H), 2.10 (td, J = 4.7, 12.6 Hz, 2H), 2.32 (d, J = 12.6 Hz, 2H), 3.00 (t, J = 12.4 Hz, 2H), 3.31 (t, J = 12 Hz, 2H), 3.79 (s, 3H), 3.81 (d, J = 12.3 Hz, 2H), 3.97 (dd, J = 4.1, 11.9 Hz, 2H), 5.81 (d, J = 15.9 Hz, 1H), 6.89 (dd, J = 6.6, 15.9 Hz, 1H);Electrospray mass spectrometry showed m/z = 418 (M+H).

[1006] Part B. Preparation of 4-[4-(2-methoxycarbonyl-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A thick-walled glass pressure vessel containing 10% palladium on carbon (0.25 g, 0.23 mmol) was charged with a solution of the ester from **Part A** (2.04 g, 4.9 mmol) in ethyl acetate (25 mL). The flask was placed onto a Parr shaker under 40 PSI hydrogen, and agitated for 2 hr at room temperature. The reaction mixture was then filtered through a pad of celite. Afterward, the filtrate was concentrated *in vacuo* to afford 2.08 g of a colorless crystalline solid product (100% yield). Electrospray mass spectrometry showed m/z = 420 (M+H). ¹H NMR (CDCl₃) δ 1.20-1.30 (m, 2H), 1.37-1.43 (m, 1H), 1.51 (s, 9H), 1.55-1.62 (m, 2H), 1.67 (br d, J = 11.6 Hz, 2H), 2.10 (td, J = 4.8, 12.8 Hz, 2H), 2.27-2.34 (m, 4H), 2.91 (t, J = 12.2 Hz, 2H), 3.29 (t, J = 12 Hz, 2H), 3.65 (s, 3H), 3.77 (d, J = 12 Hz, 2H), 3.95 (dd, J = 4.4, 12 Hz, 2H).

5

10

15

20

25

- 1

[1007] Part C. Preparation of 4-[4-(2-carboxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 100 mL round-bottom flask was charged with the product from Part B (1.9 g, 4.53 mmol), ethanol (10 mL), tetrahydrofuran (10 mL), and a 1.0 M solution of aqueous lithium hydroxide (9 mL, 9 mmol). The resulting mixture was stirred at room temperature for 15 min, and then concentrated *in vacuo* to approximately half the original volume. The residue was dissolved in water (50 mL), and the pH was adjusted to approximately 2 using 5% aqueous HCl. The aqueous mixture was then extracted with ethyl acetate (50 mL).

The organic layer was washed with water (50 mL) and brine (50 mL), dried over magnesium sulfate, filtered, and concentrated *in vacuo* to afford 1.82 g of a white crystalline solid product (99% yield). ¹H NMR (CDCl₃) δ 1.20-1.32 (m, 2H), 1.38-1.46 (m, 1H), 1.51 (s, 9H), 1.57-1.64 (m, 2H), 1.68 (d, J = 12.8 Hz, 2H), 2.10 (td, J = 4.7, 12.8 Hz, 2H), 2.31 (d, J = 12 Hz, 2H), 2.37 (t, J = 7.6 Hz, 2H), 2.92 (t, J = 12.6 Hz, 2H), 3.30 (t, J = 12.2 Hz, 2H), 3.77 (d, J = 11.6 Hz, 2H), 3.96 (dd, J = 4, 11.6 Hz, 2H); Electrospray mass spectrometry showed m/z = 406 (M+H).

[1008] Part D. Preparation of 4-[4-(3-hydroxy-propyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 100 mL round-bottom flask was charged with the product from Part C (1.60 g, 3.93 mmol) and tetrahydrofuran (16 mL). A 1 M solution of borane-tetrahydrofuran complex in tetrahydrofuran (7.9 mL, 7.9 mmol) was then added dropwise over 20 min. The resulting mixture was heated to 60°C for 1 hr, and then cooled to room temperature. The flask was immersed into an ice bath, and water (5 mL) was added carefully to quench the reaction. A 5% aqueous HCl solution was added. The mixture was then partitioned between ethyl acetate (50 mL) and saturated aqueous sodium bicarbonate (50 mL). The organic layer was washed with water (50 mL) and brine (50 mL), dried over magnesium

sulfate, filtered, and concentrated *in vacuo* to afford 1.55 g of an off-white crystalline solid (100% yield). ¹H NMR (CDCl₃) δ 1.20-1.42 (m, 5H), 1.51 (s, 9H), 1.53-1.59 (m, 2H), 1.68 (d, J = 11.2 Hz, 2H), 2.10 (td, J = 4.5, 12.8 Hz, 2H), 2.31 (d, J = 11.2 Hz, 2H), 2.92 (t, J = 12.6 Hz, 2H), 3.30 (t, J = 12.4 Hz, 2H), 3.62 (t, J = 6.6 Hz, 2H), 3.76 (d, J = 12 Hz, 2H), 3.95 (dd, J = 4, 11.6 Hz, 2H); Electrospray mass spectrometry showed m/z = 392 (M+H).

[1009] Example A8. Preparation of 4-[4-(3-oxo-propyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

10

5

A 50 mL round-bottom flask was charged with oxalyl chloride (0.4 mL, 3.82 mmol) and methylene chloride (9 mL). The flask was then immersed into a dry ice/acetone bath. Afterward, dimethylsulfoxide (0.54 mL, 7.7 mmol) was added dropwise, maintaining the temperature at less than -65°C. After complete addition, the mixture was stirred for 15 min. A solution of the alcohol from Example A7 (1.50 g, 3.82 mmol) in methylene 15 chloride (9 mL) was then added dropwise while maintaining the temperature at less than -65°C. The resulting mixture was stirred for 45 min after complete addition. Diisopropylethylamine (3.3 mL, 19 mmol) was then added dropwise. Subsequently, the mixture was stirred for 30 min with cooling. The dry ice/acetone bath was then removed. After 1 hr, the reaction mixture was diluted with methylene chloride (50 mL) and 20 extracted with water (50 mL). The aqueous layer was re-extracted with methylene chloride (25 mL). The combined organic layers were then dried over magnesium sulfate, filtered, and concentrated in vacuo. Purification by flash column chromatography using a gradient of 10-30% ethyl acetate/hexane afforded a white crystalline solid (1.24 g, 83% yield). H NMR (CDCl₃) δ 1.20-1.42 (m, 5H), 1.51 (s, 9H), 1.53-1.59 (m, 2H), 1.68 (d, J 25 = 11.2 Hz, 2H, 2.10 (td, J = 4.5, 12.8 Hz, 2H), 2.31 (d, J = 11.2 Hz, 2H), 2.92 (t, J = 12.6)Hz, 2H), 3.30 (t, J = 12.4 Hz, 2H), 3.62 (t, J = 6.6 Hz, 2H), 3.76 (d, J = 12 Hz, 2H), 3.95(dd, J = 4, 11.6 Hz, 2H); Electrospray mass spectrometry showed m/z = 390 (M+H).

....

[1010] Example A9. Preparation of 4-[4-(5-hydroxy-pentyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

5 [1011] Part A. Preparation of (4-benzyloxy-butyl)-triphenyl-phosphonium; bromide:

$$\bigcap_{\mathbb{B}r}^{\Theta} O$$

To a solution of 90% benzyloxybutyl bromide (10.01 g, 37 mmol) in methylene chloride (100 mL) was added polystyrene-bound trisamine (loading = 3.42 mmol/g, 3.11 g, 10.6 mmol) to remove benzyl bromide contaminant. The resulting slurry was stirred for 16 hr at room temperature. Solids were then removed by vacuum filtration. The filtrate was concentrated *in vacuo*, and then re-dissolved in toluene (100 mL). Afterward, triphenylphosphine (9.77 g, 37 mmol) was added to the bromide. The resulting mixture was stirred at 80°C for 48 hr, and then at reflux for an additional 24 hr. The mixture was then cooled to room temperature and diluted with diethyl ether (300 mL). An off-white precipitate formed, which was collected by vacuum filtration. Further drying of the solid *in vacuo* afforded pure phosphonium bromide in the form of a tan solid (8.92 g, 47% yield). ¹H NMR (CDCl₃) δ 1.80 (m, 2H), 2.01 (p, J = 6.2 Hz, 2H), 3.61 (t, J = 5.6 Hz, 2H), 3.80-3.90 (m, 2H), 4.45 (s, 2H), 7.20-7.29 (m, 5H), 7.60-7.66 (m, 6H), 7.72-7.83 (m, 9H); Electrospray mass spectrometry showed *m/z* = 425 (M for PR₄⁺).

[1012] Part B. Preparation of 4-[4-(5-benzyloxy-pent-1-enyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

10

15

A 100 mL round-bottom flask was charged with the phosphonium bromide from Part A (7.29 g, 14.4 mmol) and tetrahydrofuran (30 mL). The flask was then immersed into an ice bath, and a 1 M solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (15.5 mL, 15.5 mmol) was added dropwise while maintaining the temperature at less than 5°C. After complete addition, the reaction mixture was stirred with cooling for 10 min. A 5 solution of the aldehyde from Example A4 (4.0 g, 11.1 mmol) in tetrahydrofuran (10 mL) was then added dropwise, maintaining the temperature at less than 5°C. After complete addition, the flask was slowly warmed to room temperature and then stirred for 30 min. The resulting mixture was diluted with diethyl ether (50 mL), forming in a white precipitate. The solid was filtered, and the filtrate was washed with water (1x50 mL), 5% 10 HCl solution (2x50 mL), and brine (1x50 mL). The organic layer was dried over magnesium sulfate, filtered, and concentrated in vacuo. Purification by flash column chromatography (10-25% ethyl acetate/hexane) afforded 4.15 g of desired olefin in the form of a colorless crystalline solid (73% yield). ¹H NMR (CDCl₃) one major geometric isomer with several side products: δ 1.28-1.42 (m, 2H), 1.52 (s, 9H), 1.56-1.69 (m, 2H), 15 2.06-2.16 (m, 2H), 2.31 (d, J = 12.4 Hz, 2H), 2.39-2.43 (m, 1H), 2.94 (t, J = 11.6 Hz, 2H), 3.30 (t, J = 11.2 Hz, 2H), 3.46 (t, J = 6.4 Hz, 2H), 3.73 (d, J = 12 Hz, 2H), 3.96 (dd, J = 12 Hz, J4.4, 11.6 Hz, 2H), 4.48 (s, 2H), 5.20 (t, J = 10 Hz, 1H), 5.28-5.45 (m, 1H), 7.25-7.37 (m, 5H); Electrospray mass spectrometry showed m/z = 508 (M+H).

[1013] Part C. Preparation of 4-[4-(5-hydroxy-pentyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A thick-walled glass pressure vessel containing 10% palladium on carbon (1 g, 0.94 mmol) was charged with a solution of the olefin from Part B (4.15 g, 8.17 mmol) in tetrahydrofuran (25 mL). The flask was then placed onto a Parr shaker under an atmosphere of 40 PSI hydrogen and agitated for 2 hr at room temperature. The reaction mixture was then filtered through a pad of celite, and the filtrate was concentrated *in vacuo*. Flash column chromatography afforded the desired alcohol and two pure side products. The desired alcohol was in the form of 2.65 g of a colorless crystalline solid

20

(77% yield). 1 H NMR (CDCl₃) δ 1.16-1.38 (m, 9H), 1.51 (s, 9H), 1.53-1.59 (m, 2H), 1.65 (br d, J = 12.8 Hz, 2H), 2.10 (td, J = 4.7, 12.6 Hz, 2H), 2.31 (d, J = 11.6 Hz, 2H), 2.90 (t, J = 12.4 Hz, 2H), 3.29 (t, J = 12.4 Hz, 2H), 3.62 (t, J = 6.6 Hz, 2H), 3.75 (d, J = 11.6 Hz, 2H), 3.95 (dd, J = 4, 11.6 Hz, 2H); Electrospray mass spectrometry showed m/z = 420 (M+H). The first side product was determined to be 4-(4-pentyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

That side product was a white solid (134 mg, 4% yield) and was characterized as follows: 1 H NMR (CDCl₃) δ 0.86 (t, J = 7 Hz, 3H), 1.16-1.36 (m, 11H), 1.51 (s, 9H), 1.66 (br d, J = 10.8 Hz, 2H), 2.11 (td, J = 4.6, 12.6 Hz, 2H), 2.31 (d, J = 11.6 Hz, 2H), 2.91 (t, J = 12.6 Hz, 2H), 3.30 (t, J = 12 Hz, 2H), 3.75 (d, J = 12.4 Hz, 2H), 3.95 (dd, J = 4, 11.6 Hz, 2H); Electrospray mass spectrometry showed m/z = 404 (M+H). The second side product was determined to be 4-(4-phenethyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

15

20

5

10

This side product also was a white solid (135 mg, 4% yield), and was characterized as follows: 1 H NMR (CDCl₃) δ 1.20-1.45 (m, 3H), 1.52 (s, 9H), 1.54-1.60 (m, 2H), 1.73 (br d, J = 10.4 Hz, 2H), 2.11 (td, J = 4.7, 12.6 Hz, 2H), 2.32 (d, J = 12.8 Hz, 2H), 2.61 (t, J = 7.8 Hz, 2H), 2.91 (t, J = 12.6 Hz, 2H), 3.30 (t, J = 12 Hz, 2H), 3.77 (d, J = 10.4 Hz, 2H), 3.96 (dd, J = 4.2, 11.6 Hz, 2H), 7.10-7.30 (m, 5H); Electrospray mass spectrometry showed m/z = 438 (M+H).

[1014] Example A10. Preparation of triphenyl-(4,4,4-trifluoro-butyl)-phosphonium; iodide:

A 20 mL glass vial was charged with triphenylphosphine (3.93 g, 15 mmol), trifluorobutyl iodide (3.57 g, 15 mmol), and toluene (10 mL). The vial was capped, heated to 85 °C overnight (16 hr), and cooled to room temperature. This resulted in the formation of a white crystalline solid. This solid was collected by vacuum filtration. Further drying *in vacuo* afforded the title phosphine in the form of a white crystalline solid (5.48 g, 73% yield). ¹H NMR (CDCl₃) δ 1.83-1.97 (m, 2H), 2.60-2.80 (m, 2H), 4.00-4.12 (m, 2H), 7.65-7.90 (m, 15H).

[1015] Example A11. Preparation of (3,3,4,4,4-pentafluoro-butyl)-triphenyl-phosphonium; iodide:

15 A 10 mL Teflon pressure vessel was charged with triphenylphosphine (4.27 g, 16.3 mmol), 3,3,4,4,4-pentafluoro-1-iodobutane (4.90 g, 17.9 mmol), and dimethylformamide (8 mL). The vessel was then sealed and placed into a microwave oven (MARS-5, CEM corporation). The mixture was heated to 150 °C using 150 watts of power for 60 min. Afterward, the mixture was cooled to room temperature, and concentrated *in vacuo*. The residue was triturated with diethyl ether (100 mL), forming a white crystalline solid product. This product was collected by vacuum filtration and dried *in vacuo* (8.36 g, 96% yield). ¹H NMR (CDCl₃) δ 2.45-2.62 (m, 2H), 4.00-4.15 (m, 2H), 7.70-7.90 (m, 15 H).

5

[1016] Example A12. Preparation of 4-[4-(4-hydroxy-butyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

[1017] Part A. Preparation of 4-[4-(4-benzyloxy-but-1-enyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 100 mL round-bottom flask was charged with (3-

benzyloxypropyl)triphenylphosphonium bromide (7.87 g, 14.4 mmol) and tetrahydrofuran (30 mL). The flask was then immersed into an ice bath. Afterward, a 1 M solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (15.5 mL, 15.5 mmol) was added dropwise while maintaining the temperature at less than 5 °C. After complete addition, the reaction mixture was stirred with cooling for 15 min. A solution of the aldehyde from Example A4 (4.0 g, 11.1 mmol) in tetrahydrofuran (10 mL) was then added dropwise while maintaining the temperature at less than 5 °C. After complete addition, the flask was slowly warmed to room temperature and then stirred for 1 hr. The resulting mixture was diluted with diethyl ether (50 mL), causing a white precipitate to form. The precipitate was filtered, and the filtrate was washed with water (1x100 mL) and brine (1x100 mL). The organic layer was dried over magnesium sulfate, filtered, and concentrated in vacuo. Purification by flash column chromatography (10-25% ethyl acetate/hexane) afforded 4.65 g of desired olefin in the form of a colorless crystalline solid (85% yield). ¹H NMR (CDCl₃) one major geometric isomer with several side products: δ 1.30-1.45 (m, 2H), 1.53 (s, 9H), 2.06-2.17 (m, 2H), 2.30-2.45 (m, 5H), 2.96 (t, J = 12.3 Hz, 2H), 3.31 (t, J = 12.3 Hz, 3H), 3H) 12 Hz, 2H), 3.47 (t, J = 6.9 Hz, 2H), 3.73 (d, J = 11.7, 2H), 3.97 (dd, J = 3.7, 11.4 Hz, 2H), 4.51 (s, 2H), 5.24-5.45 (m, 2H), 7.25-7.37 (m, 5H); Electrospray mass spectrometry showed m/z = 494 (M+H).

10

15

20

[1018] Part B. Preparation of 4-[4-(4-hydroxy-butyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The benzyl ether from Part A (4.60 g, 9.31 mmol) in tetrahydrofuran (25 mL) with 10% Pd/C (1 g, Degussa type) was placed onto a Parr shaker and reduced with H₂ at 40 psi for 3 hr. The resulting mixture was filtered through celite and concentrated *in vacuo*, forming the alcohol in the form of a crystalline solid (3.80 g, 100% yield). NMR(CDCl₃) δ 1.15-1.31 (m, 4H), 1.31-1.41 (m, 3H), 1.47-1.58 (m, 11H), 1.67 (d, 2H), 2.09 (dt, 2H), 2.32 (d, 2H), 2.92 (t, 2H), 3.29 (t, 2H), 3.63 (t, 2H), 3.76 (d, 2H), 3.96 (dd, 2H). ESMS m/z = 406.37 (M+H)⁺.

[1019] Example A13. Preparation of 4-[4-(2-hydroxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

15 The aldehyde from Example A6 (1.43 g, 3.81 mmol) in MeOH (15 mL) at 0°C was treated with NaBH₄ (144 mg, 3.81 mmol) in portions. Upon completion of addition, the ice bath was removed, and the mixture was stirred at room temperature for 2 hr. The reaction was then quenched with saturated NH₄Cl (~5 mL). After adding water (15 mL), the mixture was extracted with methylene chloride (3x30 mL). The organics were dried (magnesium sulfate). Concentration *in vacuo* afforded the alcohol as an oil (1.44 g, quantitative conversion). NMR(CDCl₃) δ 1.28 (dt, 2H), 1.33-1.42 (m, 2H), 1.47-1.65 (m, 10H), 1.70 (d, 2H), 2.10 (dt, 2H), 2.32 (d, 2H), 2.94 (dt, 2H), 3.30 (dt, 2H), 3.68 (t, 2H), 3.76 (d, 2H), 3.96 (dd, 2H).

[1020] Example A14. Preparation of 4-[4-(3-oxo-propoxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

[1021] Part A. Preparation of 4-{4-[3-(tert-butyl-dimethyl-silanyloxy)-

5 propoxy]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alcohol from **Example A5** (2.00 g, 5.73 mmol), tetrabutylammonium bromide (0.37 g, 1.15 mmol), and KOH (0.97 g, 17.2 mmol) were slurried in xylene (23 mL). Afterward, 3-bromopropoxy)-t-butyl-dimethylsilane (4.35 g, 17.2 mmol) was added, and the resulting mixture was stirred in a sealed vial at 100°C for 2 x 30 min at 150 Watts in microwave. The mixture was filtered, and the resulting solid was washed with methylene chloride. The organics were concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the silyl ether in the form of a colorless solid (1.74 g, 58.2% yield). NMR(CDCl₃) δ 0.03 (s, 6H), 0.86 (s, 9H), 1.52 (s, 9H), 1.58-1.88 (m, 6H), 2.10 (dd, 2H), 2.32 (d, 2H), 3.14-3.35 (m, 4H), 3.41-3.62 (m, 5H), 3.68(t, 2H), 3.96 (dd, 2H). ESMS m/z = 522.53 (M+H)⁺.

[1022] Part B. Preparation of 4-[4-(3-hydroxy-propoxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

To the silyl ether from Part A (3.16 g, 6.05 mmol) in anhydrous tetrahydrofuran (60 mL) at 0°C was added 1M TBAF (12.1 mL, 12.1 mmol). Upon completion of the addition, the ice bath was removed, and the reaction mixture was stirred at room temperature for 1.5 hr. The mixture was then poured into water (100 mL) and saturated NH₄Cl (100 mL), and extracted with ethyl acetate (2x100 mL). The organics were dried (magnesium sulfate) and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the alcohol

in the form of a colorless crystalline solid (2.25 g, 92.4% yield). NMR(CDCl₃) δ 1.52 (s, 9H), 1.62-1.73 (m, 2H), 1.79-1.99 (m, 4H), 2.10 (dd, 2H), 2.32 (d, 2H), 3.12-3.35 (m, 4H), 3.45-3.64 (m, 5H), 3.76(t, 2H), 3.96 (dd, 2H). ESMS $m/z = 408.38 \text{ (M+H)}^{+}$.

[1023] Part C. Preparation of 4-[4-(3-oxo-propoxy)-piperidine-1-sulfonyl]tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

To a solution of oxalyl chloride (0.40 mL, 4.55 mmol) in anhydrous methylene chloride at -60°C under N₂ was added anhydrous dimethylsulfoxide ("DMSO") (0.54 mL, 7.58 mmol) dropwise while maintaining the temperature at less than -50°C. This mixture was stirred for 20 min. The alcohol from Part B (1.98 g, 4.85 mmol) in 10 mol of anhydrous methylene chloride (pre-cooled) was then added dropwise while maintaining the temperature at less than -50°C. The resulting mixture was stirred at -70°C for 1 hr. Afterward, anhydrous diisopropylethylamine (3.30 mL, 19.0 mmol) was added, and the ice bath was removed. The reaction mixture was then stirred at room temperature overnight. Subsequently, the reaction mixture was diluted with methylene chloride (175) mL), washed with water and brine, dried over magnesium sulfate, and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the aldehyde in the form of a colorless crystalline solid (1.59 g, 80.8% yield). NMR(CDCl₃) δ 1.52 (s, 9H), 1.60-1.72 (m, 2H), 1.77-1.98 (m, 2H), 2.09(dt, 2H), 2.32 (d, 2H), 2.66 (dt, 3H), 3.15-3.34 (m, 4H), 20 3.52 (bs, 2H), 3.76(t, 2H), 3.96 (dd, 2H).

[1024] Example A15. Preparation of triphenyl-(3,3,3-trifluoro-propyl)phosphonium; iodide:

25 Triphenylphosphine (2.13 g, 8.12 mmol), 1,1,1-trifluoro-3-iodopropane (2.00 g, 8.93 mmol), and anhydrous dimethylformamide (4 mL) were placed into a microwave vessel

5

10

and heated at 150°C for 40 min at 600 watts. The resulting mixture was concentrated and triturated with diethyl ether to form a colorless solid. The colorless solid was collected by filtration and washed with diethyl ether. Drying under high vacuum afforded the desired salt in the form of a colorless solid (3.77 g, 95.6% yield). NMR (CDCl₃) δ 2.51-2.71 (m, 2H), 3.96-4.09 (m, 2H), 7.67-7.77 (m, 6H), 7.78-7.91 (m, 9H). ESMS m/z = 360.30 (M+H)⁺.

[1025] Example A16. Preparation of 4-[4-(4-oxo-butyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

10

15

20

5

To a solution of oxalyl chloride (0.226 mL, 2.59 mmol) in anhydrous methylene chloride (5.7 mL) at -60°C under N₂ was added anhydrous DMSO (0.31 mL, 4.32 mmol) dropwise while maintaining the temperature at less than -50°C. The resulting mixture was stirred for 20 min. Afterward, the alcohol from **Example A12** (0.875 g, 2.16 mmol) in anhydrous methylene chloride (5.7 mL) (pre-cooled) was added dropwise while maintaining the temperature at less than -50°C. The resulting mixture was stirred at -70°C for 1 hr. Subsequently, anhydrous diisopropylethylamine (1.9 mL, 10.8 mmol) was added, and the ice bath removed. The reaction mixture was then stirred at room temperature for 3 hr. Afterward, reaction mixture was diluted with methylene chloride (200 mL), washed with water (150 mL) and brine, dried over magnesium sulfate, and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the aldehyde in the form of a colorless crystalline solid (704.4 g, 81.1% yield). NMR(CDCl₃) δ 1.16-1.31 (m, 4H), 1.33-1.45 (m, 1H), 1.52 (s, 9H), 1.57-1.72 (m, 4H), 2.11 (dt, 2H), 2.32(d, 2H), 2.43 (dt, 2H), 2.92 (dt, 3H), 3.30 (dt, 2H), 3.3.76 (d, 2H), 3.96 (dd, 2H), 9.75 (s, 1H).

[1026] Example A17. Preparation of *tert*-butyl 4-{[4-(5-hydroxypyridin-2-yl)piperidin-1-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate]:

To a mixture of tert-butyl 4-{[4-(5-bromopyridin-2-yl)piperidin-1-yl]sulfonyl}tetrahydro-5 2H-pyran-4-carboxylate (10.0 g, 20 mmol, 1 eq.) in 100 mL of N-N' dimethylacetamide was added bis(pinacolato)diboron (5.64 g, 22 mmol, 1.1 eq.), potassium acetate (5.88 g, 60 mmol, 3 eq.), and [1,1'-bis(diphenyphosphino) ferrocene] dichloropalladium(II), CH₂Cl₂ ((500 mg, 0.6 mmol, 0.03 eq.). The resulting mixture was heated at 85°C for 16 hr. The mixture was then cooled to room temperature, and 40 mL of methanol was added to the 10 resulting paste, followed acetic acid (4.5 mL, 80 mmol, 4 eq.). Subsequently, H₂O₂ was added (4.0 mL 50 w/w% solution 60 mmol, 3 eq.) in four 1 mL portions. The mixture was then stirred at room temperature for 10 min. Afterward, the mixture was diluted with 400 mL of CH₂Cl₂, and then washed 3 x 300 mL water and 1 x 100 mL brine. The organic layer was dried over Na₂SO₄ and filtered through a pad of SiO₂. The product was 15 triturated with Et₂O to afford 3.25 g. The resulting mother liquor was purified via SiO₂ chromatography (gradient 10% ethyl acetate/hexanes to 100% ethyl acetate) to afford an additional 1.08 g for a total of 4.33 g of product (51% yield). MS MH+ C20H31N2O6S calc.: 427, found: 427. 1H NMR was consistent with the desired product.

20

[1027] Example A18. Preparation of 4-[4-(2,2,3,3-tetrafluoro-propoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1028] Part A. Preparation of 4-[4-(2,2,3,3-tetrafluoro-propoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

An 8 mL glass reaction vessel was charged with the mesylate from Example A3 (300 mg, 0.68 mmol), dimethylformamide (1.5 mL), 2,2,3,3-tetrafluoro-1-propanol (116 mg, 0.88 mmol), and a 60% NaH oil dispersion (35 mg, 0.88 mmol). The resulting mixture was stirred under N_2 at room temperature for 15 min, and then heated to 80° C for 16 hr. The mixture was then cooled to room temperature and quenched by the addition of saturated ammonium chloride aqueous (1 mL). Afterward, the mixture was partitioned between ethyl acetate (5 mL) and water (5 mL). The organic layer was washed with brine (5 mL), and filtered through a pad of celite. The filtrate was concentrated *in vacuo* and purified by flash column chromatography (10-25% ethyl acetate/hexane) to afford 121 mg of a colorless oil product (37% yield). ¹H NMR (CDCl₃) δ 1.30 (m, 2H), 1.52 (s, 9H), 1.67-1.82 (m, 3H), 2.11 (td, J = 4.8, 12.6 Hz, 2H), 2.31 (d, J = 11.2 Hz, 2H), 2.94 (td, J = 1.8, 12.6 Hz, 2H), 3.30 (td, J = 1.8, 12 Hz, 2H), 3.40 (d, J = 6 Hz, 2H), 3.74-3.82 (m, 4H), 3.96 (dd, J = 4.2, 11.4 Hz, 2H), 5.87 (tt, J = 4.8, 53.2 Hz, 1H); Electrospray mass spectrometry showed m/z = 478 (M+H).

[1029] Part B. Preparation of 4-[4-(2,2,3,3-tetrafluoro-propoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

20

25

5

10

15

A 2-dram vial with a magnetic stirrer bar was charged with the product of **Part A** (120 mg, 0.25 mmol), methylene chloride (1 mL), and trifluoroacetic acid (1 mL). After the vial was capped, the mixture was stirred at room temperature for 2 hr. Afterward, the reaction mixture was concentrated *in vacuo*, and the residue was triturated with ethyl acetate/hexanes (1:1). The resulting solid was collected by vacuum filtration and dried *in vacuo* to afford a white solid product (87 mg, 82% yield). Electrospray mass spectrometry showed m/z = 422 (M+H).

[1030] Part C. Preparation of 4-[4-(2,2,3,3-tetrafluoro-propoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

A 2-dram glass vial was charged with the product from **Part B** (86 mg, 0.21 mmol), a 0.5 M solution of hydroxybenzotriazole in dimethylformamide (0.8 mL, 0.4 mmol), a 0.5 M solution of tetrahydropyanyl hydroxylamine in dimethylformamide (0.8 mL, 0.4 mmol), ethyl 3-(dimethylamino)propyl carbodiimide hydrochloride (71 mg, 0.37 mmol), and triethylamine (114 uL, 0.8 mmol). The resulting mixture was stirred at room temperature for 18 hr, and then partitioned between ethyl acetate (5 mL) and water (5 mL). The organic layer was washed with 5% HCl (5 mL) and filtered through a pad of celite. The filtrate was concentrated *in vacuo* and purified by preparative reversed-phase high-pressure liquid chromatography using a gradient of 10-90% acetonitrile/water with 0.05% trifluoroacetic acid. This afforded 61 mg of a white solid product. Electrospray mass

[1031] Part D. Preparation of 4-[4-(2,2,3,3-tetrafluoro-propoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

A 2-dram glass vial was charged with the product from **Part C** (61 mg, 0.12 mmol), 1,4dioxane (1 mL), and methanol (1 mL). A 4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was added, and the resulting mixture stirred at room temperature for 10 min.
Volatiles were removed *in vacuo*, leaving 22 mg of a white crystalline solid product (24% yield over two reaction steps). ¹H NMR (DMSO-d6) δ 1.08 (m, 2H), 1.61 (d, J = 13.2 Hz, 2H), 1.71 (m, 1H), 1.83 (td, J = 4.6, 12.6 Hz, 2H), 2.31 (d, J = 13.2 Hz, 2H), 2.87 (t, J = 11.6 Hz, 2H), 3.15 (t, J = 11.4 Hz, 2H), 3.37 (d, J = 6 Hz, 2H), 3.57 (d, J = 12.4 Hz, 2H), 3.81 (dd, J = 3.2, 12 Hz, 2H), 3.87 (t, J = 14 Hz, 2H), 6.46 (tt, J = 5.6, 52 Hz, 1H), 9.13 (s, 1H), 10.95 (s, 1H); Electrospray mass spectrometry showed m/z = 437 (M+H). High-

resolution mass spectroscopy: calculated for $C_{15}H_{25}F_4N_2O_6S$: 437.1364; observed: 437.1356.

[1032] Similar manipulations of the mesylate from Example A3 using other alcohol components as described in Part A and subsequent transformations as performed in Parts B, C, and D afforded the compounds in Table 4 corresponding to the following structure:

Table 4

Example	Alcohol	R	Calc. Mass	Observed Mass
Example A18A	2,2,3,3,3-pentafluoro-1- propanol	-CF ₃	455.1270	455.1258
Example A18B	2,2,3,3,4,4,4- heptafluoro-1-butanol	-CF ₂ CF ₃	505.1238	505.1235
Example A18C	2,2,3,3,4,4,5,5- octafluoro-1-pentanol	-CF ₂ CF ₂ CF ₂ H	537.1300	537.1279

10 [1033] Example A19. Preparation of 4-[4-(4-trifluoromethylbenzyloxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1034] Part A. Preparation of 4-[4-(4-trifluoromethyl-benzyloxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 10 mL reaction vessel was charged with the alcohol from Example A2 (0.5 g, 1.38 mmol) and tetrahydrofuran (4 mL). A 60% NaH oil dispersion (72 mg, 1.8 mmol) was then added in 2 portions. The resulting mixture was stirred for 45 min at room temperature. 4-(trifluoromethyl)benzyl bromide (397 mg, 1.66 mmol) was then added.
Afterward, the mixture was heated to 60°C for 2 hr. The mixture was then cooled to room temperature and partitioned between ethyl acetate (4 mL) and saturated aqueous ammonium chloride (4 mL). The organic layer was dried by filtration through a Celite pad, and solvent was removed *in vacuo*. Flash column chromatography afforded 43 mg of a white solid product (6% yield). ¹H NMR (CDCl₃) δ 1.32 (m, 2H), 1.51 (s, 9H), 1.76 (d, J = 12.8 Hz, 2H), 1.82 (m, 1H), 2.11 (td, J = 4.7, 12.6 Hz, 2H), 2.31 (d, J = 11.6 Hz, 2H), 2.95 (t, J = 12.8 Hz, 2H), 3.30 (t, J = 12 Hz, 2H), 3.33 (d, J = 6 Hz, 2H), 3.80 (br d, J = 12 Hz, 2H), 3.96 (dd, J = 4.2, 11.4 Hz, 2H), 4.53 (s, 2H), 7.41 (d, J = 8 Hz, 2H), 7.59 (d, J = 8 Hz, 2H); Electrospray mass spectrometry showed m/z = 522 (M+H).

[1035] Part B. Preparation of 4-[4-(4-trifluoromethyl-benzyloxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

A 2-dram vial equipped with a magnetic stirring bar was charged with the product of **Part** A (43 mg, 0.08 mmol), methylene chloride (1 mL), and trifluoroacetic acid (1 mL). After the vial was capped, the mixture was stirred at room temperature for 3 hr. The mixture was then concentrated *in vacuo*, and the residue was triturated with ethyl acetate/hexanes (1:1). The resulting solid was collected by vacuum filtration and dried *in vacuo* to afford a white solid product (22 mg, 56% yield). Electrospray mass spectrometry showed m/z = 464 (M+H).

[1036] Part C. Preparation of 4-[4-(4-trifluoromethyl-benzyloxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

15

20

25

• • •

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the product from Part B (22 mg, 0.05 mmol), a 0.5 M solution of hydroxybenzotriazole in dimethylformamide (0.2 mL, 0.1 mmol), a 0.5 M solution of tetrahydropyanyl hydroxylamine in dimethylformamide (0.2 mL, 0.1 mmol), ethyl 3-(dimethylamino)propyl carbodiimide hydrochloride (18 mg, 0.09 mmol), and triethylamine (26 uL, 0.2 mmol). The resulting mixture was stirred at room temperature for 18 hr, and then partitioned between ethyl acetate (5 mL) and water (5 mL). The organic layer was washed with 5% HCl (5 mL) and filtered through a pad of celite. The filtrate was concentrated in vacuo and purified by preparative reversed-phase high-pressure liquid chromatography using a gradient of 10-90% acetonitrile/water with 0.05% trifluoroacetic acid. This afforded 16 mg of a white solid product. Electrospray mass spectrometry showed m/z = 582(M+NH4).

[1037] Part D. Preparation of 4-[4-(4-trifluoromethyl-benzyloxymethyl)piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

15

20

5

10

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the product from Part C (16 mg, 0.05 mmol), 1,4-dioxane (1 mL), and methanol (1 mL). A 4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was then added, and the resulting mixture was stirred at room temperature for 10 min. Volatiles were removed in vacuo, leaving 15 mg of a white crystalline solid product (69% yield over two reaction steps). ¹H NMR (DMSO-d6) δ 1.13 (m, 2H), 1.66 (d, J = 13.2 Hz, 2H), 1.71 (m, 1H), 1.84 (td, J = 4.4, 12.8 Hz, 2H), 2.31 (d, J = 13.2 Hz, 2H), 2.89 (t, J = 11.6 Hz, 2H), 3.15 (t, J = 11.4 Hz, 2H), 3.29 (d, J = 5.2 Hz, 2H), 3.57 (d, J = 13.2 Hz, 2H), 3.81 (dd, J = 3.6, 11.6 Hz, 2H), 4.53 (s, 3.29 (d, J = 5.2 Hz, 2H), 3.57 (d, J = 13.2 Hz, 2H), 3.81 (dd, J = 3.6, 11.6 Hz, 2H), 4.53 (s, 3.29 (d, J = 5.2 Hz, 2H), 3.57 (d, J = 13.2 Hz, 2H), 3.81 (dd, J = 3.6, 11.6 Hz, 2H), 4.53 (s, 3.29 (d, J = 5.2 Hz, 2H), 3.81 (dd, J = 3.6, 11.6 Hz, 2H), 4.53 (s, 3.29 (d, J = 3.6, 11.6 Hz, 2H), 4.53 (dd, J = 3.6, 11.6 Hz, 2H), 4.53 (s, 3.29 (dd, J = 3.6, 11.6 Hz, 2H), 4.53 (dd, J = 3.6, 11.6 Hz, 2H),2H), 7.50 (d, J = 8 Hz, 2H), 7.68 (d, J = 8 Hz, 1H), 9.13 (s, 1H), 10.95 (s, 1H); Electrospray mass spectrometry showed m/z = 481 (M+H). High-resolution mass

25 spectroscopy: calculated for C₂₀H₂₈F₃N₂O₆S: 481.1615; observed: 481.1592.

[1038] Similar manipulations of the alcohol from Example A2 using other benzyl bromide components afforded the compounds in Table 5corresponding in structure to the following formula:

Table 5

Example	Benzyl bromide	R	Calc. Mass	Obs. Mass
Example A19A	4-trifluoromethoxy benzylbromide	-OCF ₃	497.1564	497.1559
Example A19B	4-trifluoromethyl thio- benzylbromide	-SCF ₃	513.1335	513.1394

[1039] Example A20. Preparation of 4-(4-oct-1-enyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1040] Part A. Preparation of 4-(4-oct-1-enyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

10 An oven-dried, 50 mL glass round-bottom flask was charged with heptyl triphenylphosphonium bromide (1.1 g, 2.5 mmol) and dry tetrahydrofuran (10 mL). The flask was then immersed into an ice bath, and a 1 M solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (2.7 mL, 2.7 mmol) was added dropwise while maintaining the temperature at less than 5°C. After complete addition, the reaction mixture was stirred with cooling for 15 min. A solution of the product from Example A4 (0.75 g, 2.1 mmol) in tetrahydrofuran (2 mL) was added dropwise while maintaining the temperature at less than 5°C. After complete addition, the mixture was stirred with cooling for 15 min, and then slowly warmed to room temperature. After stirring for an additional hr, diethyl ether was added to the mixture (25 mL). This resulted in precipitation of a brown solid. The solid was filtered, and the filtrate was washed with

water (50 mL) and brine (50 mL). The organic layer was dried over magnesium sulfate, filtered. and concentrated *in vacuo*. Purification by flash column chromatography (10% ethyl acetate/hexane) afforded 0.70 g of a colorless crystalline solid product (72% yield).

¹H NMR (CDCl₃) mixture of isomers in ratio of 7:1, major isomer: δ 0.87 (t, J = 6.8 Hz, 3H), 1.22-1.44 (m, 10H), 1.52 (s, 9H), 1.57 (m, 2H), 2.00 (m, 2H), 2.11 (td, J = 4.7, 12.6 Hz, 2H), 2.32 (d, J = 12.8 Hz, 2H), 2.39 (m, 1H), 2.99 (t, J = 12.4 Hz, 2H), 3.30 (t, J = 12 Hz, 2H), 3.75 (d, J = 12 Hz, 2H), 3.96 (dd, J = 4.2, 11.5 Hz, 2H), 5.16 (t, J = 9.8 Hz, 1H), 5.33 (td, J = 7.6, 10.7 Hz, 1H); Electrospray mass spectrometry showed m/z = 444 (M+Na).

[1041] Part B. Preparation of 4-(4-oct-1-enyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid:

A 2-dram vial equipped with a magnetic stirring bar was charged with the product of **Part** A (229 mg, 0.52 mmol), methylene chloride (1 mL), and trifluoroacetic acid (1 mL).

After the vial was capped, the mixture was stirred at room temperature for 3 hr. The mixture was then concentrated *in vacuo*, and the residue was triturated with ethyl acetate/hexanes (1:1). The solid was collected by vacuum filtration and dried *in vacuo* to afford a white solid product (161 mg, 81% yield). Electrospray mass spectrometry showed m/z = 388 (M+H).

[1042] Part C. Preparation of 4-(4-oct-1-enyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the product from **Part B** (161 mg, 0.42 mmol), a 0.5 M solution of hydroxybenzotriazole in dimethylformamide (1.7 mL, 0.85 mmol), a 0.5 M solution of tetrahydropyanyl hydroxylamine in dimethylformamide (1.7 mL, 0.85 mmol), ethyl 3-(dimethylamino)propyl carbodiimide hydrochloride (159 mg, 0.83 mmol), and

10

triethylamine (232 uL, 1.67 mmol). The resulting mixture was stirred at room temperature for 18 hr, and then partitioned between ethyl acetate (5 mL) and water (5 mL). The organic layer was washed with 5% HCl (5 mL) and filtered through a pad of celite. The filtrate was concentrated *in vacuo* and purified by preparative reversed-phase high-pressure liquid chromatography using a gradient of 10-90% acetonitrile/water with 0.05% trifluoroacetic acid giving two components. Major component: 93 mg of a white solid product (46% yield), Electrospray mass spectrometry showed m/z = 504 (M+NH4); Minor component: 7 mg of a white solid (4% yield), Electrospray mass spectrometry showed m/z = 504 (M+NH4).

[1043] Part D. Preparation of 4-(4-Oct-1-enyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the major product from Part C (93 mg, 0.18 mmol), 1,4-dioxane (1 mL), and methanol (1 mL). A 4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was then added, and the resulting mixture was stirred at room temperature for 10 min. Volatiles were removed *in vacuo*, leaving 100 mg of a white crystalline solid. 1 H NMR (DMSO-d6) δ 0.83 (t, J = 6.8 Hz, 3H), 1.22 (m, 10H), 1.47 (d, J = 10.4 Hz, 2H), 1.84 (td, J = 4.4, 12.8 Hz, 2H), 1.99 (q, J = 6.8 Hz, 2H), 2.31 (d, J = 12.8 Hz, 2H), 2.36 (m, 1H), 2.93 (t, J = 11.4 Hz, 2H), 3.15 (t, J = 11.6 Hz, 2H), 3.55 (d, J = 12.8 Hz, 2H), 3.81 (dd, J = 3.4, 11.4 Hz, 2H), 5.15 (t, J = 10 Hz, 1H), 5.27 (td, J = 7.2, 10.9 Hz, 1H), 9.13 (s, 1H), 10.95 (s, 1H); Electrospray mass spectrometry showed m/z = 403 (M+H). High-resolution mass spectroscopy: calculated for $C_{19}H_{35}N_{2}O_{5}S$: 403.2261; observed: 403.2255.

[1044] Example A21. Preparation of 4-(4-oct-1-enyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

5

10

15

20

25

A 2-dram glass vial was charged with the major product from **Example A20**, **Part C** (7 mg, 0.02 mmol), 1,4-dioxane (1 mL), and methanol (1 mL). A 4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was then added, and the mixture stirred at room temperature for 10 min. Volatiles were removed *in vacuo*, leaving 8 mg of a white crystalline solid.

¹H NMR (DMSO-d6) δ 0.82 (t, J = 6.4 Hz, 3H), 1.21 (m, 10H), 1.58 (d, J = 10.8 Hz, 2H), 1.83 (td, J = 4.4, 12.8 Hz, 2H), 1.91 (q, J = 6.2 Hz, 2H), 2.00 (m, 1H), 2.31 (d, J = 13.2 Hz, 2H), 2.89 (t, J = 11.4 Hz, 2H), 3.15 (t, J = 11.6 Hz, 2H), 3.54 (d, J = 12.4 Hz, 2H), 3.81 (dd, J = 3.6, 11.6 Hz, 2H), 5.29-5.41 (m, 2H), 9.13 (s, 1H), 10.95 (s, 1H); Electrospray mass spectrometry showed m/z = 403 (M+H). High-resolution mass spectroscopy: calculated for C₁₉H₃₅N₂O₅S: 403.2261; observed: 403.2240.

[1045] Example A22. Preparation of 4-(4-octyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid hydroxyamide (an alternative to the preparation illustrated in Example 26):

15

[1046] Part A. Preparation of 4-(4-octyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

20

25

The olefin from Example A20, Part A (0.35 g, 0.79 mmol) was mixed with methanol (5 mL). Subsequently, 10% Pd/C (0.5 g) was added. The resulting mixture was agitated on a Parr shaker at 40 psi overnight. The mixture was then filtered through celite and concentrated. This afforded the alkane in the form of a white crystalline solid (328 mg, 93% yield). ¹H NMR (CDCl₃) δ 0.89 (t, J = 6.5 Hz, 3H), 1.27 (m, 17H), 1.54 (s, 9H), 1.69 (d, J = 12.3 Hz, 2H), 2.15 (td, J = 4.7, 12.5 Hz, 2H), 2.34 (d, J = 12.6 Hz, 2H), 2.94 (t, J = 12.2 Hz, 2H), 3.33 (t, J = 11.8 Hz, 2H), 3.78 (d, J = 12.6 Hz, 2H), 3.98 (dd, J = 4.2, 12 Hz, 2H). Electrospray mass spectrometry showed m/z = 446 (M+H)⁺.

5

10

15

20

25

[1047] Part B. Preparation of 4-(4-octyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid:

A 2-dram vial equipped with a magnetic stirring bar was charged with the product of **Part** A (307 mg, 0.69 mmol), methylene chloride (1 mL), and trifluoroacetic acid (1 mL). After the vial was capped, the mixture was stirred at room temperature for 3 hr. The mixture was then concentrated *in vacuo*, and the residue was triturated with ethyl acetate/hexanes (1:1). The resulting solid was collected by vacuum filtration and dried *in vacuo* to afford a white solid product (268 mg, 86% yield). Electrospray mass spectrometry showed m/z = 390 (M+H).

[1048] Part C. Preparation of 4-(4-octyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the product from Part B (232 mg, 0.60 mmol), a 0.5 M solution of hydroxybenzotriazole in dimethylformamide (2.4 mL, 1.2 mmol), a 0.5 M solution of tetrahydropyanyl hydroxylamine in dimethylformamide (2.4 mL, 1.2 mmol), ethyl 3-(dimethylamino)propyl carbodiimide hydrochloride (228 mg, 1.2 mmol), and triethylamine (332 uL, 2.4 mmol). The resulting mixture was stirred at room temperature for 18 hr, and then partitioned between ethyl acetate (5 mL) and water (5 mL). The organic layer was washed with 5% HCl (5 mL) and filtered through a pad of celite. The filtrate was concentrated *in vacuo* and purified by preparative reversed-phase high-pressure liquid chromatography using a gradient of 10-90% acetonitrile/water with 0.05% trifluoroacetic acid. This afforded a white solid product (169 mg, 58% yield), Electrospray mass spectrometry showed m/z = 506 (M+NH4).

[1049] Part D. Preparation of 4-(4-octyl-piperidine-1-sulfonyl)-tetrahydropyran-4-carboxylic acid hydroxyamide:

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the product from Part C (93 mg, 0.18 mmol), 1,4-dioxane (1 mL), and methanol (1 mL). A 4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was added, and the resulting mixture was stirred at room temperature for 10 min. Volatiles were removed in vacuo, leaving 162 mg of a white crystalline solid. ¹H NMR (DMSO-d6) δ 0.82 (t, J = 6.8 Hz, 3H), 1.00 (m, 2 H), 1.21 (m, 11H), 1.59 (d, J = 10.4 Hz, 2H), 1.83 (td, J = 4.3, 12.8 Hz, 2H), 2.30 (d, J =10 12.8 Hz, 2H), 2.84 (t, J = 11.6 Hz, 2H), 3.14 (t, J = 11.6 Hz, 2H), 3.54 (d, J = 12.4 Hz, 2H), 3.81 (dd, J = 3.6, 11.2 Hz, 2H), 9.15 (s, 1H), 10.95 (s, 1H); Electrospray mass spectrometry showed m/z = 405 (M+H). High-resolution mass spectroscopy: calculated for C₁₉H₃₇N₂O₅S: 405.2418; observed: 405.2398.

15 [1050] Example A23. Preparation of 4-(4-heptyloxy-piperidine-1-sulfonyl)tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1051] Part A. Preparation of 4-(4-heptyloxy-piperidine-1-sulfonyl)tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

20

25

5

A 10 mL teflon reaction vessel was charged with the alcohol from Example A5 (0.5 g, 1.4 mmol) and tetrahydrofuran (4 mL) under N₂. A 60% NaH oil dispersion (74 mg, 1.9 mmol) was then added in one portion with much gassing. After stirring at room temperature for 30 min, a solution of 1-iodoheptane (0.39 g, 1.7 mmol) in tetrahydrofuran (1 mL) was added dropwise. The resulting mixture was heated to 50°C for 26 hr, and then cooled to room temperature. Afterward, the mixture was partitioned between saturated ammonium chloride (5 mL) and ethyl acetate (5 mL). The organic layer was washed with water (5 mL), filtered through Celite, and concentrated *in vacuo*. Flash column chromatography on silica gel afforded a white crystalline solid product (131 mg, 20% yield). 1 H NMR (CDCl₃) δ 0.88 (t, J = 6.8 Hz, 3H), 1.22-1.35 (m, 8H), 1.52 (s, 9H), 1.54 (m, 2H), 1.60-1.75 (m, 2H), 1.80-1.90 (m, 2H), 2.11 (td, J = 4.5, 12.6 Hz, 2H), 2.32 (d, J = 11.4 Hz, 2H), 3.17 (m, 2H), 3.25 (m, 2H), 3.31 (t, J = 12.2 Hz, 2H), 3.40 (t, J = 6.6 Hz, 2H), 3.46 (m, 1H), 3.55 (m, 2H), 3.96 (dd, J = 4.2, 11.4 Hz, 2H); Electrospray mass spectrometry showed m/z = 448 (M+H)⁺.

[1052] Part B. Preparation of 4-(4-heptyloxy-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid:

A 2-dram vial equipped with a magnetic stirring bar was charged with the product of **Part** A (99 mg, 0.22 mmol), methylene chloride (1 mL), and trifluoroacetic acid (1 mL). After the vial was capped, the mixture was stirred at room temperature for 3 hr. The mixture was then concentrated *in vacuo*, and the residue was triturated with ethyl acetate/hexanes (1:1). The resulting solid was collected by vacuum filtration and dried *in vacuo* to afford a white solid product (86 mg, 83% yield). Electrospray mass spectrometry showed m/z = 392 (M+H).

[1053] Part C. Preparation of 4-(4-heptyloxy-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the product from **Part B** (72 mg, 0.18 mmol), a 0.5 M solution of hydroxybenzotriazole in dimethylformamide (0.7 mL, 0.35 mmol), a 0.5 M solution of tetrahydropyanyl hydroxylamine in dimethylformamide (0.7 mL, 0.35 mmol), ethyl 3-(dimethylamino)propyl carbodiimide hydrochloride (70 mg, 0.36 mmol), and

5

10

15

20

25

::

triethylamine (102 uL, 0.73 mmol). The resulting mixture was stirred at room temperature for 18 hr, and then partitioned between ethyl acetate (5 mL) and water (5 mL). The organic layer was washed with 5% HCl (5 mL) and filtered through a pad of celite. The filtrate was concentrated in vacuo and purified by preparative reversed-phase highpressure liquid chromatography using a gradient of 10-90% acetonitrile/water with 0.05% trifluoroacetic acid. This afforded a white solid product (55 mg, 61% yield). Electrospray mass spectrometry showed m/z = 508 (M+NH4).

[1054] Part D. Preparation of 4-(4-heptyloxy-piperidine-1-sulfonyl)tetrahydro-pyran-4-carboxylic acid hydroxyamide:

10

15

5

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the major product from Part C (55 mg, 0.11 mmol), 1,4-dioxane (1 mL), and methanol (1 mL). A 4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was then added, and the resulting mixture stirred at room temperature for 10 min. Volatiles were removed in vacuo, leaving 53 mg of a white crystalline solid. 1 H NMR (DMSO-d6) δ 0.83 (t, J = 6.8 Hz, 3H), 1.20-1.30 (m, 8H), 1.35-1.48 (m, 4H), 1.70-1.80 (m, 2H), 1.83 (td, J = 4.4, 12.8 Hz, 2H), 2.30(d, J = 13.2 Hz, 2H), 3.00-3.10 (m, 2H), 3.14 (t, J = 11.6 Hz, 2H), 3.27-3.45 (m, 5H), 3.81(dd, J = 3.8, 11.4 Hz, 2H), 9.15 (s, 1H), 10.95 (s, 1H); Electrospray mass spectrometry showed m/z = 405 (M+H). High-resolution mass spectroscopy: calculated for C₁₈H₃₅N₂O₆S: 407.2210; observed: 407.2205.

[1055] Example A24. Preparation of N-hydroxy-4-({4-[5-(3,3,4,4,4-pentafluorobutyl)pyrazin-2-yl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

[1056] Part A. Preparation of 5'-bromo-4-methanesulfonyl-3,4,5,6-tetrahydro-2H-[1,2']bipyrazinyl:

To a CH_2Cl_2 (150 mL) solution of Example 1, Part B (17 g, 50 mmol) in an ice bath was added trifluoroacetic acid (30 mL). The solution was stirred for 4 hr at room temperature, and then stripped *in vacuo*. The residue was partitioned between EtOAc (250 mL) and saturated NaHCO₃ (200 mL). The organic layer was separated, and the aqueous layer extracted with EtOAc and CH_2Cl_2 (200 mL each). The combined organic extracts were washed with brine, dried over MgSO₄, and evaporated to afford the crude piperazine in the form of a yellow solid (MS: m/z = 243, 245 (M+H)). The resulting crude product was dissolved in CH_2Cl_2 (150 mL), and then cooled in an ice bath. To the resulting mixture was added Et₃N (8.8 mL, 63 mmol) and methanesulfonyl chloride (4.2 mL, 55 mmol). The solution was stirred for 16 hr at room temperature. The mixture was then washed with water and brine, dried over MgSO₄, and evaporated to produce 14.3 g (89% yield) of the desired sulfonamide in the form of a pale yellow oil. MS: m/z = 321, 323 (M+H).

[1057] Part B. Preparation of (5'-bromo-2,3,5,6-tetrahydro-[1,2']bipyrazinyl-4-sulfonyl)-acetic acid tert-butyl ester:

$$0 \downarrow_{H_3C} P$$

$$Br$$

$$H_3C$$

$$0 \downarrow_{N} P$$

$$H_3C$$

$$0 \downarrow_{N} P$$

$$Br$$

$$R$$

5

10

15

To a slurry of **Part A** (9.86 g, 30.7 mmol) and di-*tert*-butyl dicarbonate (7.37 g, 33.8 mmol) in THF (200 mL) at -78°C was added a tetrahydrofuran ("THF") solution of lithium bis(trimethylsilyl)amide (90 mL, 1 M, 90 mmol) dropwise over 10 min. The resulting slurry was warmed to 0°C, stirred for 10 min, and quenched with saturated NH₄Cl (100 mL). The THF was removed by rotary evaporation, and the residue was partitioned between ethyl acetate (400 mL) and water (200 mL). The organic layer was separated, washed with brine, dried over MgSO₄, and evaporated to produce 12.5 g (97% yield) of the desired compound in the form of a tan solid. LCMS: m/z = 443.0, 445.0 (M+H).

[1,2']bipyrazinyl-4-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

To a dimethylformamide ("DMF") (50 mL) solution of the product of Part B (6.40 g, 15.2 mmol) was added K_2CO_3 (6.6 g, 47.8 mmol), 18-crown-6 (1.2 g, 4.5 mmol), and bis(2-bromoethyl)ether (2.8 mL, 22. mmol). The resulting slurry was stirred at 60°C for 24 hr, and then at room temperature for an additional 16 hr. The solvent was stripped *in vacuo*, and the residue was partitioned between ethyl acetate (150 mL) and water (100 mL). The organic layer was separated, and the aqueous layer was extracted with EtOAc (3x150 mL) and CH_2Cl_2 (100 mL). The combined organic layers were dried over MgSO₄ and evaporated to form a tan solid. The solid was triturated with diethyl ether, and the precipitate was isolated by filtration and washed with diethyl ether (2x25 mL) to afford 4.79 g (64% yield) of the desired acid in the form of a white solid. LCMS: m/z = 513, 515 (M+H).

[1059] Part D. Preparation of 4-[5'-(3,3,4,4,4-pentafluoro-butyl)-2,3,5,6-tetrahydro-[1,2']bipyrazinyl-4-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

5

10

15

20

PCT/US03/13123 WO 03/091247

Zn/Cu couple (0.30 g, 4.6 mmol), 1,1,1,2,2-pentafluoro-4-iodobutane (0.78 g, 3.0 mmol), benzene (5 mL), and N,N-dimethylformamide (0.4 mL) were heated together for 3 hr at 60°C under N₂. A solution of the product of Part C (0.49 g, 1.0 mmol) and [1,1'bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with CH₂Cl₂ (1:1) (0.04 g, 0.05 mmol) in 1:1 DMF:THF (6mL) was added, and the resulting slurry was stirred overnight at 60°C under N₂. The mixture was subsequently poured into saturated NH₄Cl (50 mL), and extracted with ethyl acetate (2x50 mL). The combined organic extracts were washed with brine, dried over MgSO₄, and evaporated to form a brown solid. The crude material was purified on silica gel eluting with 25% ethyl acetate in hexane to produce 10 0.47 g (84% yield) of the desired product in the form of an off-white solid. MS: m/z = 559.2 (M+H).

[1060] Part E. Preparation of 4-[5'-(3,3,4,4,4-pentafluoro-butyl)-2,3,5,6tetrahydro-[1,2']bipyrazinyl-4-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

- 15 To a CH₂Cl₂ (2 mL) solution of the product of Part D (0.45 g, 0.81 mmol) was added was added trifluoroacetic acid (4 mL). The solution was stirred for 3 hr, and then stripped in vacuo to produce 0.62g (94% yield) of the desired acid in the form of an off-white solid. The crude product was used without further purification in the next step. LCMS: m/z =503.1(M+H).
- 20 [1061] Part F. Preparation of 4-[5'-(3,3,4,4,4-Pentafluoro-butyl)-2,3,5,6tetrahydro-[1,2']bipyrazinyl-4-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

25 To a slurry of the product of Part E in DMF (5 mL) was added triethylamine (0.45 mL, 3.2 mmol), O-(tetrahydro-2H-pyran-2-yl)hydroxyamine (0.28 g, 2.4 mmol), 1-(3dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.46 g, 2.4 mmol), and 1hydroxybenzotriazole (0.32 g, 2.4 mmol). The reaction mixture was stirred 16 hr at room

5

:--•;•

s, į

temperature. The solvent was stripped in vacuo, and the residue partitioned between ethyl acetate and water. The organic layer was separated, washed with saturated NaHCO₃, washed with brine, dried over MgSO₄, and evaporated to form an oil. The crude material was purified by flash column chromatography on silica gel eluting with 25% ethyl acetate (containing 10% MeOH) in hexane to afford 0.36 g (73% yield, based on Part D) of the desired THP-protected hydroxamic acid in the form of a white solid. LCMS: m/z = 602.2 (M+H, 25%), 624.2 (M+Na, 75%).

[1062] Part G. Preparation of N-hydroxy-4-({4-[5-(3,3,4,4,4-pentafluorobutyl)pyrazin-2-yl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

To the solid of Part F (0.35 g, 0.58 mmol) was added methanol ("MeOH") (0.5 mL) and 4 N HCl in dioxane (5.0 mL). The resulting yellow solution was stirred for 1 hr, and then added dropwise to rapidly stirring diethyl ether (50 mL). Subsequently, the slurry was stirred for 3 hr, and then filtered. The resulting solid was washed with diethyl ether (2 x 20 mL). The precipitate was dried *in vacuo* for 16 hr. Residual dioxane was removed by dissolving the solid in ethanol and stripping *in vacuo* at 50°C twice. The solid was dried *in vacuo* for 16 hr at room temperature to afford 0.25 g (74% yield) of the desired compound. LCMS: m/z = 518.1 (M+H). HRMS calcd. for $C_{18}H_{25}N_5O_5SF_5$: m/z = 518.1491 [M+H]⁺; found: 518.1515.

[1063] Example A25. Preparation of N-hydroxy-4-({4-[4-(3,3,3-trifluoropropyl)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

25

5

10

15

[1064] Part A. t-Butyl-2-[1-[4-(4-bromophenyl)piperazinyl]sulfonyl]acetate (15 g, 35.7 mmol, Carbogen), K₂CO₃ (14.83 g, 107.3 mmol), N,N-dimethylformamide (140 mL), 2-bromoethyl ether (9.13 g, 39.3 mmol, Aldrich), and 18-crown-6 (catalytic amount, spatula tip) were heated at 70°C overnight with mixing under an N₂ atmosphere. 5 Subsequently, additional K₂CO₃ (4.94 g, 35.7 mmol) and 2-bromoethyl ether (3.69 g, 16 mmol) were added to the mixture, and the mixture was then stirred for an additional night under N₂. Additional K₂CO₃ (4.94 g, 35.7 mmol) and 2-bromoethyl ether (3.69 g, 16 mmol) were once again added to the mixture, and the mixture was again stirred overnight under N_2 . The mixture was then cooled to ambient temperature, and then poured into 10 ethyl acetate (500 mL) and deionized water (200 mL). The layers were separated, and the aqueous was back-extracted with ethyl acetate (100 mL). The combined ethyl acetate layers were washed with 100 mL each of a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄, and concentrated in vacuo to form yellow solids. These solids were stirred in MeOH (50 mL) for 1 hr, filtered, and washed 15 with MeOH (15 mL). The solids were then dried in a vacuum oven at 50°C overnight to afford 11.1 g (64% yield) of the desired t-butyl ester pyran intermediate. ¹H NMR

confirmed structure of the intermediate.

[1065] **Part B.** Zn/Cu couple (0.6 g, 9.23 mmol), 1,1,1-trifluoro-3-iodopropane (1.37 g, 6.11 mmol, Aldrich), benzene (16 mL), and N,N-dimethylformamide (1 mL) were heated together for 3 hr at 60°C under N₂. The t-butyl ester pyran from **Part A** (1.0 g, 2.04 mmol) and [1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with CH₂Cl₂ (1:1) (0.083 g, 0.102 mmol, Aldrich) were added, and the resulting dark mixture was stirred overnight at 69°C under N₂. Zn/Cu couple (0.6 g, 9.23 mmol), 1,1,1-trifluoro-3-iodopropane (1.37 g, 6.11 mmol, Aldrich), benzene (16 mL), and N,N-dimethylformamide (1 mL) were heated together for 3 hr at 60°C under N₂. This mixture was added to the original flask, and the resulting mixture was stirred overnight at 70°C under N₂. An additional portion of the Pd catalyst (same amount used above) was added to the mixture, and the resulting mixture was stirred at 70°C overnight under N₂. Zn/Cu couple (0.6 g, 9.23 mmol), 1,1,1-trifluoro-3-iodopropane (1.37 g, 6.11 mmol, Aldrich), benzene (16 mL), and N,N-dimethylformamide (1 mL) were heated together for 3 hr at 60°C under N₂. This mixture was added to the original flask along with another portion of the Pd catalyst (same amount used above), and the resulting mixture was stirred overnight

20

25

at 70°C under N₂. The mixture was allowed to cool to ambient temperature, and 50 mL each of saturated NH₄Cl(aq) and deionized water were added to the mixture. The mixture was then stirred for 15 min. Afterward, the mixture was further diluted with 200 mL of ethyl acetate and filtered through a pad of Celite®. The filter cake was washed with 50 mL each of deionized water and ethyl acetate. The layers were separated, and the organic layer was washed with 100 mL of saturated NaCl(aq), dried over MgSO₄, and concentrated *in vacuo* to form a brown oil (1.43 g). Chromatography (silica, ethyl acetate/hexanes) afforded 0.80 g (78% yield) of a yellow oil.

[1066] Part C. The yellow oil from Part B was dissolved in CH₂Cl₂ (5 mL).

Trifluoroacetic acid (5 mL) was then added. The mixture was agitated, and then stoppered with a syringe needle vent overnight at ambient temperature. Subsequently, the solution was concentrated *in vacuo* to approximately 1-2 mL. The solids were then precipitated by slow addition of 30 mL ethyl ether ("Et₂O"). The slurry was stoppered for 30 min to allow precipitation. The precipitate was then filtered and dried at 50°C *in vacuo* for 2 hr to afford 0.64 g (72% yield) of solids.

[1067] Part D. The solids from Part C were dissolved with 1-hydroxybenzotriazole (0.23 g, 1.7 mmol, Aldrich) and 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (0.326 g, 1.7 mmol, Aldrich) in N,N-dimethylformamide (5mL). The mixture was stoppered and mixed at ambient temperature for 30 min.

- Afterward, 4-methylmorpholine (0.5 mL, 6.8 mmol) and O-(tetrahydropyranyl) hydroxylamine (0.200 g, 1.7 mmol, Carbogen) were added. The resulting mixture was mixed at ambient temperature for 8 hr, after which 1-hydroxybenzotriazole (0.115 g, 0.85 mmol, Aldrich), 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (0.163 g, 0.85 mmol, Aldrich), 4-methylmorpholine (0.187 mL, 1.7 mmol), and O-
- (tetrahydropyranyl) hydroxylamine (0.1 g, 0.85 mmol, Carbogen) were added. The mixture was then stoppered and stirred overnight at ambient temperature. Subsequently, the mixture was poured into 100 mL ethyl accetate and 50 mL of saturated NaHCO₃(aq). The layers were separated, and the resulting aqueous layer was back-extracted with 50 mL ethyl acetate. The combined organic layers were washed with 50 mL each of a 1:1
 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄.
 - mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄, and concentrated *in vacuo* to form an oil. Crystals were obtained from the resulting oil by

ないた **開始**が、 14000 X 14.4.4.4

crystallization from 10 mL methanol. The crystals were dried in vacuo at 50°C overnight to afford of solids (0.41 g, 66% yield).

[1068] Part E. To the solids from Part D (0.28 g) dissolved in MeOH (2.5 mL) was added 4N HCl in dioxane (10 mL). This mixture was stoppered and mixed for 1 hr at ambient temperature. The mixture was then concentrated *in vacuo* to form solids. The crude material was purified by chromatography (on reversed-phase silica, water/acetonitrile w/ 0.05% trifluoroacetic acid in both). Trifluoroacetate salt was exchanged for hydrochloride salt by 3 evaporations with MeOH (5 mL) and 4N HCl in dioxane (20 mL). After the last evaporation, the solids were dissolved in 1 mL methanol and precipitated by a slow addition of 30 mL Et₂O resulting in white solids. The white solids were filtered and dried in a vacuum oven at 50°C for 3 hr to afford 0.113 g of product (44% yield). MS, M+H calculated for C₁₉H₂₆F₃N₃O₅S: 466.1618, found: 466.1599.

[1069] Example A26. Preparation of N-hydroxy-4-({4-[4-(4,4,4-trifluorobutyl)phenyl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

[1070] Part A. t-Butyl-2-[1-[4-(4-bromophenyl)piperazinyl]sulfonyl]acetate(15 g, 35.7 mmol, Carbogen), K₂CO₃ (14.83 g, 107.3 mmol), N,N-dimethylformamide (140 mL), 2-bromoethyl ether (9.13 g, 39.3 mmol, Aldrich), and 18-crown-6 (catalytic amount, spatula tip) were heated at 70°C overnight with mixing under N₂. Additional K₂CO₃ (4.94 g, 35.7 mmol) and 2-bromoethyl ether (3.69 g, 16 mmol) were added to the mixture, and the mixture was again stirred overnight under N₂. Additional K₂CO₃ (4.94 g, 35.7 mmol) and 2-bromoethyl ether (3.69 g, 16 mmol) was once again added to the mixture, and the mixture was stirred overnight under N₂. The mixture was cooled to ambient temperature and then poured into ethyl acetate (500 mL) and deionized water (200 mL). The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (100 mL). The combined ethyl acetate layers were washed with 100 mL each of a 1:1 mixture of

5

10

20

deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄, and concentrated *in vacuo* to form yellow solids. These solids were stirred in MeOH (50 mL) for 1 hr, filtered, and washed with MeOH (15 mL). The solids were then dried in a vacuum oven at 50°C overnight to afford 11.1 g (64% yield) of solids. ¹H NMR confirmed structure of the desired t-butyl ester pyran compound.

- [1071] Part B. Zn/Cu couple (1.22 g, 18.8 mmol), 1,1,1-trifluoro-4-iodobutane (2.91 g, 12.2 mmol, Matrix Scientific), benzene (32.5 mL), and N,N-dimethylformamide (6.5 mL) were heated together for 3 hr at 60°C under N₂. Afterward, the t-butyl ester pyran from Part A (2.0 g, 4.1 mmol) and [1,1'-
- 10 bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with CH₂Cl₂ (1:1) (0.166 g, 0.2 mmol, Aldrich) were added, and the resulting dark mixture was stirred overnight at 78°C under N₂. Zn/Cu couple (1.22 g, 18.8 mmol), 1,1,1-trifluoro-4iodobutane (3.35 g, 12.2 mmol, Matrix Scientific), benzene (32.5 mL), and N,Ndimethylformamide (6.5 mL) were heated together for 3 hr at 60°C under N₂. This mixture was then added to the original flask, along with an additional portion of the Pd 15 catalyst (same amount used above). The resulting mixture was stirred overnight at 78°C under N₂. The mixture was then allowed to cool to ambient temperature, and 25 mL of saturated NH₄Cl(aq) was added to the mixture. The resulting mixture was stirred for 15 min. The mixture was then further diluted with deionized water (50 mL) and ethyl acetate 20 (100mL) and filtered through a pad of Celite®. The filter cake was washed with 50 mL each of deionized water and ethyl acetate. The layers were separated, and the organic layer was washed with 100 mL of saturated NaCl(aq), dried over MgSO₄, and concentrated in vacuo to afford a red oil (2.6 g, 122% yield).
- [1072] Part C. The red oil from Part B was dissolved in CH₂Cl₂ (30 mL).

 Trifluoroacetic acid (30 mL) was then added. The mixture was stoppered with a syringe needle vent and mixed over a weekend at ambient temperature. The resulting mixture was then concentrated *in vacuo* to form an oil.
 - [1073] **Part D.** The oil from **Part C**, 1-hydroxybenzotriazole (0.83 g, 6.1 mmol, Aldrich), and 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (1.18 g, 6.1 mmol, Aldrich) were dissolved in N,N-dimethylformamide (20mL). The mixture was stoppered and mixed at ambient temperature for 1 hr. Afterward, 4-methylmorpholine (1.76 mL, 16 mmol) and O-(tetrahydropyranyl) hydroxylamine (0.71 g, 6.1 mmol,

30

Carbogen) were added. The resulting mixture was then mixed at ambient temperature for 2 hr, after which time 1-hydroxybenzotriazole (0.55 g, 4.1 mmol, Aldrich), 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (0.79 g, 4.1 mmol, Aldrich), 4-methylmorpholine (0.55 mL, 5 mmol), and O-(tetrahydropyranyl) hydroxylamine (0.48 g, 4.1 mmol, Carbogen) were added. The resulting solution was stoppered and stirred at ambient temperature overnight. Subsequently, the mixture was poured into 300 mL ethyl acectate, 50 mL deionized water, and 50 mL of saturated NaHCO₃(aq). The layers were separated, and the organic layer was washed with 100 mL each of a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄, and concentrated *in vacuo* to afford an oil.

[1074] Part E. The oil from Part D was dissolved in MeOH (5 mL). Afterward, 4N HCl in dioxane (20 mL) was added. The resulting mixture was stoppered and mixed overnight at ambient temperature. The solution was then concentrated *in vacuo* to a semisolid/oil. The crude oil was purified by chromatography (on reversed-phase silica, water/acetonitrile w/ 0.05% trifluoroacetic acid in both). Trifluoroacetate salt was exchanged for hydrochloride salt by 3 co-evaporations with MeOH (5 mL) and 4N HCl in dioxane (20 mL). After the last co-evaporation, the oil was triturated with diethyl ether overnight. The resulting solids were filtered and dried in a vacuum oven at 50°C for 2 hr to afford 0.39 g (18.5% yield) of the product in the form of white solids. MS, M+H calculated for C₂₀H₂₈F₃N₃O₅S: 480.1775, found: 480.1763.

[1075] Example A27. Preparation of 4-{[4-(5-butylpyridin-2-yl)piperidin-1-yl]sulfonyl}-N-hydroxytetrahydro-2H-pyran-4-carboxamide hydrochloride:

[1076] Part A. To a solution of the Boc-piperidine of Example 24, Part B (8.1 g, 23.8 mmol) in 1,4-dioxane (10 mL) was added 4M HCl in 1,4-dioxane (10 mL). Methanol (5 mL) was then added, and the resulting solution was stirred at ambient temperature for 18 hr. Additional 4M HCl in 1,4-dioxane (10 mL) was added and the reaction was

5

10

15

20

25

٠, ;

complete in 15 min. The solution was concentrated *in vacuo* to provide the amine in the form of a yellow solid. To the crude amine suspended into methylene chloride (50 mL) was added triethylamine (8.29 mL, 59.5 mmol). The mixture was cooled to 0°C, and methanesulfonyl chloride (1.75 mL, 22.6 mmol) was added. Afterward, the mixture was stirred for 48 hr at ambient temperature. The mixture was then concentrated *in vacuo*. The resulting residue was dissolved into ethyl acetate. The organic layer was washed with water, saturated sodium bicarbonate, and saturated NaCl; dried over sodium sulfate; and concentrated *in vacuo*. Ethyl ether was added, and the resulting white solid was collected by vacuum filtration to provide the desired mesylate intermediate in the form of a white solid (4.0 g, 53% yield). MS MH⁺ for C₁₁H₁₅BrN₂O₂S: calc. 319, found 319.

[1077] Part B. To a solution of the mesylate of Part B (3.6 g, 11.3 mmol) in tetrahydrofuran (30 mL) cooled to -50°C was added lithium hexamethyldisilazide (1.0 M in tetrahydrofuran, 29.3 mL, 29.3 mmol) dropwise over 20 min. After 2 hr of gradually warming to ambient temperature, the mixture was cooled to -50°C. Subsequently, di-tert-butyl dicarbonate (2.59 g, 11.9 mmol) in 6 mL tetrahydrofuran was added dropwise. Upon completion of the addition, the mixture was warmed to 0°C and then quenched by the addition of saturated ammonium chloride. Water was added, and the mixture was extracted with ethyl acetate. The organic layer was washed with water and saturated NaCl, and then dried over sodium sulfate. Concentration *in vacuo* afforded the t-butyl methylene intermediate in the form of an orange solid (7.6 g, quantitative yield). MS MH⁺ for C₁₆H₂₃BrN₂O₄S: calc. 419, found 419.

[1078] Part C. To a mixture of 2-bromoethyl ether (1.70 mL, 13.6 mmol) in N, N-dimethylformamide (50 mL) was added potassium carbonate (9.36 g, 67.8 mmol) and 18-crown-6 (895 mg, 3.39 mmol). The crude t-butyl intermediate from Part B (11.3 mmol) in N,N-dimethylformamide (10 mL) was then added dropwise. The resulting mixture was heated at 80°C for 96 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl and dried over sodium sulfate. Concentration *in vacuo* followed by trituration with ethyl ether afforded the t-butyl ester, alpha-tetrahydropyran intermediate in the form of a beige solid (2.56 g, 46% yield). MS MH⁺ for C₂₀H₂₉BrN₂O₅S: calc. 489, found 489.

[1079] Part D. To a mixture of the t-butyl ester, alpha-tetrahydropyan of Part C (500 mg, 1.02 mmol) in tetrahydrofuran (3 mL) was added a solution of potassium

5

10

15

20

25

30

生了一生人 建丁烯酸

phosphate (650 mg, 3.06 mmol) in water (2 mL), tributylborane (1M in tetrahydrofuran, 1.53 mL, 1.53 mmol), and [1,1'-bis(diphenyphosphino)ferrocene]dichloropalladium(II). CH₂Cl₂ (42 mg, 51 μmol) was then added. The mixture was heated to 60°C for 18 hr. Afterward, the mixture was filtered through Celite, rinsing with ethyl acetate. The organic mixture was washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate/hexane) afforded the desired butyl intermediate as an oil (525 mg, quantitative yield). MS MH⁺ for C₂₄H₃₈BrN₂O₅S: calc. 467, found 467.

[1080] Part E. The butyl compound of Part D (1.02 mmol) was dissolved into neat trifluoroacetic acid (5 mL). After 1 hr, the mixture was concentrated *in vacuo* to provide the crude carboxylic acid. The acid was dissolved into N,N-dimethylformamide (5 mL). Afterward, 1-hydroxybenzotriazole (165 mg, 1.22 mmol), 4-methylmorpholine (0.56 mL, 5.1 mmol), *O*-(tetrahyrdro-2*H*-pyran-2-yl)hydroxylamine (179 mg, 1.53 mmol) and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (274 mg, 1.43 mmol) were added. The mixture was stirred at ambient temperature for 18 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate, hexane) afforded the desired tetrahydropyanyl-protected hydroxamate intermediate as an oil (245 mg, 47% yield). MS MH⁺ for C₂₅H₃₉N₃O₆S: calc. 510, found 510.

[1081] Part F. The protected hydroxamate of Part E (184 mg, 0.36 mmol) was dissolved into 1,4-dioxane (3 mL). Afterward, 4M HCl in dioxane (5 mL) was added. After 1 hr, the mixture was concentrated *in vacuo*. Addition of ethyl ether followed by vacuum filtration afforded the title compound in the form of a white solid (155 mg, 93% yield). HRMS calc. 426.2063, found 426.2069.

25

: I

5

10

15

[1082] Example A28. Preparation of N-hydroxy-4-({4-[5-(3,3,4,4,4-pentafluorobutyl)pyridin-2-yl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

[1083] Part A. To a slurry of zinc dust (451 mg, 6.90 mmol) in tetrahydrofuran (3 mL) was added 1,2-dibromoethane (42 μ L, 0.49 mmol). The slurry was heated to reflux with a heat gun 3 times. After cooling to ambient temperature the third time, trimethylsilyl chloride (70 μ L, 0.55 mmol) was added. After 20 min, 1-iodo-3,3,4,4,4-pentafluorobutane (630 mg, 2.30 mmol) in tetrahydrofuran (2 mL) was added, and the mixture was heated to 40°C until the iodide was consumed. The resulting organozinc mixture was added via syringe to a mixture of the t-butyl compound from Example A27, Part C (750 mg, 1.53 mmol) in dimethylacetamide (2 mL). Dichlorobis(tri-o-tolylphosphine) palladium(II) (78 mg, 99 μ mol) was then added, and the mixture was heated to 80°C for 18 hr. Afterward, the mixture was filtered through Celite, rinsing with ethyl acetate. The organic mixture was washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate/hexane) afforded the desired pentafluorobutyl intermediate as an oil (262 mg, 31% yield). MS MH⁺ for C₂₄H₃₃N₂O₅SF₅: calc. 557, found 557.

dissolved into neat trifluoroacetic acid (5 mL). After 1 hr, the mixture was concentrated *in vacuo* to provide the crude carboxylic acid. The acid was dissolved into N,N-dimethylformamide (5 mL). Afterward, 1-hydroxybenzotriazole (74 mg, 0.55 mmol), 4-methylmorpholine (0.25 mL, 2.3 mmol), *O*-(tetrahyrdro-2*H*-pyran-2-yl)hydroxylamine (81 mg, 0.69 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (123 mg, 0.64 mmol) were added. The resulting mixture was stirred at ambient temperature for 18 hr, and then at 60°C for 3 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate, hexane)

5

10

15

20

5

afforded the desired tetrahydropyanyl-protected hydroxamate intermediate as an oil (100 mg, 36% yield). MS MH⁺ for C₂₅H₃₄N₃O₆SF₅: calc. 600, found 600.

[1085] Part C. The protected hydroxamate of Part B (100 mg, 0.17 mmol) was dissolved into 1,4-dioxane (2 mL). Subsequently, 4M HCl in dioxane (3 mL) was added. After 1 hr, the mixture was concentrated *in vacuo*. Addition of ethyl ether followed by vacuum filtration afforded the title compound in the form of a white solid (76 mg, 81% yield). HRMS calc. 516.1592, found 516.1583.

[1086] Example A29. Preparation of N-hydroxy-4-({4-[5-(4,4,4-10 trifluorobutyl)pyridin-2-yl]piperazin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

pyran-4-carboxyate (10.0 g, 29.9 mmol, Carbogen) in N,N-dimethylacetamide (40 mL) was added 2,5-dibromopyridine (6.44 g, 27.2 mmol) and cesium carbonate (17.72 g, 54.4 mmol). The mixture was heated to 120°C for 120 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl, and dried over sodium sulfate. Concentration *in vacuo* followed by trituration with hexane afforded the desired bromo intermediate in the form of a yellow solid (7.0 g, 53% yield).

[1088] Part B. To a slurry of zinc dust (285 mg, 4.36 mmol) in tetrahydrofuran (3 mL) was added 1,2-dibromoethane (30 μ L, 0.31 mmol). The slurry was heated to reflux with a heat gun 3 times. After cooling to ambient temperature the third time, trimethylsilyl chloride (40 μ L, 0.35 mmol) was added. After 20 min, 1-iodo-4,4,4-trifluorobutane (346 mg, 1.45 mmol) in tetrahydrofuran (2 mL) was added, and the resulting mixture was heated to 40°C until the iodide was consumed. The resulting organozinc mixture was added via syringe to a mixture of the bromo compound from Part A (475 mg, 0.97 mmol) in N,N-dimethylacetamide (2 mL). [1,1'-

25

bis(diphenyphosphino) ferrocene] dichloropalladium(II). CH₂Cl₂ (40 mg, 48 μmol) was then added, and the resulting mixture was heated to 80°C for 18 hr. Afterward, the mixture was filtered through Celite, rinsing with ethyl acetate. The organic layer was then washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate/hexane) afforded the desired trifluorobutyl intermediate in the form of an oil (300 mg, 59% yield). MS MH⁺ for C₂₃H₃₄N₃O₅SF₃: calc. 522, found 522.

trifluoroacetic acid (2 mL). After 1 hr, the mixture was concentrated *in vacuo* to provide the crude carboxylic acid. The acid was dissolved into N,N-dimethylformamide (2 mL). Afterward, 1-hydroxybenzotriazole (93 mg, 0.69 mmol), 4-methylmorpholine (0.32 mL, 2.9 mmol), *O*-(tetrahyrdro-2*H*-pyran-2-yl)hydroxylamine (102 mg, 0.87 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (156 mg, 0.81 mmol) were added. The resulting mixture was stirred at ambient temperature for 18 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate, hexane) afforded the desired protected hydroxamate intermediate in the form of an oil (230 mg, 70% yield). MS MH⁺ for C₂₃H₃₅N₄O₆SF₃: calc. 565, found 565.

[1090] Part D. The protected hydroxamate of Part C (230 mg, 0.41 mmol) was dissolved into 1,4-dioxane (2 mL). Afterward, 4M HCl in dioxane (3 mL) was added. After 1 hr, the mixture was concentrated *in vacuo*. Chromatography (on silica, acetonitrile/water) afforded the title compound in the form of a white solid (120 mg, 57% yield). HRMS calc. 480.1654, found 480.1700.

[1091] Example A30. Preparation of N-hydroxy-4-({4-[5-(3,3,3-trifluoropropyl)pyridin-2-yl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

5

10

15

20

ri.

5

10

15

20

25

30

[1092] Part A. To a slurry of zinc dust (601 mg, 9.18 mmol) in tetrahydrofuran (3 mL) was added 1,2-dibromoethane (60 μ L, 0.65 mmol). The slurry was heated to reflux with a heat gun 3 times. After cooling to ambient temperature the third time, trimethylsilyl chloride (90 μ L, 0.73 mmol) was added. After 20 min, 3-iodo-1,1,1-trifluoropropane (0.35 mL, 3.06 mmol) in tetrahydrofuran (2 mL) was added, and the resulting mixture was heated to 40°C until the iodide was consumed. The resulting organozine mixture was added via syringe to a mixture of the t-butyl compound of **Example A27, Part C** (820 mg, 1.68 mmol) in N,N-dimethylacetamide (2 mL). Dichlorobis(tri-o-tolylphosphine) palladium(II) (86 mg, 110 μ mol) was then added, and the resulting mixture was heated to 80°C for 18 hr. Subsequently, the mixture was filtered through Celite, rinsing with ethyl acetate. The organic layer was washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate/hexane) afforded the desired trifluoropropyl intermediate in the form of an oil (160 mg, 19% yield). MS MH⁺ for C₂₃H₃₃N₂O₅SF₃: calc. 507, found 507.

was dissolved into neat trifluoroacetic acid (2 mL). After 1 hr, the mixture was concentrated *in vacuo* to provide the crude carboxylic acid. The acid was dissolved into N,N-dimethylformamide (2 mL). Afterward, 1-hydroxybenzotriazole (107 mg, 0.79 mmol), 4-methylmorpholine (0.36 mL, 3.3 mmol), *O*-(tetrahyrdro-2*H*-pyran-2-yl)hydroxylamine (116 mg, 0.99 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (177 mg, 0.92 mmol) were added. The resulting mixture was stirred at ambient temperature for 18 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate, hexane) afforded the desired protected hydroxamate intermediate as an oil (160 mg, 44% yield). MS MH⁺ for C₂₄H₃₄N₃O₆SF₃: calc. 550, found 550.

[1094] Part C. The protected hydroxamate of Part B (160 mg, 0.29 mmol) was dissolved into 1,4-dioxane (2 mL). Afterward, 4M HCl in dioxane (3 mL) was added. After 1 hr, the mixture was concentrated *in vacuo*. Chromatography (on silica, acetonitrile/water(0.05% HCl) afforded the title compound in the form of a white solid (90.3 mg, 62% yield). HRMS calc. 465.1545, found 465.1543.

[1095] Example A31. Preparation of 1-cyclopropyl-N-hydroxy-4-({4-[4-(3,3,4,4,4-pentafluorobutyl)phenyl]piperidin-1-yl}sulfonyl)piperidine-4-carboxamide hydrochloride:

[1096] Part A. A mixture of 4-(4-bromophenyl)-4-piperidinol (50 g, 195 mmol, Aldrich), triethylamine (59.8 mL, 429mmol), and CH₂Cl₂ (400 mL) was cooled to 0°C with mixing under N₂. To this mixture was added methanesulfonyl chloride (16.6 mL, 214 mmol) in CH₂Cl₂ (100 mL) dropwise while maintaining the temperature at less than 10°C. After the addition was complete, the ice bath was removed and the mixture was stirred for 1 hr. Additional methanesulfonyl chloride (10 mL, 129 mmol) in CH₂Cl₂ (50 mL) was added dropwise to the mixture, and the resulting mixture was stirred at ambient temperature under N₂ overnight. Subsequently, the mixture was added to 300 mL of 0.5 N HCl(aq) and 200mL of deionized water. The layers were separated, and the aqueous layer was back-extracted with CH₂Cl₂ (100 mL). The combined CH₂Cl₂ layers were washed with 300 mL each of saturated NaHCO₃(aq) and saturated NaCl(aq). The CH₂Cl₂ layer was dried over MgSO₄, filtered, and concentrated *in vacuo* to afford the desired methylsulfonamide intermediate in the form of a solid (62 g, 95.6% yield).

[1097] Part B. To the methylsulfonamide of Part A was added CH₂Cl₂ (300 mL) and triethylsilane (125 mL, 778 mmol), followed by trifluoroacetic acid (300 mL, 3.9 mol). The resulting mixture was stoppered and stirred at ambient temperature for 1 hr, and then concentrated *in vacuo* to solids. These solids were mixed with MeOH (150 mL) at ambient temperature for 2 days in a stoppered flask. The resulting solids were filtered from the slurry, and then washed with 100 mL MeOH. The washed solids were then dried in a vacuum oven at 50°C overnight affording 54.14 g (91.7% yield) of solids. ¹H NMR confirmed the structure of the desired product.

[1098] Part C. Zinc (dust, 325 mesh, 2.06 g, 31.5mmol), 1,2-dibromoethane (0.243mL, 2.8mmol), and tetrahydrofuran (12.5 mL) were heated together at 65°C under N₂ for 5 min. The slurry was then cooled to ambient temperature with mixing under N₂.

5

10

15

20

25

The State of the s

5

10

15

20

25

30

• •

Trimethylchlorosilane (0.336mL, 2.64 mmol) was then added. The resulting mixture was stirred at ambient temperature for 30 min. Subsequently, 1,1,1,2,2-pentafluoro-4iodobutane (6.45 g, 23.5 mmol, Matrix Scientific) was added, and the resulting mixture was stirred at 40°C for 3 hr under N2. Afterward, N,N-Dimethylaceamide (35 mL), the solids from Part B (5 g, 15.7 mmol), and dichlorobis(tri-o-tolylphosphine)palladium(II) (802 mg, 1.02 mmol, Aldrich) were added to the mixture. The mixture was then heated at 80°C under N₂ overnight. Subsequently, the mixture was cooled to less than 30°C, and 50 mL of saturated NH₄Cl(aq) was added, followed by 200 mL of ethyl acetate. This biphasic system was filtered through a pad of Celite®, washing with deionized water (50 mL) and ethyl acetate (50 mL). The layers were then separated, and the ethyl acetate layer washed with 100 mL each of saturated NaHCO₃(aq) and saturated NaCl(aq). The ethyl acetate layer was dried over MgSO₄, filtered, and concentrated in vacuo to afford solids. These solids were then slurried in hexanes (50 mL) for 1 hr. Afterward, the solids were filtered, washed with hexanes (20 mL), and dried at 50°C in a vacuum oven for 2 hr to afford 5.58 g (92% yield) of solids. ¹H NMR confirmed the structure of the desired product.

mmol), and di-tert-butyl dicarbonate (4.55 g, 20.9 mmol, Aldrich) were cooled together to -78°C under N₂. To the resulting mixture, a solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (1M, 46mL) was added at a rate such that the temperature remained at less than -70°C. This mixture was then mixed at -78°C under N₂ for 1 hr, and then at 0°C for 20 min. Subsequently, the mixture was cooled to -40°C, and saturated NH₄Cl(aq) (25 mL) was added. After the addition was complete, the mixture was warmed to ambient temperature, and ethyl acetate (250 mL) and deionized water (100mL) were added. The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (100 mL). The combined ethyl acetate layers were washed with 100 mL each of saturated NaHCO₃(aq) and saturated NaCl(aq), dried over MgSO₄, filtered, and concentrated in vacuo. The resulting solid/oil was co-evaporated several times with acetonitrile to afford solids, which, in turn, were dried in a vacuum oven at 50°C overnight to afford 8.55 g (102% yield) of solids.

[1100] Part E. N,N-Dimethylformamide (20 mL), K₂CO₃ (5.14 g, 37.2 mmol), bis-(chloroethyl)cyclopropylamine hydrochloride (1.75 g, 7.6 mmol, Gateway Chemical),

and 18-Crown-6 (0.49 g, 1.86 mmol) were heated to 65°C under N₂. The solids from Part D (3.0 g, 6.2 mmol) was then added in 5 equal portions at a rate of one portion every 20 min. The mixture was then stirred overnight under N₂ at 65°C. An additional 1 g of K₂CO₃ (7.2 mmol) and 0.45 g of bis-(chloroethyl)cyclopropylamine hydrochloride (2.0 mmol, Gateway Chemical) were subsequently added, and the mixture was again stirred overnight at 65°C under N₂. Subsequently, the mixture was cooled to ambient temperature. Deionized water (75 mL) and ethyl acetate (200 mL) were then added. The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (50 mL). The combined ethyl acetate layers were washed with 100 mL each of a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄, filtered, and concentrated *in vacuo* to afford 4 g of solids. The solids were stirred in hexanes, filtered, washed with hexanes, and dried for several hours *in vacuo* at 50°C to afford the desired t-butyl intermediate in the form of tan solids (2.22 g, 60.5% yield).

[1101] Part F. The t-butyl ester from Part E (1.76 g, 31.7 mmol) was dissolved in CH₂Cl₂ (11.5 mL). To this mixture were added tirethylsilane (4.9 mL, 30.7 mmol), trifluoroacetic acid (11.5 mL, 149 mmol), and trifluoromethanesulfonic acid (0.380 mL, 4.26 mmol) in that order. The resulting mixture was stoppered with a syringe needle vent and mixed at ambient temperature overnight. Subsequently, the mixture was concentrated to solids *in vacuo*. These solids were mixed with Et₂O (50 mL) for 1 hr, filtered, washed with Et₂O, and dried *in vacuo* at 50°C for 1 hr to afford 2.13 g (88% yield) of the desired acid intermediate.

[1102] Part G. To the acid from Part F was added N,N-dimethylformamide (15 mL), 1-hydroxybenzotriazole (0.668 g, 4.95 mmol, Aldrich), and 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (0.949 g, 4.95 mmol, Aldrich).

The resulting mixture was stoppered and stirred for 30 min at ambient temperature.

Afterward, 4-methylmorpholine (1.45 mL, 13.2 mmol) and O-(tetrahydropyranyl) hydroxylamine (0.579 g, 4.95 mmol, Carbogen) were added. The mixture was then stoppered and stirred overnight at ambient temperature. Subsequently, 4-methylmorpholine (0.363 mL, 3.3 mmol) and O-(tetrahydropyranyl) hydroxylamine (0.143 g, 1.22 mmol, Carbogen), 1-hydroxybenzotriazole (0.165 g, 1.22 mmol, Aldrich), and 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (0.234 g, 1.22 mmol, Aldrich) were added. The mixture was again stoppered and stirred overnight at ambient

5

10

15

temperature. Subsequently, 200 mL of ethyl acetate, 30 mL of deionized water, and 30 mL of saturated NaHCO₃(aq) were added. The layers were allowed to separate. The aqueous was back-extracted with ethyl acetate (50 mL). The combined ethyl acetate layers were then washed with 75 mL each of a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq). The ethyl acetate layer was dried over MgSO₄, filtered, and concentrated *in vacuo* to afford a glass that was recrystallized from MeOH/deionized water to afford white solids (1.48 g, 70.5% yield).

Afterward, 4N HCl/Dioxane (10 mL) was added. The mixture was then covered and mixed at ambient temperature for 1 hr. Subsequently, the mixture was concentrated to solids *in vacuo*. The solids were mixed with Et₂O (50 mL) for 1 hr, filtered, and dried *in vacuo* at 50°C overnight to afford 1.2 g of material. This material was purified by chromatography (on reversed-phase silica, water/acetonitrile w/ 0.05% trifluoroacetic acid in both). Exchanged trifluoroacetate salt for hydrochloride salt by 3 evaporations with MeOH (5 mL) and 4N HCl in dioxane (20 mL). After the last evaporation, the solids were mixed with 70 mL Et₂O. The white solids were filtered, washed with Et₂O, and dried *in vacuo* at 50°C for 2 hr to afford 0.590 g of product (43% yield). MS, M+H calculated for C₂₄H₃₂F₅N₃O₄S: 554.2106, found: 554.2095.

[1104] Example A32. Preparation of N-hydroxy-4-({4-[4-(2,2,3,3-tetrafluoropropoxy)phenyl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide:

[1105] Part A. A round bottom flask was charged with 4-fluorobenzaldehyde (Aldrich, 25 g, 202 mmol) and 2,2,3,3-tetrafluoropropanol (Aldrich, 29.2 g, 222 mmol) in dimethylformamide (400 ml). Potassium carbonate (Aldrich, 41.7 g, 303 mmol) was added, and the resulting mixture was heated to 80°C and stirred for 18 hr. The mixture was then diluted with water (500ml) to cause a white solid to precipitate. The solid was

10

15

20

collected by filtration, washed with water, and dried to afford the desired intermediate in the form of a white solid (43.2 g, 91% yield). ¹H NMR showed the desired compound.

g, 174 mmol), ethylacetoacetate (Aldrich, 44.2 ml, 347 mmol), and piperidine (Aldrich, 1.0 g, 11.7 mmol). The mixture was stirred without solvent for 3 days, resulting in a solid yellow mass. Ethanol (300 ml) was added, and the mixture was heated at reflux for 2 hr. After cooling to room temperature, precipitation occurred. The solids were filtered, washed with hexanes, and dried to afford a yellow solid. This solid was slowly added portion wise to a heated (85°C) aqueous KOH solution (26.1 g, 470 mmol in 23 ml water). After the addition, the reaction was continued for 2 hr at 85°C, turning the mixture black. The mixture was cooled by adding ice (100 g). The cooled mixture was then washed with ethyl acetate (50 ml) and separated. The aqueous was titrated to a pH of 1 using concentrated HCl. The product was extracted out with dichloromethane (3x-200 ml). The organics were combined, dried over Na₂SO₄, and concentrated to afford the desired dicarboxylic acid intermediate in the form of a yellowish white solid (26.9 g, 46% yield over three steps). ¹H NMR showed the desired compound.

[1107] Part C. A round bottom flask was charged with the di-carboxylic acid from Part B (26.8 g, 79.3 mmol) and urea (7.1 g, 118.9 mmol). The mixture was heated to 170°C for 2 hr and then cooled to 80°C. Ethanol (40 ml) was added, and the mixture was stirred at reflux for 30 min. The mixture was then cooled to 0°C and filtered. The resulting solids were washed with hexanes and dried to afford the desired diketopiperdine intermediate in the form of a beige solid (22.3 g, 88% yield). ¹H NMR showed the desired compound.

hydride solution (208 ml, 1.0 M), and then heated to 40-60 °C. The solid from Part C (22.2 g, 69.5 mmol) was added portion wise while maintaining the temperature at less than 60°C. After the addition, the flask was equipped with a condenser and refluxed for 1.5 hr. The mixture was then cooled to room temperature. Water (2 ml) was carefully added, and the resulting mixture was slurried with sodium sulfate (100 g). The solids were removed by filtration, and the filtrate was again dried over sodium sulfate. Concentration afforded the desired piperidine intermediate in the form of an orange oil (17.6 g, 87% yield). ¹H NMR showed the desired compound.

10

15

20

25

[1109] Part E. A round bottom flask was charged with the piperidine from Part D (12.3 g, 42.2 mmol) and triethylamine (Aldrich, 10.1 ml, 72.5 mmol) in dichloromethane (100 ml). After cooling to 0°C, a solution of methylsulfonyl chloride (4.9 ml, 63.4 mmol in dichloromethane (10 ml)) was added dropwise. After the addition, the ice bath was removed, and the mixture stirred at room temperature for 18 hr. The mixture was concentrated to dryness, and the residue was combined with ethyl acetate (200 ml). The organic was washed with 10% HCl(aq), water, and brine; dried over sodium sulfate; and concentrated to afford a mix of orange and white solids. The solids were recrystallized from methanol, collected, washed with hexanes, and dried affording the desired intermediate (10.1 g, 65% yield). ¹H NMR showed the desired compound.

[1110] Part F. A mixture of the product from Part E (11.2 g, 30.3 mmol) and t-butylcarboxlyate anhydride (Aldrich, 7.9 g, 36.4 mmol) in tetrahydrofuran (Aldrich, 60 ml) was cooled to -75°C. A solution of lithium bis(trimethylsilyl)amide (Aldrich, 1.0 M in tetrahydrofuran, 90.9 ml, 90.9 mmol) was slowly added, keeping the temperature at less than -65°C. After the addition, the mixture was warmed to 0°C and stirred 1 hr. The mixture was then cooled back to -75°C and quenched with a saturated solution of ammonium chloride (aqueous). The mixture was then warmed to room temperature and separated. The aqueous was extracted with ethyl acetate (twice). The organics were combined and washed with water (twice), washed with brine (twice), dried over Na₂SO₄, and concentrated to afford a brown residue. The residue was slurried on diethyl ether and filtered to afford the desired intermediate (12.7 g 89% yield). ¹H NMR showed desired intermediate.

[1111] Part G. The product of Part F (5.0 g, 10.6 mmol), 18-crown-6 (Aldrich, 0.5 g, catalytic amount), potassium carbonate (Aldrich, 4.4 g, 31.8 mmol), and bis(bromoethyl)ether (Aldrich, 4.9 g, 21.2 mmol) were slurried in N,N-dimethylformamide (20 ml) and stirred at 65°C for 15 hr. Afterward, the mixture was diluted with water (50 ml) and extracted with ethyl acetate (3 x 100 ml). The organics were combined and washed with water (twice), washed with brine (twice), dried over Na₂SO₄, and concentrated for a tan oil. The oil was washed with hexanes, and then dried to afford a tan oil. The tan oil was recrystallized from methanol to afford the desired intermediate in the form of a white solid (2.5 g, 44% yield). ¹H NMR and LCMS showed desired intermediate.

5

10

15

[1112] Part H. To a mixture of the product from Part G (2.5 g, 4.6 mmol) in dichloromethane (5 ml) was added trifluoroacetic acid (Aldrich, 5 ml). The mixture stirred overnight at room temperature. Subsequently, the mixture was concentrated to one-third volume. The residue was then dripped into stirring diethyl ether (500 ml). The resulting solid was collected, washed with diethyl ether, and dried to afford the desired intermediate in the form of a white solid (1.9 g, 84% yield). ¹H NMR showed the desired compound.

[1113] Part I. To the product of Part H (1.9 g, 3.9 mmol) in N,N-dimethylformamide (10 ml) was added triethylamine (Aldrich, 0.82 ml, 5.8 mmol), followed by N-hydroxybenzotriazole hydrate (Aldrich, 1.16 g, 8.6 mmol), O- (tetrahydro-2H-pyran-2-yl) hydroxylamine (0.91 g, 7.8 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (Sigma, 1.9 g, 9.8 mmol) in that order. The resulting mixture stirred at room temperature for 5 hr. The mixture was then diluted with water (15 ml) and ethyl acetate (100 ml). The organic layer was separated, and the aqueous was further extracted with ethyl acetate (2x75 ml). The organics were combined and washed with sat. NaHCO₃(aq) (2 x 150 ml), water (2 x 100 ml), and brine (1 x 200 ml). After drying over sodium sulfate, the organics were concentrated to a foamy oil and then crystallized from methanol to afford the desired intermediate in the form of a white solid (1.7 g, 74% crude yield). ¹H NMR showed the desired compound.

[1114] Part J. To the product of Part I (1.7 g, 2.9 mmol) was added methanol (1 ml) and 4 N HCl in dioxane (10 ml). After stirring for 2 hr, the solvent was concentrated to one-third volume. Diethyl ether was added was then added. The resulting solid was filtered, washed with diethyl ether, and dried to afford the desired product in the form of a white solid (1.25 g, 87% yield). ¹H NMR showed the desired compound. HRMS for $C_{20}H_{26}F_4N_2O_6S$ showed $M_{found}^{+H} = 499.1507$ ($M_{calc}^{+H} = 499.1520$).

5

10

15

20

[1115] Example A33. Preparation of 4-({4-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]piperidinyl}sulfonyl)perhydro-2*H*-pyran-4-carbohydroxamic acid:

[1116] Part A. Preparation of *tert*-butyl 4-({4-hydroxy-4-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]piperidinyl}sulfonyl)perhydro-2*H*-pyran-4-carboxylate:

1-Bromo-4-tetrafluoroethoxybenzene (2.0 g, 7.3 mmol) was dissolved in THF (50 mL) and cooled to -78 °C under N₂. Isopropylmagnesium chloride (8.8 mmol, 4.4 mL of a 2M solution in THF) was subsequently added. The ice bath was removed, and the mixture was stirred for 36-48 hr (until no starting material was detected by reverse phase HPLC). Afterward, the mixture was once again cooled to -78 °C, and 4-(4-oxo-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester (2.5 g, 7.3 mmol, Carbogen) in THF (25 mL) was added. After 4 hr, water was added, and the product was extracted into ethyl acetate. The organic layer was washed with water and saturated NaCl before drying over anhydrous sodium sulfate. Filtration and evaporation of the solvent under reduced pressure eventually produced a solid. The solid was triturated with methanol, and the resulting white solid was collected by suction filtration to afford 1.4 g of the intermediate (35% yield). ¹H NMR and mass spectrometry (MH⁺ = 542) were consistent with the desired intermediate.

5

10

15

[1117] Part B. Preparation of 4-({4-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]piperidinyl}sulfonyl)perhydro-2*H*-pyran-4-carboxylic acid:

The product of Part A (13.3 g, 24.6 mmol) was suspended in dichloromethane (30 mL) and cooled to 0° C. Triethylsilane (8.6 g, 73.8 mmol, 11.8 mL) was then added, followed by trifluoroacetic acid (28.0 g, 246 mmol, 19 mL). As the trifluoroacetic acid was added, all the material gradually went into solution. The ice bath was removed, and the reaction was continued overnight at room temperature. Because there was still a small amount of dehydrated *t*-butyl ester remaining, additional trifluoroacetic acid (10 mL) was added, and the reaction was once again continued overnight. Afterward, no starting material remained (determined by HPLC). The mixture was concentrated under reduced pressure to afford a white solid (12.0 g, quantitative yield). Mass spectrometry (MH⁺ = 470.1) was consistent with the desired intermediate.

[1118] Part C. Preparation of N-perhydro-2H-pyran-2-yloxy[4-({4-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]piperidinyl}sulfonyl)perhydro-2H-pyran-4-yl]carboxamide:

$$HO \longrightarrow V$$
 $F = CF_2H$
 $F = CF_2H$

To a mixture of the product from Part B (12.0 g, 25.6 mmol) in N, N-dimethylformamide (470 mL) were added N-hydroxybenzotriazole (4.84 g, 35.8 mmol), 4-methylmorpholine (10.4 g, 11.3 mL, 102 mmol), 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (12.5 g, 64.0 mmol), and O-(tetrahydro-2H-pyran-2-yl)hydroxylamine (7.50

5

g, 70.4 mmol). The reaction was continued overnight at room temperature. Afterward, no starting material was detected by HPLC. The reaction mixture was diluted with ethyl acetate. The combined organic layer was extracted with water (3 times) and saturated sodium bicarbonate (3 times), washed with saturated NaCl; and dried over anhydrous sodium sulfate. Filtration and evaporation of the solvent under reduced pressure afforded a white solid (13.5 g). The crude material was purified by flash chromatography using dichloromethane with a methanol gradient (0-1%) to afford a white foam (11.7 g, 81% yield). ¹H NMR and mass spectrometry (MH+Na⁺ = 591.1) were consistent with the desired intermediate.

[1119] Part D. Preparation of 4-({4-[4-(1,1,2,2-tetrafluoroethoxy)phenyl]piperidinyl}sulfonyl)perhydro-2*H*-pyran-4-carbohydroxamic acid:

The product of Part C (11.6 g, 20.4 mmol) was dissolved in dioxane (70 mL), 4N HCl in dioxane (90 mL), and methanol (9 mL). The reaction was continued at ambient temperature overnight. Afterward, HPLC indicated that the reaction was complete. The mixture was then concentrated under reduced pressure. The residue was triturated with diethyl ether, and the resulting white solid was collected by suction filtration and dried under high vacuum (9.56 g, 97% yield). 1 H NMR and high resolution mass spectrometry (theoretical M – H = 483.1207, actual M – H = 483.1181) were consistent with the desired product.

5

10

15

[1120] Example A34. Preparation of 1-cyclopropyl-N-hydroxy-4-({4-[4-(4,4,4-trifluorobutyl)phenyl]piperidin-1-yl}sulfonyl)piperidine-4-carboxamide hydrochloride:

[1121] Part A. A mixture of 4-(4-Bromophenyl)-4-piperidinol (50 g, 195 mmol, Aldrich), triethylamine (59.8 mL, 429mmol), and CH₂Cl₂ (400 mL) was cooled to 0°C with mixing under N₂. To this mixture was added methanesulfonyl chloride (16.6 mL, 214 mmol) in CH₂Cl₂ (100 mL) dropwise while maintaining the temperature at less than 10°C. After the addition was complete, the ice bath was removed and the mixture was stirred for 1 hr. Additional methanesulfonyl chloride (10 mL, 129 mmol) in CH₂Cl₂ (50 mL) was added dropwise to the mixture. Afterward, the mixture was stirred at ambient temperature under N₂ overnight. The reaction mixture was then added to 300 mL 0.5 N HCl(aq) and 200mL deionized water. Subsequently, the layers were separated, and the aqueous layer was back-extracted with CH₂Cl₂ (100 mL). The combined CH₂Cl₂ layers were washed with 300 mL each of saturated NaHCO₃(aq) and saturated NaCl(aq). The CH₂Cl₂ layer was dried over MgSO₄, filtered, and concentrated *in vacuo* to afford the desired methylsulfonamide in the form of solids (62 g, 95.6% yield).

[1122] Part B. To the methylsulfonamide in Part A was added CH₂Cl₂ (300 mL) and triethylsilane (125 mL, 778 mmol) to form a slurry. Trifluoroacetic acid (300 mL, 3.9 mol) was then added. The resulting mixture was stoppered and stirred at ambient temperature for 1 hr and then concentrated *in vacuo* to solids. The solids were mixed with MeOH (150 mL) at ambient temperature for 2 days in a stoppered flask. Subsequently, the solids were filtered from the slurry and washed with 100 mL MeOH. The solids were then dried in a vacuum oven at 50°C overnight to afford 54.14 g (91.7% yield) of solids.

¹H NMR confirmed the structure of the desired intermediate.

[1123] Part C. Zinc (dust, 325 mesh, 2.06 g, 31.7mmol), 1,2-dibromoethane (0.243mL, 2.8mmol), and tetrahydrofuran (12.5 mL) were heated together at 65°C under N₂ for 5 min. The resulting slurry was cooled to ambient temperature with mixing under

5

10

15

20

N₂. Trimethylchlorosilane (0.336mL, 2.64 mmol) was subsequently added. This mixture was then stirred at ambient temperature for 30 min. Afterward, 1,1,1-trifluoro-4-iodobutane (5.6 g, 23.5 mmol, SynQuest) was added, and the resulting mixture was stirred at 40°C for 3 hr under N₂. Subsequently, N,N-dimethylaceamide (35 mL), product from Part B (5 g, 15.7 mmol), and dichlorobis(tri-o-tolylphosphine)palladium(II) (802 mg, 1.02 mmol, Aldrich) were added. The mixture was then heated at 80°C under N₂ overnight. The mixture was then cooled to less than 30°C, and 25 mL saturated NH₄Cl(aq) was added, followed by 200 mL ethyl acetate and 75 mL of deionized water. The biphasic system was filtered through a pad of Celite® washing with deionized water (25 mL) and ethyl acetate (50 mL). The layers were separated, and the ethyl acetate layer was washed with 100 mL each of saturated NaHCO₃(aq) and saturated NaCl(aq). The ethyl acetate layer was dried over MgSO₄, filtered, and concentrated *in vacuo* to afford solids. The solids were then slurried in hexanes (100 mL) for 1 hr, filtered, washed with hexanes (20 mL), and dried at 50°C in a vacuum oven for 2 hr to afford 4.94 g (90% yield) of solids.

In Part D. Tetrahydrofuran (42 mL), the product from Part C (4.85 g, 13.88 mmol), and di-tert-butyl dicarbonate (3.64 g, 16.66 mmol, Aldrich) were cooled together to -78°C under N₂. To the resulting mixture, a solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (1M, 36mL) was added at a rate such that the temperature remained at less than -70°C. The resulting mixture was mixed at -78°C under N₂ for 1 hr, and then at 0°C for 20 min. Subsequently, the mixture was cooled to -40°C, and saturated NH₄Cl(aq) (25 mL) was added. After the addition was complete, the mixture was warmed to ambient temperature, and ethyl acetate (250 mL) and deionized water (100mL) were added. The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (50 mL). The combined ethyl acetate layers were washed with 100 mL each of 1:1 NaHCO₃(aq):deionized water, 1:1 saturated NaCl(aq):deionized water, and saturated NaCl(aq); dried over MgSO₄; filtered; and concentrated *in vacuo* to afford 6.6 g (106% yield) of solids.

[1125] Part E. N,N-Dimethylformamide (20 mL), K₂CO₃ (5.76 g, 41.64 mmol), bis-(chloroethyl)cyclopropylamine hydrochloride (1.97 g, 9.0 mmol, Gateway Chemical), and 18-Crown-6 (0.55 g, 2.1 mmol) were heated to 65°C under N₂. The product from Part D (3.12 g, 6.94 mmol) was added to the mixture in 5 equal portions at a rate of one portion every 20 min. The resulting mixture was then stirred overnight under N₂ at 65°C.

5

10

15

20

25

10

15

20

25

30

[1126] Part F. The t-butyl ester from Part E (3.88 g, 6.94 mmol) was dissolved in CH₂Cl₂ (24 mL). To this mixture were added tirethylsilane (10.4 mL, 65 mmol), trifluoroacetic acid (24 mL, 310 mmol), and trifluoromethanesulfonic acid (0.405 mL, 4.55 mmol) in that order. The resulting mixture was stoppered with a syringe needle vent and mixed at ambient temperature overnight. Subsequently, the mixture was concentrated to solids *in vacuo* to afford solids. These solids were mixed with Et₂O (50 mL) for 1 hr, filtered, washed with Et₂O, and dried *in vacuo* at 50°C for 1 hr to afford 3.78 g (88% yield) of the desired acid intermediate.

mL), 1-hydroxybenzotriazole (1.24 g, 9.2 mmol, Aldrich), and 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (1.76 g, 9.2 mmol, Aldrich). The resulting mixture was stooppered and stirred for 30 min at ambient temperature. Subsequently, 4-methylmorpholine (2.7 mL, 24.5 mmol) and O-(tetrahydropyranyl) hydroxylamine (1.08 g, 9.2 mmol, Carbogen) were added. The mixture was then stoppered and stirred overnight at ambient temperature. Afterward, 200 mL of ethyl acetate and 75 mL of deionized water were added to this mixture. The layers were then allowed to separate. The aqueous layer was back-extracted with ethyl acetate (50 mL), and then the combined ethyl acetate layers were washed with 75 mL each of a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄, filtered, and concentrated *in vacuo* to form an oil that was recrystallized from MeOH/deionized water to afford 1.67 g (45% yield) of white solids.

[1128] Part H. The solids from Part G were dissolved in MeOH (5 mL) and combined with 4N HCl/Dioxane (20 mL). The resulting mixture was covered and mixed

at ambient temperature for 2 hr. The mixture was then concentrated to solids *in vacuo*. The solids were mixed with Et₂O (75 mL) for 1 hr, filtered, and dried *in vacuo* at 50°C overnight to afford 1.35 g of product (88% yield). MS, M+H calculated for C₂₄H₃₄F₃N₃O₄S: 518.2295, found: 518.2278.

5

15

20

25

1

. .

[1129] Example A35. Preparation of 4-{4-[5-(2,2,2-trifluoro-ethoxy)-pentyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1130] Part A. Preparation of 4-[4-(5-methanesulfonyloxy-pentyl)-piperidine-10 1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 100 mL round-bottom flask was charged with the alcohol from **Example A9**, **Part C** (1.5 g, 3.58 mmol) and dichloromethane (9 mL). Diisopropylethylamine (0.93 mL, 5.4 mmol) was then added dropwise. Afterward, the flask was immersed into an ice water bath, and methanesulfonyl chloride (0.333 mL, 4.3 mmol) was added dropwise while maintaining the temperature at less than 5 °C. The resulting mixture was stirred with cooling for 30 min, and then the flask was removed from the cooling bath. Upon warming to room temperature, the reaction mixture was partitioned between dichloromethane (50 mL) and water (50 mL). The organic layer was separated, washed with 5% HCl aqueous solution (50 mL), dried over magnesium sulfate, filtered, and concentrated *in vacuo*. This afforded 1.88 g of a yellow viscous oil product (quantitative). ¹H NMR (CDCl₃) δ 1.15-1.51 (m, 9H), 1.51 (s, 9H), 1.65 (d, J = 10.4 Hz, 2H), 1.73 (p, J = 6.9 Hz, 2H), 2.10 (td, J = 4.7, 12.6 Hz, 2H), 2.30 (d, J = 11.6 Hz, 2H), 2.91 (t, J = 12.6 Hz, 2H), 2.98 (s, 3 H), 3.30 (t, J = 12 Hz, 2H), 3.75 (d, J = 12.4 Hz, 2H), 3.95 (dd, J = 4, 11.6 Hz, 2H), 4.19 (d, J = 6.4 Hz, 2H); Electrospray mass spectrometry showed m/z = 498 (M+H).

[1131] Part B. Preparation of 4-{4-[5-(2,2,2-trifluoro-ethoxy)-pentyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 15 mL glass reaction vessel was charged with a 60% NaH oil dispersion (140 mg, 3.5 mmol and dimethylformamide (2 mL)). 2,2,3,3-tetrafluoro-1-ethanol (300 mg, 3 mmol) was then added dropwise over 10 min. Afterward, the vial was stirred under N_2 at room temperature for 10 min. A solution of the mesylate from **Part A** (0.5 g, 1 mmol) in dimethylformamide (1 mL) was then added. The reaction vessel was subsequently heated to 80 °C for 3 hr, and then cooled to room temperature. The resulting mixture was diluted with ice water (20 mL), causing a white crystalline solid to be formed. The solid was collected by vacuum filtration and then further dried *in vacuo* to afford 502 mg of a white crystalline solid product (77% yield). ¹H NMR (CDCl₃) δ 1.15-1.38 (m, 9H), 1.52 (s, 9H), 1.54-1.60 (m, 2H), 2.11 (td, J = 4.8, 12.6 Hz, 2H), 2.31 (d, J = 11.2 Hz, 2H), 2.91 (t, J = 12.6 Hz, 2H), 3.30 (t, J = 12 Hz, 2H), 3.58 (d, J = 6.4 Hz, 2H), 3.74-3.82 (m, 4H), 3.96 (dd, J = 4.2, 11.4 Hz, 2H); Electrospray mass spectrometry showed m/z = 502 (M+H).

[1132] Part C. Preparation of 4-{4-[5-(2,2,2-trifluoro-ethoxy)-pentyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid:

A 2-dram vial equipped with a magnetic stirring bar was charged with the ester from **Part B** (386 mg, 0.77 mmol), methylene chloride (2 mL), and trifluoroacetic acid (2 mL). After the vial was capped, the mixture was stirred at room temperature for 2 hr. The reaction mixture was concentrated *in vacuo*, forming a white solid product (253 mg, 100% yield). Electrospray mass spectrometry showed m/z = 446 (M+H).

5

10

15

[1133] Part D. Preparation of 4-{4-[5-(2,2,2-trifluoro-ethoxy)-pentyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the product from Part C (353 mg, 0.79 mmol), a 0.5 M solution of hydroxybenzotriazole in dimethylformamide (3.2 mL, 1.6 mmol), a 0.5 M solution of tetrahydropyanyl hydroxylamine in dimethylformamide (3.2 mL, 1.6 mmol), ethyl 3-(dimethylamino)propyl carbodiimide hydrochloride (304 mg, 1.6 mmol), and triethylamine (331 uL, 2.4 mmol).

The resulting mixture was stirred at room temperature for 18 hr, and then partitioned between ethyl acetate (50 mL) and water (50 mL). The organic layer was washed with 5% HCl (2x5 mL) and water (5 mL), and then filtered through a pad of celite. The filtrate was concentrated *in vacuo* and purified by flash column chromatography on silica gel to afford a white solid product (386 mg, 89% yield). Electrospray mass spectrometry showed $m/z = 545 \text{ (M+H)}^+$.

[1134] Part E. Preparation of 4-{4-[5-(2,2,2-trifluoro-ethoxy)-pentyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the major product from **Part D** (386 mg, 0.71 mmol), 1,4-dioxane (2 mL), and methanol (2 mL). A 4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was added, and the mixture was stirred at room temperature for 15 min. Volatiles were removed *in vacuo*, leaving 320 mg of a white crystalline solid product. 1 H NMR (CDCl₃) δ 1.13-1.38 (m, 9H), 1.58 (p, J = 6.8 Hz, 2H), 1.67 (d, J = 11.2 Hz, 2H), 2.15-2.25 (m, 4H), 2.89 (t, J = 11.6 Hz, 2H), 3.43 (td, J = 3.2, 11.6 Hz, 2H), 3.57 (t, J = 6.4 Hz, 2H), 3.71, (d, J = 13.2 Hz, 2H), 3.77 (q, J = 8.8 Hz, 2H), 3.93-3.97 (m, 2H); Electrospray mass spectrometry showed m/z = 461 (M+H).

10

15

20

PCT/US03/13123 WO 03/091247

High-resolution mass spectroscopy: calculated for C₁₈H₃₂F₃N₂O₆S: 461.1928; observed: 461.1882.

[1135] Example A36. Preparation of 4-(4-hexyloxy-piperidine-1-sulfonyl)tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1136] Part A. Preparation of 4-(4-hexyloxy-piperidine-1-sulfonyl)tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 10 mL Teflon pressure vessel was charged with the product of Example A5 (0.35 g, 1.0 mmol), iodohexane (0.44 mL, 3 mmol), tetrabutylammonium bromide (64 mg, 0.2 mmol), powdered KOH (0.17 g, 3 mmol), and xylenes (5 mL). The reaction vessel was then sealed and placed into a microwave oven (MARS-5, CEM corporation). The mixture was heated to 80 °C using 300 watts for 30 min. After cooling to room temperature, the mixture was diluted with methylene chloride (40 mL), filtered, and concentrated in vacuo. 15 Purification by flash column chromatography afforded a white crystalline solid product (289 mg, 67% yield). ¹H NMR (CDCl₃) δ 0.87 (t, J = 7 Hz, 3H), 1.22-1.35 (m, 6H), 1.51 (s, 9H), 1.54 (m, 2H), 1.60-1.70 (m, 2H), 1.78-1.88 (m, 2H), 2.09 (td, J = 4.7, 12.8 Hz, 2H), 2.31 (d, J = 11.6 Hz, 2H), 3.23 (m, 2H), 3.29 (t, J = 12.2 Hz, 2H), 3.39 (t, J = 6.6 Hz, 3.29 (m, 3.292H), 3.44 (m, 1H), 3.55 (m, 2H), 3.95 (dd, J = 4.2, 11.4 Hz, 2H); Electrospray mass 20 spectrometry showed $m/z = 434 \text{ (M+H)}^{+}$.

[1137] Part B. Preparation of 4-(4-hexyloxy-piperidine-1-sulfonyl)tetrahydro-pyran-4-carboxylic acid:

5

A glass 15 mL test tube equipped with a magnetic stirring bar was charged with the product from Part A (247 mg, 0.57 mmol), methylene chloride (2 mL), and trifluoroacetic acid (2 mL). The vessel was then sealed, and the mixture was stirred at room temperature for 3 hr. Afterward, the mixture was concentrated *in vacuo*, and the residue was triturated with an ethyl acetate/hexane mixture (1:1, 5 mL). The resulting solid was collected by vacuum filtration, washed with ethyl acetate/hexane (1:1, 2 mL), and dried *in vacuo* to afford the carboxylic acid product (216 mg, 100% yield). Electrospray mass spectrometry showed m/z = 378 (M+H)⁺.

[1138] Part C. Preparation of 4-(4-Hexyloxy-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

A glass 15 mL test tube equipped with a magnetic stirring bar was charged with the product from Part B (165 mg, 0.44 mmol). Next, the following were added sequentially: 0.5 M hydroxybenzotriazole in dimethylformamide (1.7 mL, 0.85 mmol), 0.5 M tetrahydropyanyl hydroxylamine in dimethylformamide (1.7 mL, 0.85 mmol), triethylamine (0.24 mL, 1.7 mmol), and ethyl 3-(dimethylamino)propyl carbodiimide hydrochloride (167 mg, 0.87 mmol). The resulting mixture was placed under N_2 and stirred at room temperature for 14 hr. The mixture was then partitioned between ethyl acetate (25 mL) and water (25 mL). The organic layer was washed with 5% HCl (25 mL) and water (25 mL), filtered through celite, and concentrated *in vacuo*. Flash column chromatography on silica gel afforded a white solid product (177 mg, 85% yield). Electrospray mass spectrometry showed m/z = 477 (M+H)⁺.

[1139] Part D. Preparation of 4-(4-hexyloxy-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the major product from Part C (177 mg, 0.34 mmol), 1,4-dioxane (1 mL), and methanol (1 mL). A

5

10

15

20

25

 C_i^{\dagger}

4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was then added, and the resulting mixture stirred at room temperature for 2.5 hr. Volatiles were removed *in vacuo*, leaving 139 mg of a white crystalline solid product. ¹H NMR (DMSO-d6) δ 0.85 (t, J = 6.6 Hz, 3H), 1.20-1.35 (m, 6H), 1.35-1.52 (m, 4H), 1.70-1.95 (m, 4H), 2.32 (d, J = 12.9 Hz, 2H), 3.00-3.10 (m, 2H), 3.17 (t, J = 11.7 Hz, 2H), 3.25-3.45 (m, 5H), 3.75-3.87 (m, 2H), 9.15 (s, 1H), 10.95 (s, 1H); Electrospray mass spectrometry showed m/z = 393 (M+H). High-resolution mass spectroscopy: calculated for C₁₇H₃₃N₂O₆S: 393.2054; observed: 393.2038.

[1140] Similar manipulations of the alcohol from Example A5 using other alkyl halide components ("R-X") were used to prepare the compounds in Table 6 corresponding in structure to the following formula:

Table 6

Example	Alkyl Halide (R-X)	R	calc. mass	obs. mass
Example A36A	I CH ₃	ξ ^{CH3}	379.1897	379.1929
Example A36B	Br CH ₃	rs CH3	421.2367	421.2355
Example A36C	Br CH ₃	L2 CH3	419.2210	419.2231
Example A36D	Br CH ₃	cH ₃	393.2054	393.2031


Example A36E	CH ₃ CH ₃ CH ₃	CH ₃ CH ₃	393.2054	393.2055
Example A36F	Br CH ₃	SS CH3	421.2367	421.2359
Example A36G	Br	25	427.1897	427.1895
Example A36H	Br CH	kz OCH	409.2003	409.2052

[1141] Following the procedure described in Part A above, the compounds in Table 7 were obtained by the reaction of the alcohol from Example A7 with different alkyl halide components ("R-X") and subsequent transformations as described in Parts B,

5 C and D above:

Table 7

Example	R-X	R	calc. mass	obs. mass
Example A36I	I CH ₃	رچ CH3	407.2210	407.2226



[1142] Example A37. Preparation of 4-{4-[5-(3,3,3-Trifluoro-propoxy)-pentyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

- As described in Example A35, Part B, reaction of the mesylate from Example A35, Part A (0.5 g, 1 mmol) with 3,3,3-trifluoroethanol (342 mg, 3 mmol) and subsequent transformation of the t-butyl ester into the hydroxamic acid as described in Example A35, Parts C, D and E afforded 313 mg of a white crystalline solid. ¹H NMR (CDCl₃) δ 1.13-1.38 (m, 9H), 1.54 (p, J = 6.9 Hz, 2H), 1.67 (d, J = 11.2 Hz, 2H), 2.15-2.26 (m, 4H), 2.31-2.43 (m, 2H), 2.88 (t, J = 11.6 Hz, 2H), 3.87-3.47 (m, 4H), 3.60 (t, J = 6.6 Hz, 2H), 3.71, (d, J = 12.8 Hz, 2H), 3.93-3.97 (m, 2H); Electrospray mass spectrometry showed m/z = 475 (M+H). High-resolution mass spectroscopy: calculated for C₁₉H₃₄F₃N₂O₆S: 475.2084; observed: 475.2110.
 - [1143] Example A38. Preparation of 4-[4-(5-ethoxy-pentyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1144] Part A. Preparation of 4-[4-(5-ethoxy-pentyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

A 10 mL round-bottom flask was charged with the alcohol from Example A9, Part C (0.25 g, 0.6 mmol) and tetrahydrofuran (2 mL). A 1.0 M solution of potassium t-butoxide

20

in tetrahydrofuran (0.9 mL, 0.9 mmol) was then added dropwise. The resulting mixture was stirred for 10 min at room temperature, and then iodoethane (95 ug, 1.2 mmol) was added. This produced a white precipitate. The mixture was stirred at room temperature for 16 hr, and then quenched by the addition of water (1 mL). Afterward, the mixture was partitioned between ethyl acetate (25 mL) and water (25 mL). The organic layer was washed with brine (25 mL), dried over magnesium sulfate, filtered, and concentrated *in vacuo*. Flash column chromatography (10-20% ethyl acetate/hexane) afforded a white solid product (119 mg, 44% yield). ¹H NMR (CDCl₃) δ 1.18 (t, J = 7 Hz, 3H), 1.22-1.35 (m, 9H), 1.51 (s, 9H), 1.54-1.58 (m, 2H), 1.66 (d, J = 10.4 Hz, 2H), 2.10 (td, J = 4.5, 12.6 Hz, 2H), 2.31 (d, J = 12.4 Hz, 2H), 2.91 (t, J = 11.6 Hz, 2H), 3.30 (t, J = 11.6 Hz, 2H), 3.38 (t, J = 6.6 Hz, 2H), 3.44 (q, J = 6.8 Hz, 2H), 3.75 (d, J = 11.6 Hz, 2H), 3.95 (dd, J = 4, 11.6 Hz, 2H); Electrospray mass spectrometry showed m/z = 448 (M+H).

[1145] Part B. Preparation of 4-[4-(5-ethoxy-pentyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

15

20

5

10

A 2-dram vial equipped with a magnetic stirring bar was charged with the ester from **Part** A (119 mg, 0.27 mmol), methylene chloride (1 mL), and trifluoroacetic acid (1 mL). After the vial was capped, the mixture was stirred at room temperature for 2 hr. The mixture was then concentrated *in vacuo*, affording a white solid product (104 mg, 100% yield). Electrospray mass spectrometry showed m/z = 392 (M+H).

[1146] Part C. Preparation of 4-[4-(5-ethoxy-pentyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the product
from Part B (104 mg, 0.26 mmol), a 0.5 M solution of hydroxybenzotriazole in
dimethylformamide (1.1 mL, 0.55 mmol), a 0.5 M solution of tetrahydropyanyl
hydroxylamine in dimethylformamide (1.1 mL, 0.55 mmol), ethyl 3-

(dimethylamino)propyl carbodiimide hydrochloride (101 mg, 0.53 mmol), and triethylamine (110 uL, 0.79 mmol). The resulting mixture was stirred at room temperature for 18 hr, and then partitioned between ethyl acetate (5 mL) and water (5 mL). The organic layer was washed with 5% HCl (2x5 mL) and water (5 mL), and then filtered through a pad of celite. Afterward, the filtrate was concentrated *in vacuo* and purified by flash column chromatography on silica gel to afford a white solid product (109 mg, 84% yield). Electrospray mass spectrometry showed m/z = 491 (M+H)⁺.

[1147] Part D. Preparation of 4-[4-(5-ethoxy-pentyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

10

15

5

A 2-dram glass vial equipped with a magnetic stirring bar was charged with the major product from Part C (386 mg, 0.71 mmol), 1,4-dioxane (1 mL), and methanol (1 mL). A 4 N solution of HCl in dioxane (0.1 mL, 0.4 mmol) was then added, and the resulting mixture stirred at room temperature for 15 min. Volatiles were removed *in vacuo*, leaving 320 mg of a white crystalline solid. 1 H NMR (CDCl₃) δ 1.18 (t, J = 7 Hz, 3H), 1.19-1.38 (m, 9H), 1.58 (p, J = 6.7 Hz, 2H), 1.67 (d, J = 11.2 Hz, 2H), 2.15-2.26 (m, 4H), 2.88 (t, J = 11.6 Hz, 2H), 3.36-3.48 (m, 6H), 3.71, (d, J = 12.8 Hz, 2H), 3.93-3.97 (m, 2H); Electrospray mass spectrometry showed m/z = 407 (M+H). High-resolution mass spectroscopy: calculated for $C_{18}H_{35}N_{2}O_{6}S$: 407.2210; observed: 407.2176.

20

[1148] Example A39. Preparation of 4-[4-(4-propoxy-butyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1149] Part A. Preparation of 4-[4-(4-propoxy-butyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alcohol of Example A12 (0.50 g, 1.23 mmol), tetrabutylammonium bromide (79 mg, 0.246 mmol), and KOH (207 mg, 3.69 mmol) were slurried in xylene (5 mL), Afterward, 1-iodopropane (0.36 mL, 3.69 mmol) was added, and the resulting mixture was stirred in a sealed vial at 80°C over the weekend. Subsequently, the mixture was filtered through celite, and concentrated under N₂. Chromatography (on silica, ethyl acetate/hexanes) afforded the ether in the form of a colorless oil (389.6 mg, 70.7% yield). NMR(CDCl₃) δ 0.90 (t, 3H), 1.14-1.44 (m, 7H), 1.47-1.63 (m, 13H), 1.64-1.72 (m, 2H), 2.10 (dt, 2H), 2.32 (d, 2H), 2.90 (t, 2H), 3.26-3.41 (m, 6H), 3.75 (d, 2H), 3.95 (dd, 2H). ESMS m/z = 448.44 (M+H)[†].

[1150] Part B. Preparation of 4-[4-(4-propoxy-butyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

15

20

5

10

The ester of **Part A** (389.6 mg, 0.87 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (6 mL) at room temperature overnight. The resulting mixture was concentrated under N₂ and triturated with ethyl acetate/hexane to afford the carboxylic acid in the form of a solid (321.9 mg, 94.5% yield). This material was used in the next step without further purification.

[1151] Part C. Preparation of 4-[4-(4-propoxy-butyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part B (321.9 mg, 0.82 mmol), 1-

25 hydrozybenzotriazole hydrate (166 mg, 1.23 mmol), THP-ONH₂ (135 mg, 1.15 mmol),

and triethylamine (0.34 mL, 2.5 mmol) in dimethylformamide (5.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (220 mg, 1.15 mmol). After heating to 40° C, the acid slowly went into solution. The mixture was then stirred at 40-45°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and extracted with 1N HCl (5 mL), water (5 mL) and brine (5 mL). The resulting material was filtered through a 3 mL Chem-Elut tube and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (271.4 mg, 67.5% yield). NMR(CDCl₃) δ 0.90 (t, 3H), 1.12-1.28 (m, 4H), 1.28-1.42 (m, 2H), 1.47-1.64 (m, 8H), 1.67 (d, 2H), 1.75-1.88 (m, 2H), 2.13-2.26 (m, 4H), 2.90 (t, 2H), 3.31-3.40 (m, 4H), 3.48 (dq, 2H), 3.58-3.66 (m, 2H), 3.73-3.83 (m, 2H), 3.89-3.99 (m, 3H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS m/z = 508.48 (M+NH₄)⁺.

[1152] Part D. Preparation of 4-[4-(4-propoxy-butyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from Part C (271.4 mg, 0.55 mmol) in methanol (1.0 mL) and 1,4-dioxane (1.0 mL) was added 4M HCl in 1,4-dioxane (200 μL). After stirring for 1 hr, the mixture was concentrated under N₂ and triturated with ethyl acetate/hexane to afford an off-white amorphous solid (197.8 mg, 88.0% yield). NMR (DMSO) δ 0.83 (t, 3H), 0.95-1.07 (m, 2H), 1.13-1.21 (m, 2H), 1.21-1.35 (m, 3H), 1.38-1.52 (m, 4H), 1.59 (d, 2H), 1.84 (dt, 2H), 2.30 (d, 2H), 2.85 (t, 2H), 3.14 (d, 2H), 3.23-3.33 (m, 4H), 3.55 (d, 2H), 3.80 (d, 2H), 9.13 (s, 1H), 10.94 (s, 1H). ESMS m/z = 407.2 (M+H)⁺. HRMS calcd. for C₁₈H₃₅N₂O₆S H: 407.2210 (M+H)⁺. Found: 407.2210.

[1153] Example A40. Preparation of 4-{4-[4-(4,4,4-trifluoro-butoxy)-butyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

25

[1154] Part A. Preparation of 4-{4-[4-(4,4,4-trifluoro-butoxy)-butyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alcohol of **Example A12** (0.50 g, 1.23 mmol), tetrabutylammonium bromide (79 mg, 0.246 mmol), and KOH (207 mg, 3.69 mmol) were slurried in xylene (5 mL). Afterward, 4,4,4-trifluoromethyl-1-iodobutane (0.88 g, 3.69 mmol) was added, and the resulting mixture was stirred in a sealed vial at 80°C over the weekend. Subsequently, the mixture was filtered through celite and concentrated under N_2 . Chromatography (on silica, ethyl acetate/hexanes) afforded the ether in the form of a colorless oil (296.4 mg, 46.7% yield). NMR(CDCl₃) δ 1.25-1.42 (m, 7H), 1.52 (s, 9H), 1.55 (d, 2H), 1.67 (d, 2H), 1.75-1.84 (m, 2H), 2.06-2.24 (m, 4H), 2.32 (d, 2H), 2.92 (t, 2H), 3.40 (t, 2H), 3.38 (t, 2H), 3.43 (t, 2H), 3.72-3.82 (m, 2H), 3.95 (dd, 2H). ESMS m/z = 516.44 (M+H)⁺.

[1155] Part B. Preparation of 4-{4-[4-(4,4,4-trifluoro-butoxy)-butyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid:

15

20

1

5

10

The ester of Part A (290.1 mg, 0.56 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (6 mL) at room temperature overnight. The resulting mixture was concentrated under N_2 , and triturated with ethyl acetate/hexane to afford the desired acid in the form of a solid (251.5 mg, 97.7% yield). This material was used in the next step without further purification.

[1156] Part C. Preparation of 4-{4-[4-(4,4,4-trifluoro-butoxy)-butyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part B (251.2 mg, 0.55 mmol), 1-hydrozybenzotriazole hydrate (111 mg, 0.822 mmol), THP-ONH₂ (90 mg, 0.77 mmol), and triethylamine (0.23 mL, 1.6 mmol) in dimethylformamide (3.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (146 mg, 0.76 mmol). The resulting mixture was stirred at 40-45°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and extracted with 1N HCl (5 mL), water (5 mL), and brine (5 mL). The resulting material was dried by filtering through a 3 mL Chem-Elut tube and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (255.3 mg, 83.5% yield). NMR (CDCl₃) δ 1.12-1.42 (m, 7H), 1.47-1.73 (m, 8H), 1.75-1.89 (m, 5H), 2.09-2.26 (m, 6H), 2.90 (t, 2H), 3.37 (t, 2H), 3.40-3.54 (m, 4H), 3.59-3.66 (m, 1H), 3.73-3.82 (m, 2H), 3.89-3.99 (m, 3H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS m/z = 576.51 (M+NH₄)⁺.

[1157] Part D. Preparation of 4-{4-[4-(4,4,4-trifluoro-butoxy)-butyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

15

20

10

To the THP-protected hydroxamate from Part C (255.3 mg, 0.46 mmol) in methanol (1.0 mL) and 1,4-dioxane (1.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1 hr, the mixture was concentrated under N₂, and triturated with ethyl acetate/hexane to afford an off-white amorphous solid (203.4 mg, 93.8% yield). NMR (DMSO) δ 0.94-1.07 (m, 2H), 1.13-1.35 (m, 5H), 1.39-1.48 (m, 2H), 1.55-1.70 (m, 4H), 1.84 (dt, 2H), 2.16-2.35 (m, 4H), 2.85 (t, 2H), 3.14 (t, 2H), 3.26-3.39 (m, 4H), 3.55 (d, 2H), 3.80 (dd, 2H), 9.22 (bs, 1H), 10.94 (s, 1H). ESMS m/z = 475.2 (M+H)⁺. HRMS calcd. for C₁₉H₃₄F₃N₂O₆S H: 475.2084 (M+H)⁺. Found: 475.2102.

25

[1158] Example A41. Preparation of 4-(4-hexyloxymethyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1159] Part A. Preparation of 4-(4-hexyloxymethyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alcohol of Example A2 (0.30 g, 0.826 mmol), tetrabutylammonium bromide (53 mg, 0.165mmol), and KOH (139 mg, 2.48 mmol) were slurried in xylene (3.3 mL). Next, 1-iodohexane (0.37 mL, 2.48 mmol) was added, and the resulting mixture was stirred in a sealed vial at 80°C for 6 hr. The mixture was then filtered through celite and concentrated under N₂. Chromatography (on silica, ethyl acetate/hexanes) afforded the ether in the form of a colorless oil (261.1 mg, 70.6% yield). NMR(CDCl₃) δ 0.86 (t, 3H), 1.20-1.34 (m, 8H), 1.47-1.56 (m, 2H), 1.52 (s, 9H), 1.67-1.78 (m, 3H), 2.12 (dt, 2H), 2.32 (d, 2H), 2.93 (t, 2H), 3.23 (d, 2H), 3.40 (t, 2H), 3.47 (t, 2H), 3.79 (d, 2H), 3.95 (dd, 2H). ESMS m/z = 448.43 (M+H)⁺.

[1160] Part B. Preparation of 4-(4-hexyloxymethyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid:

15

20

5

10

WO 03/091247

The ester of Part A (520.2 mg, 1.16 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (6 mL) at room temperature overnight. Afterward, the mixture was concentrated under N_2 , and triturated with ethyl acetate/hexane to afford the desired acid in the form of a solid (424.9 mg, 93.6% yield). This material was used without further purification.

[1161] Part C. Preparation of 4-(4-hexyloxymethyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part B (424.9 mg, 1.09 mmol), 1-

25 hydrozybenzotriazole hydrate (220 mg, 1.63 mmol), THP-ONH₂ (178 mg, 1.52 mmol),

and triethylamine (0.45 mL, 3.23 mmol) in dimethylformamide (5.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (290 mg, 1.52 mmol). After heating at 40°C, the acid slowly went into solution. The mixture was then stirred at 40-45°C overnight. 'Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and extracted with 1N HCl (5 mL), water (5 mL), and brine (5 mL). The resulting material was dried by filtering through 3 mL Chem-Elut tube and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (464.3 mg, 86.8% yield). NMR(CDCl₃) δ 0.86 (t, 3H), 1.17-1.35 (m, 8H), 1.47-1.89 (m, 10H), 2.13-2.27 (m, 4H), 2.93 (t, 2H), 3.23 (d, 2H), 3.36 (t, 2H), 3.48 (dq, 2H), 3.58-3.66 (m, 1H), 3.76-3.85 (m, 2H), 3.89-3.99 (m, 3H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS m/z = 508.47 (M+NH₄)⁺.

[1162] Part D. Preparation of 4-(4-hexyloxymethyl-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from Part C (464.3 mg, 0.95 mmol) in methanol (1.0 mL) and 1,4-dioxane (1.0 mL) was added 4M HCl in 1,4-dioxane (200 μL). After stirring for 1 hr, the mixture concentrated under N₂, and triturated with ethyl acetate/hexane to afford an off-white amorphous solid (377.6 mg, 98.2% yield). NMR (DMSO) δ 0.83 (t, 3H), 1.01-1.14 (m, 2H), 1.17-1.30 (m, 6H), 1.39-1.48 (m, 2H), 1.56-1.67 (m, 3H), 1.87 (dt, 2H), 2.30 (d, 2H), 2.86 (t, 2H), 3.08 3.19(m, 4H), 3.25-3.34 (m, 2H), 3.57 (d, 2H), 3.82 (dd, 2H), 9.15 (s, 1H), 10.94 (s, 1H). ESMS m/z = 407.2 (M+H)⁺. HRMS calcd. for C₁₈H₃₅N₂O₆S H: 407.2210 (M+H)⁺. Found: 407.2189.

[1163] Example A42. Preparation of 4-[4-(4,4,4-trifluoro-butoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1164] Part A. Preparation of 4-[4-(4,4,4-trifluoro-butoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alcohol of Example A2 (0.50 g, 1.38 mmol), tetrabutylammonium bromide (89 mg, 0.0.276 mmol), and KOH (232 mg, 4.14 mmol) were slurried in xylene (5.5 mL). Afterward, 1,1,1-trifluoro-4-iodobutane (0.98 g, 4.14 mmol) was added, and the resulting mixture was stirred in a sealed vial at 80°C over the weekend. Subsequently, the mixture was filtered through celite and concentrated under N_2 . Chromatography (on silica, ethyl acetate/hexanes) afforded the ether in the form of a colorless oil (430.5 mg, 65.8% yield). NMR (CDCl₃) δ 1.22-1.36 (m, 2H), 1.51 (s, 9H), 1.66-1.74 (m, 5H), 2.06-2.22 (m, 4H), 2.32 (d, 2H), 2.94 (t, 2H), 3.24 (d, 2H), 3.40 (t, 2H), 3.43 (t, 2H), 3.79 (d, 2H), 3.96 (dd, 2H). ESMS m/z = 491.42 (M+NH₄)[†].

[1165] Part B. Preparation of 4-[4-(4,4,4-trifluoro-butoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

15

20

5

10

The ester of Part A (429.5 mg, 0.91 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (6 mL) at room temperature overnight. The mixture was then concentrated under N_2 , and triturated with ethyl acetate/hexane to afford the desired acid in the form of a solid (334.2 mg, 88.0% yield). This material was used in the next step without further purification.

[1166] Part C. Preparation of 4-[4-(4,4,4-trifluoro-butoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part B (334.2 mg, 0.80 mmol), 1-

25 hydrozybenzotriazole hydrate (162 mg, 1.2 mmol), THP-ONH₂ (131 mg, 1.12 mmol), and

triethylamine (0.33 mL, 2.37 mmol) in dimethylformamide (5.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (214 mg, 1.12 mmol). After heating at 40°C, the acid slowly went into solution. The mixture was then stirred at 40-45°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and extracted with 1N HCl (5 mL), water (5 mL), and brine (5 mL). The resulting material was dried by filtering through 3 mL Chem-Elut tube and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (356.6 mg, 86.3% yield). NMR(CDCl₃) δ 1.19-1.24 (m, 2H), 1.54-1.89 (m, 10H), 2.07-2.38 (m, 6H), 2.93 (t, 2H), 3.23 (d, 2H), 3.43 (t, 2H), 3.48 (dq, 2H), 3.58-3.66 (m, 1H), 3.76-3.85 (m, 2H), 3.89-3.99 (m, 3H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS m/z = 534.42 (M+NH₄)⁺.

[1167] Part D. Preparation of 4-[4-(4,4,4-trifluoro-butoxymethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from Part C (356.6 mg, 0.69 mmol) in methanol (1.0 mL) and 1,4-dioxane (1.0 mL) was added 4M HCl in 1,4-dioxane (200 μL). After stirring for 1 hr, the mixture was concentrated under N₂, and triturated with ethyl acetate/hexane to afford an off-white amorphous solid (269.8 mg, 90.4% yield). NMR (DMSO) 1.00-1.15 (m, 2H), 1.56-1.72 (m, 5H), 1.84 (dt, 2H), 2.16-2.35 (m, 4H), 2.86 (t, 2H), 3.15 (t, 2H), 3.19(d, 2H), 3.37 (t, 2H), 3.56 (d, 2H), 3.81 (dd, 2H), 9.15 (s, 1H), 10.94 (s, 1H). ESMS m/z = 433.2 (M+H)⁺. HRMS calcd. for C₁₆H₂₈F₃N₂O₆S: 433.1615 (M+H)⁺. Found: 433.1617.

[1168] Example A43. Preparation of 4-[4-(6,6,6-Trifluoro-hexyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1169] Part A. Preparation of 4-[4-(6,6,6-trifluoro-hex-2-enyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

To the phosphine from Example A10 (800 mg, 1.6 mmol) in anhydrous tetrahydrofuran (6.6 mL) at 0°C was added 1M LiN(TMS) (1.7 mL, 1.7 mmol) dropwise while 5 maintaining the temperature at less than 5°C. Upon completion of the addition, the mixture was stirred at 0°C for 15 min. The aldehyde from Example A6 (500 mg, 1.33 mmol) in anhydrous tetrahydrofuran (2.7 mL) was then added dropwise while maintaining the temperature at less than 4°C. Afterward, the mixture was allowed to warm to room temperature overnight. The mixture was subsequently poured into stirring ether (75 mL) 10 and filtered. The filtrate was washed with 1N HCl (3 x 75 mL), saturated sodium bicarbonate (3 x 75 mL), and brine (100 mL); dried over MgSO₂; and concentrated to crude oil. Chromatography (on silica, ethyl acetate/hexanes) afforded the alkene in the form of a clear yellow oil (377.1 mg, 60.4% yield). NMR(CDCl₃) δ 1.5 (q, 2H), 1.36-1.58 (m, 10H), 1.67 (d, 2H), 1.93-2.18 (m, 6H), 2.22-2.36 (m, 4H), 2.93 (t, 2H), 3.30 (t, 2H), 15 3.79 (d, 2H), 3.96 (dd, 2H), 5.34-5.48 (m, 2H). ESMS $m/z = 470.39 \, (M+H)^+$.

[1170] Part B. Preparation of 4-[4-(6,6,6-trifluoro-hexyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alkene from Part A (388 mg, 0.826 mmol) was combined with tetrahydrofuran (10 mL). Afterward, 10% Pd/C (0.20 g) was added. The resulting mixture was agitated on a Parr shaker at 40 psi overnight. Afterward, the mixture was filtered through celite and concentrated, providing the alkane in the form of a colorless solid (368.6 mg, 94.7% yield). NMR(CDCl₃) δ 1.17-1.39 (m, 9H), 1.48-1.58 (m, 11H), 1.66 (d, 2H), 1.97-2.16
(m, 4H), 2.32 (d, 2H), 2.91 (t, 2H), 3.30 (dt, 2H), 3.76 (d, 2H), 3.96 (dd, 2H). ESMS m/z = 416.33 (M+H)⁺.

[1171] Part C. Preparation of 4-[4-(6,6,6-trifluoro-hexyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

The ester of Part B (368.6 mg, 0.78 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (6 mL) at room temperature overnight. The mixture was then concentrated under N₂, and triturated with ethyl acetate/hexane to afford the desired acid in the form of a solid (303.9 mg, 93.8% yield). This material was used in the next step without further purification.

[1172] Part D. Preparation of 4-[4-(6,6,6-trifluoro-hexyl)-piperidine-1-10 sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part C (303.9 mg, 0.73 mmol), 1-hydrozybenzotriazole hydrate (148 mg, 1.10 mmol), THP-ONH₂ (120 mg, 1.03 mmol), and triethylamine (0.31 mL, 2.23 mmol) in dimethylformamide (5.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (196 mg, 1.03 mmol). After heating at 40°C, the acid slowly went into solution. The mixture was then stirred at 40-45°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and extracted with 1N HCl (5 mL), water (5 mL), and brine (5 mL). The resulting material was dried by filtering through 3 mL Chem-Elut tube and concentrated.

Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (346.8 mg, 92.3% yield). NMR(CDCl₃) δ 1.13-1.38 (m, 10H), 1.48-1.72 (m, 6H), 1.75-1.89 (m, 4H), 1.97-2.11 (m, 2H), 2.13-2.27 (m, 4H), 2.91 (t, 2H), 3.48 (dq, 2H), 3.59-3.66 (m, 1H), 3.73-3.83 (m, 2H), 3.90-3.99 (m, 3H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS $m/z = 514.40 \text{ (M+H)}^{+}$.

5

15

[1173] Part E. Preparation of 4-[4-(6,6,6-trifluoro-hexyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from **Part D** (346.8 mg, 0.67 mmol) in methanol (1.0 mL) and 1,4-dioxane (1.0 mL) was added 4M HCl in 1,4-dioxane (200 μL). After stirring for 1 hr, the mixture was concentrated under N₂, and triturated with ethyl acetate/hexane to afford the desired compound as an off-white amorphous solid (259.9 mg, 89.6% yield). NMR (DMSO) 1.01 (q, 2H), 1.12-1.34 (m, 7H), 1.38-1.48 (m, 2H), 1.60 (d, 2H), 1.83 (dt, 2H), 2.13-2.26 (m, 2H), 2.40 (d, 2H), 2.85 (t, 2H), 3.15 (t, 2H), 3.55 (d, 2H), 3.81 (dd, 2H), 9.15 (s, 1H), 10.94 (s, 1H). ESMS m/z = 431.2 (M+H)⁺. HRMS calcd. for C₁₇H₃₀F₃N₂O₅S: 431.1822 (M+H)⁺. Found: 431.1818.

[1174] Example A44. Preparation of 4-[4-(2-butoxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

15

[1175] Part A. Preparation of 4-[4-(2-butoxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alcohol of Example A13 (0.70 g, 1.85 mmol), tetrabutylammonium bromide (119 mg, 0.376 mmol), and KOH (311 mg, 5.55 mmol) were slurried in xylene (7.5 mL).

Afterward, 1-iodobutane (0.63 mL, 5.55 mmol) was added, and the resulting mixture was

stirred in a sealed vial at 80°C over the weekend. Subsequently, the mixture was filtered through celite and concentrated under N₂. Chromatography (on silica, ethyl acetate/hexanes) afforded the ether in the form of a colorless oil (559.2 mg, 69.7% yield).

25 NMR(CDCl₃) δ 0.90 (t, 3H), 1.19-1.39 (m, 4H), 1.47-1.61 (m, 14H), 1.68 (d, 2H), 2.10

(dt, 2H), 2.32 (d, 2H), 2.93 (dt, 2H), 3.40 (dt, 2H), 3.37 (t, 2H), 3.42 (t, 2H), 3.75 (d, 2H), 3.96 (dd, 2H). ESMS $m/z = 434.44 \text{ (M+H)}^+$.

[1176] Part B. Preparation of 4-[4-(2-butoxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

The ester of Part A (559.2 mg, 1.29 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (6 mL) at room temperature overnight. The mixture was then concentrated under N₂, and triturated with ethyl acetate/hexane to afford the desired acid in the form of a solid (445.9 mg, 91.6% yield). This material was used in the next step without further purification.

[1177] Part C. Preparation of 4-[4-(2-butoxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part B (445.9 mg, 1.18 mmol), 1-

5

10

15

20

25

BNSDOCID: <WO 03091247A2 1 >

hydrozybenzotriazole hydrate (239 mg, 1.77 mmol), THP-ONH₂ 194 mg, 1.66 mmol), and triethylamine (0.49 mL, 3.5 mmol) in dimethylformamide (5.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (316 mg, 1.65 mmol). After heating at 40°C, the acid slowly went into solution. The mixture was then stirred at 40-45°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and extracted with 1N HCl (5 mL), water (5 mL), and brine (5 mL). The resulting material was dried by filtering through 3 mL Chem-Elut tube and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (487.7 mg, 86.7% yield). NMR (CDCl₃) δ 0.90 (t, 3H), 1.15-1.39 (m, 4H), 1.46-1.89 (m, 12H), 2.12-2.27 (m, 4H), 2.92 (dt, 2H), 3.36 (t, 2H), 3.41 (t, 2H), 3.48 (dq, 2H), 3.58-3.66 (m, 1H), 3.73-3.83 (m, 2H), 3.89-3.99 (m, 3H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS m/z = 477.41 (M+H)⁺.

PCT/US03/13123 WO 03/091247

[1178] Part D. Preparation of 4-[4-(2-butoxy-ethyl)-piperidine-1-sulfonyl]by pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from Part C (487.7 mg, 1.02 mmol) in methanol (1.0 mL) and 1,4-dioxane (1.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1 hr, the mixture was concentrated under N2, and triturated with ethyl acetate/hexane to afford the desired compound as an off-white amorphous solid (360.4 mg, 89.7% yield). NMR(DMSO) δ 0.83 (t, 3H), 0.96-1.13 (m, 2H), 1.21-1.32 (m, 2H), 1.35-1.49 (m, 5H), 1.60 (d, 2H), 1.83 (dt, 2H), 2.30 (d, 2H), 2.84 (t, 2H), 3.14 (d, 2H), 3.26-3.37 (m, 4H), 3.55 (d, 2H), 3.81 (dd, 2H), 9.13 (s, 1H), 10.94 (s, 1H). ESMS $m/z = 393.2 \text{ (M+H)}^{+}$. 10 HRMS calcd. for $C_{17}H_{33}N_2O_6S$ H: 393.2054 (M+H) $^{+}$. Found: 393.2035.

[1179] Example A45. Preparation of 4-{4-[2-(4,4,4-trifluoro-butoxy)-ethyl]piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

15

5

[1180] Part A. Preparation of 4-{4-[2-(4,4,4-trifluoro-butoxy)-ethyl]piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

$$H_3C$$
 CH_3
 O
 O
 O
 CF_3

The alcohol of Example A13 (0.70 g, 1.85 mmol), tetrabutylammonium bromide (119 mg, 0.376 mmol), and KOH (311 mg, 5.55 mmol) were slurried in xylene (7.5 mL). 20 Afterward, 4,4,4-trifluoro-1-iodobutane (1.32 g, 5.55 mmol) was added, and the reaction mixture was stirred in a sealed vial at 80°C over the weekend. Subsequently, the mixture was filtered through celite and concentrated under N2. Chromatography (on silica, ethyl acetate/hexanes) afforded the ether in the form of a pale yellow oil (551.8 mg, 61.1% yield). NMR(CDCl₃) δ 1.19-1.32 (m, 2H), 1.47-1.60 (m, 12H), 1.68 (d, 2H), 1.74-1.84

(m, 2H), 2.05-2.23 (m, 4H), 2.32 (d, 2H), 2.93 (dt, 2H), 3.39 (dt, 2H), 3.43 (dt, 4H), 3.76 (d, 2H), 3.96 (dd, 2H). ESMS m/z = 488.42 (M+H)⁺.

[1181] Part B. Preparation of 4-{4-[2-(4,4,4-trifluoro-butoxy)-ethyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid:

The ester of Part A (551.8 mg, 1.13 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (6 mL) at room temperature overnight. The mixture was then concentrated under N₂, and triturated with ethyl acetate/hexane to afford the desired acid in the form of a solid (444.7 mg, 91.2% yield). This material was used in the next step without further purification.

[1182] Part C. Preparation of 4-{4-[2-(4,4,4-trifluoro-butoxy)-ethyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part B (444.7 mg, 1.03 mmol), 1-15 hydrozybenzotriazole hydrate (209 mg, 1.55 mmol), THP-ONH₂ (169 mg, 1.44 mmol), and triethylamine (0.43 mL, 3.1 mmol) in dimethylformamide (5.0 mL) was added 1-(3dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (276 mg, 1.45 mmol). After heating at 40°C, the acid slowly went into solution. The mixture was then stirred at 40-45°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate 20 (5 mL); and extracted with 1N HCl (5 mL), water (5 mL), and brine (5 mL). The resulting material was dried by filtering through 3 mL Chem-Elut tube and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (447.5 mg, 81.9% yield). NMR(CDCl₃) δ 1.16-1.30 (m, 2H), 1.46-1.89 (m. 12H), 2.07-2.26 (m, 6H), 2.92 (dt, 2H), 3.42 (t, 4H), 3.48 (dq, 2H), 3.58-25 3.66 (m, 1H), 3.73-3.83 (m, 2H), 3.89-4.00 (m, 3H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS m/z $= 531.40 (M+H)^{+}$.

5

[1183] Part D. Preparation of 4-{4-[2-(4,4,4-trifluoro-butoxy)-ethyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from Part C (447.5 mg, 0.84 mmol) in methanol (1.0 mL) and 1,4-dioxane (1.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1 hr, the mixture was concentrated under N₂, and triturated with ethyl acetate/hexane to afford the desired compound as an off-white amorphous solid (361.9 mg, 96.1% yield). NMR(DMSO) δ 0.95-1.13 (m, 2H), 1.37-1.49 (m, 3H), 1.56-1.71 (m, 4H), 1.83 (dt, 2H), 2.26-2.34 (m, 4H), 2.86 (t, 2H), 3.14 (t, 2H), 3.36 (t, 4H), 3.55 (d, 2H), 3.81 (dd, 2H), 9.13 (s, 1H), 10.94 (s, 1H). ESMS m/z = 447.2 (M+H)⁺. HRMS calcd. for C₁₇H₃₀F₃N₂O₆S H: 447.1771 (M+H)⁺. Found: 447.1757.

[1184] Example A46. Preparation of 4-{4-[4-(3,3,3-trifluoro-propoxy)-butyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

15

5

10

[1185] Part A. Preparation of 4-[4-(4-methanesulfonyloxy-butyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

20

25

The alcohol from Example A12 (703 mg, 1.73 mmol) combined with methylene chloride (9 mL). Triethylamine (0.32 mL, 2.2 mmol) was then added. Afterward, the mixture was cooled to 0°C. Methanesulfonyl chloride (0.15 mL, 1.9 mmol) was then added dropwise. The resulting mixture was allowed to warm to room temperature overnight. Subsequently, additional triethylamine (0.16 mL, 1.15 mmol) and methanesulfonyl chloride (0.07 mL, 0.90 mmol) were added to drive the reaction to completion. After 2 hr, the mixture was diluted with methylene chloride (20 mL) and washed with water (30 mL), 10% citric acid

(30 mL), 5% sodium bicarbonate, and brine (30 mL). The organics were dried (magnesium sulfate) and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the mesylate in the form of a colorless oil (747.8 mg, 89.6% yield). NMR(CDCl₃) δ 1.17-1.46 (m, 7H), 1.52 (s, 9H), 1.63-1.77 (m, 4H), 2.10 (dt, 2H), 2.32 (d, 2H), 2.91 (dt, 2H), 3.02 (s, 3H), 3.30 (dt, 2H), 3.77 (d, 2H), 3.96 (dd, 2H), 4.21 (t, 2H).

[1186] Part B. Preparation of 4-{4-[4-(3,3,3-trifluoro-propoxy)-butyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The 3,3,3-trifluoropropan-1-ol (546 mg, 4.79 mmol) was placed into an oven-dried flask. Anhydrous dimethylformamide (4.5 mL) was then added, followed by the addition of a 60% NaH oil dispersion (230 mg, 5.74 mmol) in 2 portions. After 15 min, the mesylate from Part A (732 mg, 1.51 mmol) in anhydrous dimethylformamide (1.5 mL) was added, and the resulting mixture was heated at 80°C for 2 hr. The mixture was then cooled to room temperature, poured into saturated NH₄Cl (20 mL) and water (20 mL), and extracted with ethyl acetate (2x20 mL). The organics were washed with brine, dried over magnesium sulfate, and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the ether in the form of a colorless oil (541.9 mg, 71.5% yield). NMR(CDCl₃) δ 1.15-1.40 (m, δ H), 1.48-1.57 (m, 12H), 1.66 (d, 2H), 2.11 (dt, 2H), 2.28-2.45 (m, 4H), 2.92 (dt, 2H), 3.39 (dt, 2H), 3.42 (t, 4H), 3.62 (t, 2H), 3.76 (d, 2H), 3.96 (dd, 2H). ESMS m/z = 502.45 (M+H)[†].

[1187] Part C. Preparation of 4-{4-[4-(3,3,3-trifluoro-propoxy)-butyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid:

The ester of Part B (541.6 mg, 1.08 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (4 mL) at room temperature for 2 hr. The mixture was then concentrated under N₂, and triturated with ethyl acetate/hexane to afford the desired acid in the form of a solid (477.5 mg, 99.1% yield). This material was used in the next step

5

10

15

20

without further purification. NMR(CDCl₃) δ 1.15-1.43 (m, 7H), 1.47-1.59 (m, 2H), 1.70 (d, 2H), 2.18 (dt, 2H), 2.29-2.44 (m, 4H), 2.93 (t, 2H), 3.33-3.45 (m, 4H), 3.61 (t, 2H), 3.79 (d, 2H), 4.00 (dd, 2H). ESMS m/z = 464.31 (M+H)⁺.

[1188] Part D. Preparation of 4-{4-[4-(3,3,3-trifluoro-propoxy)-butyl]piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part C (473.5 mg, 1.06 mmol), 1-hydrozybenzotriazole hydrate (215 mg, 1.59 mmol), THP-ONH₂ (174 mg, 1.48 mmol), and triethylamine (0.44 mL, 3.2 mmol) in dimethylformamide (3.2 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (283 mg, 1.48 mmol). After heating at 40°C, the acid slowly went into solution. The mixture was then stirred at 40-45°C overnight. Subsequently, the mixture was partition between ethyl acetate (20 mL) and water (20 mL). The organics were extracted with 1N HCl (20 mL) and brine (20 mL), dried over magnesium sulfate, and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (511.2 mg, 88.6% yield). NMR(CDCl₃) δ 1.13-1.39 (m, 8H), 1.48-1.72 (m, 7H), 1.73-1.89 (m, 3H), 2.13-2.26 (m, 4H), 2.31-2.44 (m, 2H), 2.90 (t, 2H), 3.40 (t, 2H), 3.48 (dq, 2H), 3.58-3.66 (m, 3H), 3.73-3.82 (m, 2H), 3.88-4.00 (m, 3H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS m/z = 545.41 (M+H)⁺.

[1189] Part E. Preparation of 4-{4-[4-(3,3,3-trifluoro-propoxy)-butyl]-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from Part D (503 mg, 0.923 mmol) in methanol (1.0 mL) and 1,4-dioxane (1.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1 hr, the mixture was concentrated under N₂, and triturated with ethyl acetate/hexane to afford the desired compound as an off-white amorphous solid (393.5 mg, 92.6% yield).

10

15

20

NMR(DMSO) δ 0.93-1.07(m, 2H), 1.11-1.35 (m, 5H), 1.38-1.48 (m, 2H), 1.59 (d, 2H), 1.83 (dt, 2H), 2.30 (d, 2H), 2.42-2.54 (m, 2H), 2.85 (t, 2H), 3.14 (t, 2H), 3.34 (t, 2H), 3.48-3.58 (m, 4H), 3.80 (dd, 2H), 9.13 (bs, 1H), 10.94 (s, 1H). ESMS m/z = 461.2 (M+H)⁺. HRMS calcd. for $C_{18}H_{32}F_{3}N_{2}O_{6}S$ H: 461.1928 (M+H)⁺. Found: 461.1933.

5

10

15

20

[1190] Example A47. Preparation of 4-[4-(2-pentyloxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1191] Part A. Preparation of 4-[4-(2-pentyloxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alcohol of Example A13 (257 mg, 0.680 mmol), tetrabutylammonium bromide (44 mg, 0.136 mmol), and KOH (114 mg, 2.04 mmol) were slurried in xylene (2.7 mL). Afterward, 1-iodopentane (0.27 mL, 2.04 mmol) was added, and the resulting mixture was stirred in a sealed vial at 80°C overnight. Subsequently, the mixture was filtered through celite and concentrated under N_2 . Chromatography (on silica, ethyl acetate/hexanes) afforded the ether in the form of a colorless oil (202.7 mg, 66.6% yield). NMR(CDCl₃) δ 0.88 (t, 3H), 1.19-1.34 (m, 6H), 1.45-1.63 (m, 14H), 1.68 (d, 2H), 2.10 (dd, 2H), 2.32 (d, 2H), 2.93 (dt, 2H), 3.40 (dt, 2H), 3.36 (t, 2H), 3.42 (t, 2H), 3.76 (d, 2H), 3.96 (dd, 2H). ESMS m/z = 448.47 (M+H)⁺.

[1192] Part B. Preparation of 4-[4-(2-pentyloxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

The ester of Part A (202.8 mg, 0.453 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (4 mL) at room temperature for 2 hr. The mixture was then

concentrated under N_2 to afford the desired acid (177.9 mg, 100% yield). This material was used in the next step without further purification. NMR(CDCl₃) δ 0.88 (t, 3H), 1.19-1.35 (m, 6H), 1.49-1.63 (m, 5H), 1.71 (d, 2H), 2.18 (dt, 2H), 2.35 (d, 2H), 2.94 (t, 2H), 3.34-3.43 (m, 4H), 3.46(t, 2H), 3.79 (d, 2H), 4.00 (dd, 2H). ESMS m/z = 392.38 (M+H)⁺.

[1193] Part C. Preparation of 4-[4-(2-pentyloxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from **Part B** (177.5 mg, 0.453 mmol), 1-hydrozybenzotriazole hydrate (92 mg, 0.68 mmol), THP-ONH₂ (74 mg, 0.63 mmol), and triethylamine (0.19 mL, 1.4 mmol) in dimethylformamide (2.5 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (121 mg, 0.63 mmol). After heating at 40°C, the acid slowly went into solution. The mixture was then stirred at 40-45°C overnight. Subsequently, the mixture was poured onto 10 mL Chem-Elut tube prewetted with 0.5N HCl (8 mL), eluted with ethyl acetate ("EtOAc"), and concentrated. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (109.5 mg, 49.2% yield). NMR(CDCl₃) δ 0.90 (t, 3H), 1.13-1.39 (m, 6H), 1.45-1.92 (m, 10H), 2.12-2.30 (m, 4H), 2.94 (t, 2H), 3.30-3.56 (m, 8H), 3.59-3.84 (m, 4H), 3.88-4.03 (m, 4H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS m/z = 491.38 (M+H)⁺.

[1194] Part D. Preparation of 4-[4-(2-pentyloxy-ethyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from Part C (103 mg, 0.21 mmol) in methanol (1.0 mL) and 1,4-dioxane (1.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1.5 hr, the mixture was concentrated under N₂. Reverse phase chromatography (acetonitrile:water:0.05% trifluoroacetic acid) and lyophylization afforded the desired compound as an off-white amorphous solid (72.1 mg, 84.5% yield). NMR (CDCl₃) δ 0.88 (t, 3H), 1.13-1.39 (m, 5H), 1.44-1.78 (m, 8H), 2.10-2.33 (m, 4H), 2.92 (t, 2H), 3.32-3.53

5

10

15

20

(m, 6H), 3.72 (d, 2H), 3.96 (d, 2H), 6.92 (bs, 1H), 9.20 (bs, 1H). ESMS m/z = 407.2 $(M+H)^{+}$. HRMS calcd. for $C_{18}H_{35}N_{2}O_{6}S$ H: 407.2210 $(M+H)^{+}$. Found: 407.2209.

[1195] Example A48. Preparation of 4-[4-(7,7,7-trifluoro-heptyloxy)piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide: 5

[1196] Part A. Preparation of 4-[4-(7,7,7-trifluoro-hept-3-enyloxy)piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

To the phosphine from Example A10 (800 mg, 1.6 mmol) in anhydrous tetrahydrofuran (5.9 mL) at 0°C was added 1M LiN(TMS) (1.5 mL, 1.5 mmol) dropwise while maintaining the temperature at less than 5°C. Upon completion of the addition, the mixture was stirred at 0°C for 15 min. The aldehyde from Example A14, Part D (500 mg, 1.23 mmol) in anhydrous tetrahydrofuran (2.5 mL) was then added dropwise while maintaining the temperature at less than 4°C. Afterward, the mixture was allowed to warm to room temperature over several hours. The mixture was then poured into stirring ether (75 mL) and filtered. The filtrate was washed with 1N HCl (3 x 75 mL), saturated sodium bicarbonate (3 x 75 mL), and brine (100 mL); dried over magnesium sulfate; and concentrated to form a crude oil. Chromatography (on silica, ethyl acetate/hexanes) afforded the alkene in the form of a colorless crystalline oil (498.8 mg, 81.1% yield). 20 $NMR(CDCl_3) \delta 1.52$ (s, 9H), 1.60-1.74 (m, 2H), 1.77-1.90 (m, 2H), 2.04-2.20 (m, 4H), 2.22-2.36 (m, 6H), 3.16-3.36 (m, 4H), 3.38-3.65 (m, 5H), 3.96 (dd, 2H), 5.35-5.54 (m, 2H). ESMS $m/z = 500.45 \text{ (M+H)}^{+}$.

10

[1197] Part B. Preparation of 4-[4-(7,7,7-trifluoro-heptyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alkene from **Part A** (483.4 mg, 0.968 mmol) was combined with tetrahydrofuran (5 mL). Subsequently, 10% Pd/C (0.24 g) was added. The resulting mixture was stirred on a Parr hydrogenator at 40 psi for 2 hr. The mixture was then filtered through celite and concentrated. Chromatography (on silica, using ethyl acetate/hexanes) afforded a crystalline solid product (363.1 mg, 74.8% yield). NMR(CDCl₃) δ 1.29-1.46 (m, 2H), 1.46-1.75 (m, 15H), 1.75-1.92 (m, 2H), 1.98-2.20 (m, 4H), 2.32 (d, 2H), 3.12-3.64 (m, 9H), 3.96 (dd, 2H). ESMS m/z = 446.37 (M+H-t-Bu)^t.

[1198] Part C. Preparation of 4-[4-(7,7,7-trifluoro-heptyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

The ester of **Part B** (349.7 mg, 0.697 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (4 mL) at room for 2 hr. The mixture was then concentrated under N_2 to afford the desired acid (307-1 mg, 98.9% yield). This material was used in the next step without further purification. NMR (CDCl₃) δ 1.28-1.45 (m, 4H), 1.48-1.74 (m, 6H), 1.77-1.92 (m, 2H), 1.97-2.27 (m, 4H), 2.35 (d, 2H), 3.19-3.65 (m, 9H), 4.12 (dd, 2H). ESMS m/z = 463.37 (M+NH₄)⁺.

[1199] Part D. Preparation of 4-[4-(7,7,7-trifluoro-heptyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part C (305.1 mg, 0.685 mmol), 1-hydrozybenzotriazole hydrate (139 mg, 1.03 mmol), THP-ONH₂ (112 mg, 0.96 mmol), and triethylamine (0.29 mL, 2.08 mmol) in dimethylformamide (3.0 mL) was added 1-(3-

25

5

10

15

dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (183 mg, 0.96 mmol). The resulting mixture was stirred at 50°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and washed with water (5 mL), 1N HCl (4 mL), and saturated sodium bicarbonate. Chromatography (on silica, ethylacetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (336.7 mg, 90.3% yield). NMR (CDCl₃) δ 1.31-1.46 (m, 4H), 1.51-1.73 (m, 10H), 1.75-1.92 (m, 4H), 1.97-2.31 (m, 6H), 3.18-3.32 (m, 2H), 3.35-3.70 (m, 8H), 3.89-4.05 (m, 3H), 4.97 (s, 1H), 9.19 (s, 1H). ESMS m/z = 545.45 (M+H)⁺.

[1200] Part E. Preparation of 4-[4-(7,7,7-trifluoro-heptyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from **Part D** (336.7 mg, 0.618 mmol) in methanol (2.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1 hr, the mixture was concentrated under N₂ to afford the desired compound in the form of a white amorphous solid (270.4 mg, 95.0% yield). NMR (CD3OD) δ 1.35-1.44 (m, 4H), 1.49-1.60 (m, 6H), 1.80-1.90 (m, 2H), 2.02-2.19 (m, 4H), 2.32 (d, 2H), 3.12-3.22 (m, 2H), 3.36 (t, 2H), 3.46 (t, 3H), 3.52-3.61 (m, 2H), 3.90 (dd, 2H). ESMS m/z = 461.2 (M+H)⁺. HRMS calcd. for C₁₈H₃₂F₃N₂O₆S H: 461.1928 (M+H)⁺. Found: 461.1911.

[1201] Example A49. Preparation of 4-[4-(6,6,6-trifluoro-hexyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1202] Part A. Preparation of 4-[4-(6,6,6-trifluoro-hex-3-enyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

$$\begin{array}{c|c} CH_3 & O & O \\ H_3C & O & S \\ \end{array}$$

25

5

10

15

To the phosphine from Example A15 (778 mg, 1.6 mmol) in anhydrous tetrahydrofuran (5.9 mL) at 0°C was added 1M LiN(TMS) (1.5 mL, 1.5 mmol) dropwise while maintaining the temperature at less than 5°C. Upon completion of the addition, the mixture was stirred at 0°C for 15 min. The aldehyde from Example A14, Part D (500 mg, 1.23 mmol) in anhydrous tetrahydrofuran (2.5 mL) was then added dropwise while maintaining the temperature at less than 4°C. The cooling bath was then removed, and the mixture was stirred at room temperature for 3 hr. Subsequently, the mixture was poured into stirring ether (75 mL) and filtered. The filtrate was washed with 1N HCl (3 x 75 mL), saturated sodium bicarbonate (3 x 75 mL), and brine (100 mL); dried over magnesium sulfate; and concentrated to form a crude oil. Chromatography (on silica, ethyl acetate/hexanes) afforded the alkene in the form of a colorless crystalline solid (529.6, 88.6% yield). NMR (CDCl₃) δ 1.52 (s, 9H), 1.60-1.72 (m, 2H), 1.77-1.90 (m, 2H), 2.11 (dt, 2H), 2.33 (d, 4H), 2.74-2.96 (m, 2H), 3.18-3.36 (m, 4H), 3.40-3.64 (m, 5H), 3.96 (dd, 2H), 5.42-5.54 (m, 1H), 5.69-5.82 (m, 1H). ESMS m/z = 486.41 (M+H)⁺.

[1203] Part B. Preparation of 4-[4-(6,6,6-trifluoro-hexyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alkene from Part A (519.2 mg, 1.07 mmol) was combined with tetrahydrofuran (5 mL). Afterward, 10% Pd/C (0.26 g) was added. The resulting mixture was stirred on a Parr hydrogenator at 40 psi for 2 hr. The mixture was then filtered through celite and concentrated. Chromatography (on silica, using ethyl acetate/hexanes) afforded a crystalline solid (408.4 mg, 78.3% yield). NMR(CDCl₃) δ 1.35-1.74 (m, 13H), 1.76-1.91 (m, 2H), 1.98-2.20 (m, 4H), 2.32 (d, 2H), 3.12-3.63 (m, 9H), 3.96 (dd, 2H). ESMS m/z = 510.39 (M+Na)⁺.

[1204] Part C. Preparation of 4-[4-(6,6,6-trifluoro-hexyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

5

10

15

20

The ester of **Part B** (400.7 mg, 0.822 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (4 mL) at room temperature for 2 hr. The mixture was then concentrated under N_2 to afford the desired acid (355.4 mg, 100% yield). This material was used in the next step without further purification. NMR (CDCl₃) δ 1.36-1.52 (m, 2H), 1.52-1.75 (m, 6H), 1.78-1.93 (m, 2H), 2.00-2.26 (m, 4H), 2.37 (d, 2H), 3.20-3.66 (m, 9H), 4.03 (dd, 2H). ESMS m/z = 432.31 (M+H)⁺.

[1205] Part D. Preparation of 4-[4-(6,6,6-trifluoro-hexyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part C (350.5 mg, 0.812 mmol), 1-hydrozybenzotriazole hydrate (164 mg, 1.21 mmol), THP-ONH₂ (133 mg, 1.14 mmol), and triethylamine (0.34 mL, 2.44 mmol) in dimethylformamide (4.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (217 mg, 1.14 mmol). The resulting mixture was stirred at 50°C overnight. Subsequently, the mixture was
concentrated; combined with ethyl acetate (5 mL); and washed with water (5 mL), 1N HCl (4 mL), and saturated sodium bicarbonate. Chromatography (on silica, ethyl acetate/hexanes, followed by acetonitrile/water/0.05% trifluoroacetic acid on C18) afforded a mix of the protected hydroxamate and predominantly de-protected material in the form of a colorless oil (291.0 mg). NMR (CDCl₃) δ 1.37-1.77 (m, 8H), 1.77-1.91 (m, 2H), 1.98-2.31 (m, 6H), 3.16-3.32 (m, 2H), 3.37-3.59 (m, 7H), 3.99 (s, 3H), 6.83 (bs, 1H), 9.19 (bs, 1H). ESMS m/z = 447.33 (M+H-THP)⁺.

[1206] Part E. Preparation of 4-[4-(6,6,6-trifluoro-hexyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the partially THP-protected hydroxamate from Part D (291.0 mg, 0.651 mmol) in methanol (2.0 mL) was added 4M HCl in 1,4-dioxane (200 μL). After stirring for 1 hr, the mixture was concentrated under N₂ to afford the desired compound as an off-white

- 14 17 (の数数) (数数) (をいうしゅう)

amorphous solid (272.9 mg, 93.9% yield). NMR (CD3OD) δ 1.40-1.49 (m, 2H), 1.50-1.62 (m, 6H), 1.79-1.89 (m, 2H), 2.02-2.20 (m, 4H), 2.32 (d, 2H), 3.12-3.23 (m, 2H), 3.36 (t, 2H), 3.46 (t, 3H), 3.51-3.61 (m, 2H), 3.90 (dd, 2H). ESMS $m/z = 447.2 (M+H)^+.$ HRMS calcd. for $C_{17}H_{30}F_3N_2O_6S$ H: 447.1771 (M+H)⁺. Found: 447.1756.

5

10

15

20

[1207] Example A50. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyloxy)piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1208] Part A. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-hept-3-enyloxy)piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

To the phosphine from Example A11 (981 mg, 1.83 mmol) in anhydrous tetrahydrofuran (6.8 mL) at 0°C was added 1M LiN(TMS) (1.7 mL, 1.7 mmol) dropwise while maintaining the temperature at less than 5°C. Upon completion of addition, the mixture was stirred at 0°C for 15 min. The aldehyde from Example A14, Part D (573 mg, 1.41 mmol) in anhydrous tetrahydrofuran (2.9 mL) was then added dropwise while maintaining the temperature at less than 4°C. The cooling bath was then removed, and the mixture was stirred at room temperature overnight. Subsequently, the mixture was poured into stirring ether (75 mL) and filtered. The filtrate was washed with 1N HCl (3 x 75 mL), saturated sodium bicarbonate (3 x 75 mL), and brine (100 mL); dried over magnesium sulfate; and concentrated to form a crude oil. Chromatography (on silica, ethyl acetate/hexanes) afforded the alkene as an off-white crystalline solid (620.2, 82.3% yield). NMR (CDCl₃) δ 1.52 (s, 9H), 1.58-1.74 (m, 2H), 1.76-1.90 (m, 2H), 2.11 (dt, 2H), 2.25-37 (m, 4H), 2.84 (dd, 2H), 3.18-3.37 (m, 4H), 3.40-3.65 (m, 5H), 3.97 (dd, 2H), 5.49 (q, 1H), 5.71-5.83 (m, 1H). ESMS $m/z = 536.41 \text{ (M+H)}^{+}$.

[1209] Part B. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alkene from Part A (609.7 mg, 1.14 mmol) was combined with tetrahydrofuran (5 mL). Afterward, 10% Pd/C (0.31 g) was added. The resulting mixture was stirred on a Parr hydrogenator at 40 psi for 2 hr. The mixture was then filtered through celite and concentrated. Chromatography (on silica, using ethyl acetate/hexanes) afforded the ester in the form of a crystalline solid (498.6 mg, 81.5% yield). NMR (CDCl₃) δ 1.37-1.74 (m, 17H), 1.77-1.91 (m, 2H), 1.93-2.20 (m, 4H), 2.32 (d, 2H), 3.12-3.63 (m, 9H), 3.96 (dd, 2H). ESMS m/z = 560.41 (M+Na)⁺.

[1210] Part C. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

The ester of Part B (493.4 mg, 0.918 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (4 mL) at room temperature for 2 hr. The mixture was then concentrated under N_2 to afford the desired acid (442.7mg, 100% yield). The resulting material was used in the next step without further purification. NMR (CDCl₃) δ 1.37-1.51 (m, 2H), 1.54-1.74 (m, 6H), 1.70-1.94 (m, 2H), 1.94-2.26 (m, 4H), 2.37 (d, 2H), 3.20-3.64 (m, 9H), 4.03 (dd, 2H). ESMS m/z = 482.34 (M+H)⁺.

[1211] Part D. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

$$\begin{array}{c|c}
O & O & O & O \\
O & N & O & O \\
O & S & N & O \\
O & S & F & F
\end{array}$$

$$CF_3$$

To a mixture of the crude acid from Part C (437.4 mg, 0.908 mmol), 1-

25 hydrozybenzotriazole hydrate (184 mg, 1.36 mmol), THP-ONH₂ (149 mg, 1.27 mmol),

5

10

15

and triethylamine (0.38 mL, 2.73 mmol) in dimethylformamide (4.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (243 mg, 1.27 mmol). The resulting mixture was stirred at 50°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and washed with water (5 mL), 1N HCl (4 mL), and saturated sodium bicarbonate. Chromatography (on silica, ethyl acetate/hexanes, followed by acetonitrile/water/0.05% trifluoroacetic acid on C18) afforded a mix of the protected hydroxamate and predominantly de-protected material in the form of a colorless oil (351.1 mg). NMR (CDCl₃) δ 1.37-1.52 (m, 2H), 1.52-1.75 (m. 6H), 1.75-1.92 (m, 2H), 1.92-2.34 (m, 8H), 3.13-3.30 (m, 2H), 3.33-3.60 (m, 7H), 3.99 (d, 3H). ESMS m/z = 497.32 (M+H-THP)⁺.

[1212] Part E. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyloxy)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the partially THP-protected hydroxamate from Part D (351.1 mg, 0.605 mmol) in methanol (2.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1 hr, the mixture was concentrated under N₂ to afford the desired compound as an off-white amorphous solid (303.6 mg, 100% yield). NMR (CD₃OD) δ 1.41-1.64 (m, 8H), 1.79-1.91 (m, 2H), 2.00-2.18 (m, 4H), 2.32 (d, 2H), 3.12-3.23 (m, 2H), 3.36 (t, 2H), 3.47 (t, 3H), 3.50-3.61 (m, 2H), 3.91 (dd, 2H). ESMS m/z = 497.2 (M+H)⁺. HRMS calcd. for C₁₈H₃₀F₅N₂O₆S H: 497.1739 (M+H)⁺. Found: 497.1725.

[1213] Example A51. Preparation of 4-[4-(7,7,8,8,8-pentafluoro-octyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

15

[1214] Part A. Preparation of 4-[4-(7,7,8,8,8-pentafluoro-oct-4-enyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

To the phosphine from **Example A11** (552 mg, 1.03 mmol) in anhydrous tetrahydrofuran (4.1 mL) at 0°C was added 1M LiN(TMS) (1.1 mL, 1.1 mmol) dropwise while maintaining the temperature at less than 5°C. Upon completion of addition, the mixture was stirred at 0°C for 15 min. The aldehyde from **Example A16** (348 mg, 0.861 mmol) in anhydrous tetrahydrofuran (1.7 mL) was then added dropwise while maintaining temperature at less than 4°C. The cooling bath was then removed, and the mixture was stirred at room temperature overnight. Subsequently, the mixture was poured into stirring ether (75 mL) and filtered. The filtrate was washed with 1N HCl (3 x 75 mL), saturated sodium bicarbonate (3 x 75 mL), and brine (100 mL); dried over magnesium sulfate; and concentrated to crude oil. Chromatography (on silica, ethyl acetate/hexanes) afforded the alkene in the form of a colorless oil (275.2, 59.9% yield). NMR (CDCl₃) δ 1.26-1.43 (m, 7H), 1.52 (s, 9H), 1.66 (d, 2H), 2.20 (q, 2H), 2.11 (dt, 2H), 2.31 (d, 2H), 2.78 (dt, 2H), 2.91 (d, 2H), 3.30 (t, 2H), 3.76 (d, 2H), 3.97 (dd, 2H), 5.39 (q, 1H), 5.70 (q, 1H). ESMS m/z = 534.44 (M+H)[†].

[1215] Part B. Preparation of 4-[4-(7,7,8,8,8-pentafluoro-octyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

20

25

5

10

15

The alkene from Part A (270 mg, 0.506 mmol) was combined with tetrahydrofuran (20 mL). Afterward, 10% Pd/C (0.27 g) was added. The resulting mixture was stirred on a Parr hydrogenator at 40 psi for 1.5 hr. The mixture was then filtered through celite and concentrated, affording the ester in the form of a colorless oil (276.2 mg, quantitative conversion). NMR (CDCl₃) δ 1.25-1.40 (m, 11H), 1.47-1.61 (m, 11H), 1.66 (d, 2H), 1.91-2.06 (m, 2H), 2.21 (dt, 2H), 2.32 (d, 2H), 2.90 (t, 2H), 3.30 (d, 2H), 3.75 (d, 2H), 3.96 (dd, 2H). ESMS m/z = 560.41 (M+Na)⁺.

[1216] Part C. Preparation of 4-[4-(7,7,8,8,8-pentafluoro-octyl)-piperidine-1-sulfonyl}-tetrahydro-pyran-4-carboxylic acid:

The ester of Part B (262.1 mg, 0.489 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (4 mL) at room temperature for 2 hr. The mixture was then concentrated under N_2 to afford the desired acid (230.2, 100% yield). This material was used in the next step without further purification. NMR (CDCl₃) δ 1.15-1.44 (m, 11H)1.52-1.63 (m, 2H), 1.72 (d, 2H), 1.91-2.10 (m, 2H), 2.13-2.28 (m, 2H), 2.38 (d, 2H), 2.94 (t, 2H), 3.20 (t, 2H), 3.82 (d, 2H), 4.02 (dd, 2H). ESMS m/z = 480.35 (M+H)⁺.

[1217] Part D. Preparation of 4-[4-(7,7,8,8,8-pentafluoro-octyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from **Part C** (226.1 mg, 0.472 mmol), 1-hydrozybenzotriazole hydrate (95.5 mg, 0.71 mmol), THP-ONH₂ (77.3 mg, 0.66 mmol), and triethylamine (0.20 mL, 1.44 mmol) in dimethylformamide (2.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (126.1 mg, 0.66 mmol). The resulting mixture was stirred at 50°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and washed with water (5 mL), 1N HCl (4 mL), and saturated sodium bicarbonate. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (224.5 mg, 82.3% yield). NMR (CDCl₃) δ 1.13-1.44 (m, 10H), 1.52-1.74 (m, 8H), 1.77-2.12 (m, 5H), 2.14-2.33 (m, 4H), 2.93 (t, 2H), 3.50 (dq, 2H), 3.60-3.70 (m, 1H), 3.74-3.86 (m, 2H), 3.90-4.03 (m, 3H), 4.99 (s, 1H), 9.02 (s, 1H). ESMS m/z = 579.47 (M+H)⁺.

5

10

15

[1218] Part E. Preparation of 4-[4-(7,7,8,8,8-pentafluoro-octyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from Part D (224.5 mg, 0.388 mmol) in methanol (2.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1 hr, the mixture was concentrated under N₂ to afford the desired compound as an off-white amorphous solid (184.8 mg, 96.3% yield). NMR (CD₃OD) δ 1.07-1.20 (m, 2H), 1.22-1.44 (m, 9H), 1.51-1.61 (m, 2H), 1.68 (d, 2H), 1.99-2.16 (m, 4H), 2.33 (d, 2H), 2.93 (dt, 2H), 3.36 (t, 2H), 3.73 (d, 3H), 3.90 (dd, 2H). ESMS m/z = 495.2 (M+H)⁺. HRMS calcd. for C₁₉H₃₂F₅N₂O₅S H: 495.1947 (M+H)⁺. Found: 495.1922.

[1219] Example A52. Preparation of 4-[4-(8,8,8-trifluoro-octyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1220] Part A. Preparation of 4-[4-(8,8,8-trifluoro-oct-4-enyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

To the phosphine from Example A10 (515 mg, 1.03 mmol) in anhydrous tetrahydrofuran (4.1 mL) at 0°C was added 1M LiN(TMS) (1.1 mL, 1.1 mmol) dropwise while maintaining the temperature at less than 5°C. Upon completion of addition, the mixture was stirred at 0°C for 15 min. Afterward, the aldehyde from Example A16 (348 mg, 0.861 mmol) in anhydrous tetrahydrofuran (1.7 mL) was added dropwise while maintaining the temperature at less than 4°C. The cooling bath was then removed, and the mixture was stirred at room temperature overnight. The mixture was then poured into stirring ether (75 mL) and filtered. The filtrate was washed with 1N HCl (3 x 75 mL),

5

10

15

20

saturated sodium bicarbonate (3 x 75 mL), and brine (100 mL); dried over magnesium sulfate; and concentrated to form a crude oil. Chromatography (on silica, ethyl acetate/hexanes) afforded the alkene as colorless oil (275.2, 59.9% yield). NMR (CDCl₃) δ 1.26-1.42 (m, 7H), 1.53 (s, 9H), 1.66 (d, 2H), 1.93-2.17 (m, 6H), 2.19-2.35 (m, 4H), 2.91 (d, 2H), 3.30 (t, 2H), 3.76 (d, 2H), 3.97 (dd, 2H), 5.27-5.52 (m, 2H). ESMS m/z = 498.45 (M+H)⁺.

[1221] Part B. Preparation of 4-[4-(8,8,8-trifluoro-octyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alkene from Part A (235 mg, 0.472 mmol) was combined with tetrahydrofuran (20 mL). Afterward, 10% Pd/C (0.24 g) was added. The resulting mixture was stirred on a Parr hydrogenator at 40 psi for 1.5 hr. The mixture was then filtered through celite and concentrated, affording the ester in the form of a crystalline solid (247.5 mg, quantitative conversion). NMR (CDCl₃) δ 1.14-1.40 (m, 13H), 1.47-1.58 (m, 11H), 1.66 (d, 2H), 1.96-2.17 (m, 4H), 2.32 (d, 2H), 2.91 (t, 2H), 3.30 (d, 2H), 3.76 (d, 2H), 3.96 (dd, 2H). ESMS m/z = 500.46 (M+H)⁺.

[1222] Part C. Preparation of 4-[4-(8,8,8-trifluoro-octyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

The ester of Part B (236.7 mg, 0.474 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (4 mL) at room temperature for 2 hr. The mixture was then concentrated under N₂ to afford the desired acid (207.8, 98.9% yield). This material was used in the next step without further purification. NMR (CDCl₃) δ 1.15-1.44 (m, 13H)1.46-1.61 (m, 2H), 1.69 (d, 2H), 1.94-2.28 (m, 4H), 2.37 (d, 2H), 2.94 (t, 2H), 3.40 (t, 2H), 3.80 (d, 2H), 4.02 (dd, 2H). ESMS m/z = 444.37 (M+H)⁺.

PCT/US03/13123 WO 03/091247

[1223] Part D. Preparation of 4-[4-(8,8,8-trifluoro-octyl)-piperidine-1sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part C (204.8 mg, 0.462 mmol), 1-

hydrozybenzotriazole hydrate (93.5mg, 0.69 mmol), THP-ONH₂ (75.7 mg, 0.65 mmol), 5 and triethylamine (0.19 mL, 1.37 mmol) in dimethylformamide (2.0 mL) was added 1-(3dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (123.5 mg, 0.65 mmol). The resulting mixture was stirred at 50°C overnight. Subsequently, the mixture was concentrated; combined with ethyl acetate (5 mL); and washed with water (5 mL), 1N HCl (4 mL), and saturated sodium bicarbonate. Chromatography (on silica, ethyl 10 acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (224.5 mg, 82.3% yield). NMR (CDCl₃) δ 1.11-1.44 (m, 12H), 1.47-1.74 (m, 8H), 1.77-1.93 (m, 3H), 1.95-2.13 (m, 2H), 2.14-2.32 (m, 4H), 2.93 (t, 2H), 3.51 (dq, 2H), 3.59-3.69 (m, 1H), 3.74-3.87 (m, 2H), 3.90-4.04 (m, 3H), 4.99 (s, 1H), 9.02 (s, 1H). ESMS m/z = 560.50 $(M+NH_4)^+$. 15

[1224] Part E. Preparation of 4-[4-(8,8,8-trifluoro-octyl)-piperidine-1sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from Part D (200.0 mg, 0.369 mmol) in methanol (2.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1 hr, the mixture was concentrated under N2 to afford the desired compound as an off-white amorphous solid (163.7 mg, 96.9% yield). NMR (CD₃OD) δ 1.07-1.20 (m, 2H), 1.21-1.44 (m, 11H), 1.67 (d, 2H), 2.03-2.17 (m, 4H), 2.32 (d, 2H), 2.93 (t, 2H), 3.36 (t, 2H), 3.73 (d, 3H), 3.90 (dd, 2H). ESMS $m/z = 459.2 \text{ (M+H)}^{+}$. HRMS calcd. for $C_{19}H_{34}F_3N_2O_5S$ H: 459.2135 $(M+H)^{+}$. Found: 459.2100. 25

[1225] Example A53. Preparation of 4-[4-(5,5,6,6,6-pentafluoro-hexyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1226] Part A. Preparation of 4-[4-(5,5,6,6,6-pentafluoro-hex-2-enyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

To the phosphine from Example A11 (943 mg, 1.76 mmol) in anhydrous tetrahydrofuran (7.0 mL) at 0°C was added 1M LiN(TMS) (1.9 mL, 1.9 mmol) dropwise while maintaining the temperature at less than 5°C. Upon completion of addition, the mixture was stirred at 0°C for 15 min. The aldehyde from Example A6 (550 mg, 1.47 mmol) in anhydrous tetrahydrofuran (2.8 mL) was then added dropwise while maintaining the temperature at less than 5°C. Afterward, the cooling bath was removed, and the mixture was stirred at room temperature overnight. Subsequently, the mixture was poured into stirring ether (75 mL) and filtered. The filtrate was washed with 1N HCl (3 x 75 mL), saturated sodium bicarbonate (3 x 75 mL), and brine (100 mL); dried over magnesium sulfate; and concentrated to crude oil. Chromatography (on silica, ethyl acetate/hexanes) afforded the alkene as an off-white crystalline solid (644.2, 86.4% yield). NMR (CDCl₃) δ 1.16-1.36 (m, 2H), 1.40-1.57 (m, 10H), 1.60-1.76 (m, 2H), 1.94-2.18 (m, 4H), 2.33 (d, 2H), 2.65-2.97 (m, 4H), 3.29 (t, 2H), 3.78 (d, 2H), 3.96 (dd, 2H), 5.43-5.54 (m, 1H), 5.65-5.78 (m, 1H). ESMS m/z = 506.38 (M+H)[†].

[1227] Part B. Preparation of 4-[4-(5,5,6,6,6-pentafluoro-hexyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alkene from Part A (638.3 mg, 1.263 mmol) was combined with tetrahydrofuran (5 mL). Afterward, 10% Pd/C (0.32 g) was added. The resulting mixture was stirred on a

5

10

15

Parr hydrogenator at 40 psi for 1 hr. The mixture was then filtered through celite and concentrated, affording the ester (640.4 mg, 100% yield). NMR (CDCl₃) δ 1.15-1.44 (m, 7H), 1.47-1.61 (m, 11H), 1.67 (d, 2H), 1.89-2.18 (m, 4H), 2.33 (d, 2H), 2.93 (t, 2H), 3.31 (d, 2H), 3.77 (d, 2H), 3.97 (dd, 2H). ESMS m/z = 508.36 (M+H)⁺.

[1228] Part C. Preparation of 4-[4-(5,5,6,6,6-pentafluoro-hexyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

The ester of Part B (633.1 mg, 1.247 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (4 mL) at room temperature for 1 hr. The mixture was then concentrated under N_2 to afford the desired acid in the form of a solid (555.1, 98.6% yield). The resulting material was used in the next step without further purification. NMR (CD₃OD) δ 1.07-1.23 (m, 2H), 1.25-1.33 (m, 2H), 1.36-1.46 (m, 3H), 1.50-1.60 (m, 2H), 1.70 (d, 2H), 2.00-2.17 (m, 4H), 2.32 (d, 2H), 2.95 (dt, 2H), 3.34 (dt, 2H), 3.75 (d, 2H), 3.94 (dd, 2H). ESMS m/z = 469.33 (M+NH₄)⁺.

[1229] Part D. Preparation of 4-[4-(5,5,6,6,6-pentafluoro-hexyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part C (550.7 mg, 1.22 mmol), 1-hydrozybenzotriazole hydrate (247 mg, 1.83 mmol), THP-ONH₂ (200 mg, 1.71 mmol), and triethylamine (0.51 mL, 3.67 mmol) in dimethylformamide (4.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (326 mg, 1.71 mmol). The resulting mixture was stirred at 45°C overnight. Subsequently, the mixture was concentrated, partitioned between ethyl acetate and water, and poured onto 20 mL Chem-Elut tubes. The crude product was eluted with methylene chloride and ethyl acetate.

Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (624.2 mg, 92.9% yield). NMR (CDCl₃) δ 1.13-1.43 (m, 7H), 1.50-1.73(m, 8H), 1.76-1.88 (m, 3H), 1.92-2.06 (m, 2H), 2.14-2.27 (m, 4H), 2.92 (t, 2H),

5

10

15

20

3.43-3.54 (m, 2H), 3.59-3.66 (m, 1H), 3.74-3.84 (m, 2H), 3.90-3.99 (m, 3H), 4.97 (s, 1H), 9.18 (s, 1H). ESMS $m/z = 568.43 \text{ (M+NH}_4)^+$.

[1230] Part E. Preparation of 4-[4-(5,5,6,6,6-pentafluoro-hexyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

$$HO \underset{H}{\overset{O}{\underset{O}{\bigvee}}} O \underset{F}{\overset{O}{\underset{F}{\bigvee}}} CF_3$$

To the THP-protected hydroxamate from **Part D** (616.1 mg, 1.12 mmol) in methanol (4.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1.5 hr, the mixture was concentrated under N₂ to afford the desired compound in the form of a colorless crystalline solid (343.7 mg, 75.4% yield). NMR (DMSO) δ 0.94-1.09 (m, 2H), 1.16-1.24 (m, 2H), 1.25-1.38 (m, 3H), 1.60 (d, 2H), 1.83 (dt, 2H), 2.07-2.24 (m, 2H), 2.31 (d, 2H), 2.86 (t, 2H), 3.14 (t, 2H), 3.55 (d, 3H), 3.81 (dd, 2H), 9.15 (s, 1H), 10.95 (s, 1H). ESMS m/z = 467.2 (M+H)⁺. HRMS calcd. for C₁₇H₂₈F₅N₂O₅S H: 467.1634 (M+H)⁺. Found:

[1231] Example A54. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

[1232] Part A. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-hept-3-enyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

20

25

5

10

15

467.1627.

To the phosphine from Example A11 (842 mg, 1.57 mmol) in anhydrous tetrahydrofuran (6.3 mL) at 0°C was added 1M LiN(TMS) (1.7 mL, 1.7 mmol) dropwise while maintaining the temperature at less than 5°C. Upon completion of addition, the mixture was stirred at 0°C for 15 min. Afterward, the aldehyde from Example A8 (511.5 mg, 1.31 mmol) in anhydrous tetrahydrofuran (1.8 mL) was added dropwise while maintaining the

temperature at less than 5°C. The cooling bath was then removed, and the mixture was stirred at room temperature overnight. Subsequently, the mixture was poured into stirring ether (75 mL) and filtered. The filtrate was washed with 1N HCl (3 x 75 mL), saturated sodium bicarbonate (3 x 75 mL), and brine (100 mL); dried over magnesium sulfate; and concentrated to crude oil. Chromatography (on silica, ethyl acetate/hexanes) afforded the alkene in the form of a colorless oil (626.8, 92.4% yield). NMR (CDCl₃) δ 1.17-1.43 (m, 5H), 1.53 (s, 9H), 1.68 (d, 2H), 2.02-2.18 (m, 4H), 2.33 (d, 2H), 2.79 (dt, 2H), 2.93 (t, 2H), 3.31 (dt, 2H), 3.78 (d, 2H), 3.97 (dd, 2H), 5.33-5.47 (m, 1H), 5.64-5.77 (m, 1H). ESMS m/z = 520.41 (M+H)⁺.

[1233] Part B. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid tert-butyl ester:

The alkene from Part A (613.5 mg, 1.181 mmol) was combined with tetrahydrofuran (5 mL). Afterward, 10% Pd/C (0.31 g) was added. The mixture was then stirred on a Parr hydrogenator at 40 psi for 1 hr. Subsequently, the mixture was filtered through celite and concentrated, affording the ester in the form of a crystalline solid (609.9 mg, 99.0% yield). NMR (CDCl₃) δ 1.16-1.44 (m, 8H), 1.49-1.76 (m, 14H), 1.90-2.20 (m, 4H), 2.34 (d, 2H), 2.94 (t, 2H), 3.33 (d, 2H), 3.79 (d, 2H), 3.98 (dd, 2H). ESMS m/z = 522.39 (M+H)⁺.

[1234] Part C. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid:

The ester of Part B (602.8 mg, 1.156 mmol) was hydrolyzed in 1:1 trifluoroacetic acid:methylene chloride (4 mL) at room temperature for 1 hr. The mixture was then concentrated under N_2 to afford the desired acid (537.2, 99.9% yield). This material was used in the next step without further purification. NMR (CD₃OD) δ 1.09-1.45 (m, 9H)1.51-1.62 (m, 2H), 1.70 (d, 2H), 2.00-2.16 (m, 4H), 2.32 (d, 2H), 2.94 (dt, 2H), 3.34 (dt, 2H), 3.76 (d, 2H), 3.93 (dd, 2H). ESMS m/z = 483.34 (M+NH₄)⁺.

ċ

5

10

15

20

[1235] Part D. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the crude acid from Part C (533.2 mg, 1.145 mmol), 1-

hydrozybenzotriazole hydrate (232 mg, 1.72 mmol), THP-ONH₂ (188 mg, 1.61 mmol), and triethylamine (0.48 mL, 3.45 mmol) in dimethylformamide (4.0 mL) was added 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (306 mg, 1.6 mmol). The resulting mixture was stirred at 45°C overnight. Subsequently, the mixture was concentrated, partitioned between ethyl acetate and water, and poured onto 20 mL Chem-Elut tubes. The crude product was eluted with methylene chloride and ethyl acetate. Chromatography (on silica, ethyl acetate/hexanes) afforded the protected hydroxamate in the form of a colorless oil (599.3 mg, 92.7% yield). NMR (CDCl₃) δ 1.13-1.41 (m, 8H), 1.51-1.72 (m, 8H), 1.74-1.88 (m, 3H), 1.91-2.07 (m, 2H), 2.13-2.27 (m, 4H), 2.90 (t, 2H), 3.48 (dq, 2H), 3.59-3.66 (m, 1H), 3.73-3.84 (m, 2H), 3.89-3.99 (m, 3H), 4.97 (s, 1H), 9.18
(s, 1H). ESMS m/z = 582.45 (M+NH₄)⁺.

[1236] Part E. Preparation of 4-[4-(6,6,7,7,7-pentafluoro-heptyl)-piperidine-1-sulfonyl]-tetrahydro-pyran-4-carboxylic acid hydroxyamide:

To the THP-protected hydroxamate from **Part D** (589.5 mg, 1.04 mmol) in methanol (4.0 mL) was added 4M HCl in 1,4-dioxane (200 μ L). After stirring for 1 hr, the mixture was concentrated under N₂ to afford the desired compound in the form of a colorless crystalline solid (482.9 mg, 96.3% yield). NMR (DMSO) δ 0.95-1.07 (m, 2H), 1.11-1.20 (m, 2H), 1.22-1.46 (m, 5H), 1.43-1.52 (m, 2H), 1.61 (d, 2H), 1.84 (dt, 2H), 2.06-2.24 (m, 2H), 2.30 (d, 2H), 2.84 (t, 2H), 3.14 (t, 2H), 3.55 (d, 2H), 3.82 (dd, 2H), 9.15 (s, 1H), 10.95 (s, 1H). ESMS m/z = 481.2 (M+H)⁺. HRMS calcd. for C₁₈H₃₀F₅N₂O₅S H: 481.1790 (M+H)⁺. Found: 481.1824.

:3

[1237] Example A55. Preparation of N-hydroxy-1-({4-[5-(3,3,4,4,4-pentafluorobutyl)pyridin-2-yl]piperidin-1-yl}sulfonyl)cyclopentanecarboxamide hydrochloride:

[1238] Part A. To a slurry of zinc dust (6.32 g, 96.6 mmol) in tetrahydrofuran (20 mL) was added 1,2-dibromoethane (0.58 mL, 6.7 mmol). The slurry was heated to reflux with a heat gun 3 times. After cooling to ambient temperature the third time, trimethylsilyl chloride (0.96 mL, 7.6 mmol) was added. After 20 min, 1-iodo-3,3,4,4,4-pentafluorobutane (19.62 g, 71.6 mmol) was added. The iodide was consumed after 1 hr of stirring at ambient temperature. The resulting organozinc mixture was added via syringe to a mixture of the t-butyl methylene compound of Example A27, Part B (20.0 g, 47.7 mmol) in N,N-dimethylacetamide (40 mL). Dichlorobis(benzonitrile)palladium(II) (695 mg, 1.8 mmol) and 2-(dicyclohexylphosphino)biphenyl (919 mg, 2.62 mmol) were then added, and the resulting mixture was heated to 50°C for 18 hr. Subsequently, the mixture was filtered through Celite, rinsing with ethyl acetate. The organic mixture was then washed with water and saturated NaCl, and dried over sodium sulfate. Trituration with hexane afforded the desired pentafluorobutyl methylene intermediate in the form of a yellow solid (20.5 g, 88% yield). MS MH⁺ for C₂₀H₂₇N₂O₄SF₅: calc. 487, found 487.

[1239] Part B. To a mixture of the methylene compound of Part A (1.0 g, 2.06 mmol) in N,N-dimethylformamide (5 mL) was added potassium carbonate (1.70 g, 12.3 mmol) and 18-crown-6 (163 mg, 0.62 mmol). 1,4-Dibromobutane (0.29 mL, 2.47 mmol) was then added, and the resulting mixture was heated to 80°C for 18 hr. Subsequently, the mixture was partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate/hexane) afforded the desired cyclopentyl intermediate as an oil (415 mg, 37% yield). MS MH⁺ for C₂₄H₃₃N₂O₄SF₅: calc. 541, found 541.

[1240] Part C. The cyclopentyl compound of Part B (400 mg, 0.74 mmol) was dissolved into neat trifluoroacetic acid (5 mL). After one hr the mixture was concentrated

5

10

15

20

25

- 近日出ての事となる事業はない

in vacuo to provide the crude carboxylic acid. The acid was dissolved into N,N-dimethylformamide (3 mL) and 1-hydroxybenzotriazole (120 mg, 0.89 mmol), 4-methylmorpholine (0.41 mL, 3.7 mmol), O-(tetrahyrdro-2H-pyran-2-yl)hydroxylamine (130 mg, 1.11 mmol) and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (198 mg, 1.04 mmol) were added. The mixture was stirred at ambient temperature for 18 hr. The mixture was partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl and dried over sodium sulfate. Chromatography (on silica, ethyl acetate, hexane) afforded the desired THP hydroxamate intermediate as an oil (292 mg, 68% yield). MS MH⁺ for C₂₅H₃₄N₃O₅SF₅: calc. 584, found 584.

[1241] Part D. The protected hydroxamate of Part C (282 mg, 0.48 mmol) was dissolved into 1,4-dioxane (1 mL) and methanol (1 mL). Afterward, 4M HCl in dioxane (3 mL) was added. After 1 hr, the mixture was concentrated *in vacuo*. Addition of ethyl ether followed by vacuum filtration afforded the title compound in the form of a white solid (205 mg, 80% yield). HRMS calc. 500.1642, found 500.1663.

[1242] Example A56. Preparation of N-hydroxy-1-({4-[5-(3,3,4,4,4-pentafluorobutyl)pyridin-2-yl]piperidin-1-yl}sulfonyl)cyclohexanecarboxamide hydrochloride:

[1243] Part A. To a mixture of the methylene compound of Example A55, Part A (1.0 g, 2.06 mmol) in N,N-dimethylformamide (5 mL) was added a 60% NaH suspension in mineral oil (206 mg, 5.15 mmol). Subsequently, 1,5-Dibromopentane (0.34 mL, 2.47 mmol) was added, and the resulting mixture was heated to 80°C for 18 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl, and dried over sodium sulfate. Chromatography (on silica, ethyl acetate/hexane) afforded a cyclohexyl intermediate in the form of an oil (183 mg, 16% yield). MS MH⁺ for C₂₅H₃₅N₂O₄SF₅: calc. 555, found 555.

5

10

15

20

dissolved into neat trifluoroacetic acid (3 mL). After 1 hr, the mixture was concentrated *in vacuo* to provide the crude carboxylic acid. The acid was dissolved into N,N-dimethylformamide (3 mL). Afterward, 1-hydroxybenzotriazole (53 mg, 0.39 mmol), 4-methylmorpholine (0.18 mL, 1.6 mmol), *O*-(tetrahyrdro-2*H*-pyran-2-yl)hydroxylamine (56 mg, 0.48 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (86 mg, 0.45 mmol) were added. The resulting mixture was stirred at ambient temperature for 18 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with water and saturated NaCl, and dried over sodium sulfate.

10 Chromatography (on silica, ethyl acetate, hexane) afforded the desired protected hydroxamate intermediate as an oil (100 mg, 52% yield). MS MH⁺ for C₂₆H₃₆N₃O₅SF₅: calc. 598, found 598.

[1245] Part C. The protected hydroxamate of Part B (97 mg, 0.16 mmol) was dissolved into 1,4-dioxane (2 mL) and methanol (1 mL). Afterward, 4M HCl in dioxane (2 mL) was added. After 1 hr, the mixture was concentrated *in vacuo*. Chromatography (on silica, acetonitrile/water) afforded the title compound in the form of a white solid (50 mg, 57% yield). HRMS calc. 514.1799, found 514.1801.

[1246] Example A57. Preparation of N-hydroxy-4-({4-[5-(2,2,2-20 trifluoroethoxy)pyridin-2-yl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

[1247] Part A. To a mixture of tert-butyl 4-{[4-(5-hydroxypyridin-2-yl)piperidin-1-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate (1.0 g, 2.34 mmol, 1 eq.) was added Cs₂CO₃ (1.5 g, 4.68 mmol, 2 eq.), followed by 2,2,2-trifluoroethyl trifluoromethanesulfonate (600 mg, 2.6 mmol, 1.1 eq.). The resulting slurry was stirred at room temperature for 4 hr. The mixture was then diluted with 75 mL of ethyl acetate and washed 3 x 75 mL of water and 1 x 74 mL of brine. The organic layer was dried over Na₂SO₄, and the solvent was removed *in vacuo*. The resulting oil was purified via SiO₂

chromatography (gradient: 10% ethyl acetate/hexanes to 100% ethyl acetate). This afforded 1.1 g of the desired t-butyl ester intermediate (92% yield). MS MH+ C22H31F3N2O6S calc.: 509, found: 509. 1H and 19F NMR were consistent with the desired intermediate.

[1248] Part B. The t-butyl ester from Part A (1.1 g 2.16 mmol, 1 eq.) was combined with neat trifluoroacetic acid (3 mL). The resulting mixture was stirred at room temperature for 4 hr. Excess trifluoroacetic acid was then removed *in vacuo*. This afforded the desired carboxylic acid intermediate in the form of a paste. The paste was used in the next step without further purification. MS MH+ C18H24F3N2O6S calc: 453 found 453.

N' dimethyl formamide. Afterward, N-methyl morpholine (1.1 g, 10.8 mmol, 5 eq.) and 1-hydroxybenzotriazole (351 mg, 2.6 mmol, 1.2 eq.) were added. The resulting mixture was stirred at room temperature for 5 min. Subsequently, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (580 mg, 3.02 mmol, 1.4 eq.) was added, followed by O-(tetrahyrdro-2H-pyran-2-yl)hydroxylamine (380 mg, 3.24 mmol, 1.5 eq.). The resulting mixture was stirred at room temperature for 18 hr. Afterward, the mixture was diluted with 75 mL of ethyl acetate; washed with 3 x 75 mL of water and 1 x 75 mL of brine; and dried over Na₂SO₄. After removing the solvent *in vacuo*, the resulting oil was purified via SiO₂ chromatography (gradient 10% ethyl acetate/hexanes to 100% ethyl acetate) to afford 940 mg of the desired THP-protected intermediate (79% yield). MS MH+ C23H33F3N3O7S calc.: 552 found: 552. 1H and 19F NMR were consistent with the desired intermediate.

[1250] Part D. The THP-protected compound from Part C was suspended in 5 mL 4.0 N HCl/dioxane, and stirred at room temperature for 4 hr. The mixture was then diluted with methanol, and the solvent was removed *in vacuo* to afford 700 mg of the title compound as the HCl salt (88% yield). Elemental analysis C18H25ClF3N3O6S calc: C: 42.90, H: 5.00, N: 8.34, Cl: 7.04, S: 6.36. found: C: 43.04, H: 5.33, N: 8.33, Cl: 7.15, S: 6.27. 1H and 19F NMR were consistent with the desired product.

30

5

10

15

[1251] Example A58. Preparation of N-hydroxy-4-({4-[5-(2,2,3,3,3-pentafluoropropoxy)pyridin-2-yl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

[1252] Part A. To a mixture of tert-butyl 4-{[4-(5-hydroxypyridin-2-yl)piperidin-1-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate (500 mg, 1.17 mmol, 1 eq.) was added Cs₂CO₃ (762 mg, 2.34 mmol, 2 eq.), followed by 3,3,3,2,2,-pentafluoropropyl trifluoromethanesulfonate (428 mg, 1.52 mmol, 1.1 eq.). The resulting slurry was stirred at room temperature for 4 hr. The mixture was then diluted with 50 mL of ethyl acetate and washed with 3 x 50 mL of water and 1 x 50 mL of brine. The organic layer was dried over Na₂SO₄, and the solvent was removed *in vacuo*. The resulting oil was purified via SiO₂ chromatography (gradient: 10% ethyl acetate/hexanes to 100% ethyl acetate) to 422 mg of the desired t-butyl ester product (64% yield). MS MH+ C23H32F5N2O6S calc: 559 found 559. 1H and 19F NMR were consistent with the desired intermediate.

[1253] Part B. The t-butyl ester from Part A (390 mg 0.70 mmol, 1 eq.) was combined with neat trifluoroacetic acid (3 mL). The resulting mixture was stirred at room temperature for 4 hr, after which excess trifluoroacetic acid was removed *in vacuo* to afford the desired carboxylic acid intermediate in the form of a paste. The paste was used in the next step without further purification. MS MH+ C19H24F5N2O6S calc 503 found 503.

[1254] Part C. The carboxylic acid from Part B was combined with 5 mL of N-N' dimethyl formamide. Afterward, N-methyl morpholine (354 mg, 3.5 mmol, 5 eq.), and 1-hydroxybenzotriazole (113 mg, 0.84 mmol, 1.2 eq.) were added, and the resulting mixture was stirred at room temperature for 5 min. Subsequently, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (187 mg, 0.98 mmol, 1.4 eq.) was added, followed by O-(tetrahyrdro-2H-pyran-2-yl)hydroxylamine (123 mg, 1.05 mmol, 1.5 eq.). The resulting mixture was stirred at room temperature for 18 hr. The mixture was then diluted with 75 mL of ethyl acetate, washed with 3 x 75 mL of water and

5

10

15

20

1 x 75 mL of brine, and dried over Na₂SO₄. After removing the solvent *in vacuo*, the resulting oil was purified via SiO₂ chromatography (gradient 10% ethyl acetate/hexanes to 100% ethyl acetate) to afford 940 mg of the desired THP-protected intermediate (79% yield). MS MH+ C24H33F5N3O7S calc: 602 found: 602. 1H and 19F NMR were consistent with the desired intermediate.

[1255] Part D. The THP-protected compound from Part C was suspended in 5 mL 4.0 N HCl dioxane. This mixture was then stirred at room temperature for 4 hr. Subsequently, the mixture was diluted with methanol, and the solvent was removed *in vacuo* to afford 290 mg (70% yield) of the title compound as an HCl salt. Elemental analysis C19H25ClF5N3O6S calc: C: 41.20, H: 4.55, N: 7.59, Cl: 6.40, S: 5.79. found: C: 41.12, H: 4.73, N: 7.50, Cl: 6.90, S: 6.31. 1H and 19F NMR were consistent with the desired product.

[1256] Example A59. Preparation of N-hydroxy-4-({4-[5-(2,2,3,3-tetrafluoropropoxy)pyridin-2-yl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide hydrochloride:

[1257] Part A. To a mixture of *tert*-butyl 4-{[4-(5-hydroxypyridin-2-yl)piperidin-1-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate (750 mg, 1.75mmol, 1 eq.) was added Cs₂CO₃ (1.14 g, 3.5 mmol, 2 eq.), followed by 3,3,2,2,-tetrafluoropropyl trifluoromethanesulfonate (600 mg, 2.27 mmol, 1.3 eq.). The resulting slurry was stirred at room temperature for 16 hr. The mixture was then diluted with 50 mL of ethyl acetate and washed 3 x with 50 mL of water and 1 x 50 mL of brine. The organic layer was dried over Na₂SO₄, and the solvent was removed *in vacuo* affording an oil. The oil was purified via SiO₂ chromatography (gradient: 10% ethyl acetate/hexanes to 100% ethyl acetate) to afford 857 mg of the desired t-butyl ester intermediate (90% yield). MS MH+ C23H33F4N2O6S calc: 541 found 541. 1H and 19F NMR were consistent with the desired intermediate.

5

10

20

[1258] Part B. The t-butyl ester from Part A (857 mg 1.58 mmol, 1 eq.) was combined with neat trifluoroacetic acid (5 mL). The resulting mixture was stirred at room temperature for 4 hr, after which the excess trifluoroacetic acid was removed *in vacuo* to afford the desired carboxylic acid intermediate in the form of a paste. The paste was used in the next step without further purification. MS MH+ C19H25F4N2O6S calc 485 found 485.

N' dimethyl formamide. Subsequently, N-methyl morpholine (800 mg, 7.9 mmol, 5 eq.) and 1-hydroxybenzotriazole (255 mg, 1.89 mmol, 1.2 eq.) were added. The resulting mixture was stirred at room temperature for 5 min. Then, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (423 mg, 2.21 mmol, 1.4 eq.) was added, followed by O-(tetrahyrdro-2H-pyran-2-yl)hydroxylamine (277 mg, 2.37 mmol, 1.5 eq.). The resulting mixture was stirred at room temperature for 18 hr. Afterward, the mixture was diluted with 75 mL of ethyl acetate, washed with 3 x 75 mL of water and 1 x 75 mL of brine, and dried over Na₂SO₄. The solvent was removed *in vacuo* to afford an oil. The oil was purified via SiO₂ chromatography (gradient 10% ethyl acetate/hexanes to 100% ethyl acetate) to afford 700 mg of the desired THP-protected intermediate (76% yield). MS MH+ C24H34F4N3O7S calc: 584 found: 584. 1H and 19F NMR were consistent with the desired intermediate.

[1260] Part D. The THP-protected compound from Part C was suspended in 5 mL 4.0 N HCl/dioxane. The resulting mixture was then stirred at room temperature for 4 hr. Afterward, the mixture was diluted with methanol, and the solvent was removed in vacuo to afford 442 mg (75% yield) of the title compound as an HCl salt. Elemental analysis C19H26ClF4N3O6S calc: C: 41.20, H: 4.55, N: 7.59, Cl: 6.40, S: 5.79. found: C: 41.12, H: 4.73, N: 7.50, Cl: 6.90, S: 6.31. 1H and 19F NMR were consistent with the desired product.

5

10

15

20

[1261] Example A60. Preparation of 2-ethyl-N-hydroxy-2-({4-[5-(3,3,4,4,4-pentafluorobutyl)pyridin-2-yl}piperidin-1-yl}sulfonyl)butanamide hydrochloride:

[1262] Part A. To tert-butyl ({4-[5-(3,3,4,4,4-pentafluorobutyl)pyridin-2yl]piperidin-1-yl}sulfonyl)acetate (1.0 g, 2.05 mmol, 1 eq.) and a 60%(w/w) NaH 5 dispersion in mineral oil (205 mg 5.15 mmol 2.5 eq.) under argon was added 10 mL of dry N-N' dimethylformamide with some effervescence. This slurry was stirred at room temperature for 30 min. Afterward, ethyl iodide (935 mg, 6.0 mmol, 3 eq.) was added in one portion, and the mixture was stirred at room temperature under argon for 18 hr. Water (5 ml) was then added dropwise. The resulting mixture was diluted with 50 mL of ethyl 10 acetate, and washed 3 x with 50 mL of water and 1 x 50 mL of brine. The organic layer was dried over Na₂SO₄, and the solvent was removed in vacuo to afford an oil. The oil was purified via SiO2 chromatography (gradient: 10% ethyl acetate/hexanes to 100% ethyl acetate) to afford 720 mg of the desired t-butyl ester intermediate (65% yield). MS MH+ C24H36F5N2O4S calc: 543 found 543. 1H and 19F NMR were consistent with the 15 desired intermediate.

[1263] Part B. The t-butyl ester from Part A (670 mg 1.23 mmol, 1 eq.) was combined with neat trifluoroacetic acid (5 mL). The resulting mixture was stirred at room temperature for 4 hr. Excess trifluoroacetic acid was then removed *in vacuo* to afford the desired carboxylic acid intermediate in the form of a paste. This paste was used in the next step without further purification. MS MH+ C20H29F5N2O4S calc 487 found 487.

[1264] Part C. The carboxylic acid from Part B was combined with 10 mL for N-N' dimethyl formamide. Afterward, n-methyl morpholine (622 mg, 6.15 mmol, 5 eq.) and 1-hydroxybenzotriazole (200 mg, 1.47 mmol, 1.2 eq.) were added. The resulting mixture was then stirred at room temperature for 5 min. Subsequently, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (330 mg, 1.72 mmol, 1.4 eq.) was added, followed by O-(tetrahyrdro-2H-pyran-2-yl)hydroxylamine (215 mg, 1.84 mmol, 1.5 eq.). The resulting mixture was stirred at room temperature for 18 hr. The

20

25

...2

mixture was then diluted with 75 mL of ethyl acetate, washed 3 x 75 mL of water and 1 x 75 mL brine, and dried over Na₂SO₄. The solvent was removed *in vacuo* to afford an oil. This oil was purified via SiO₂ chromatography (gradient 10% ethyl acetate/hexanes to 100% ethyl acetate) to afford 420 mg of the desired THP-protected intermediate (58% yield). MS MH+ C25H37F5N3O5S calc: 586 found: 586. 1H and 19F NMR were consistent with the desired intermediate.

[1265] Part D. The THP-protected compound from Part C was suspended in 5 mL 4.0 N HCl dioxane. This mixture was then stirred at room temperature for 4 hr. Subsequently, the mixture was diluted with methanol, and the solvent was removed *in vacuo* to afford 300 mg of the title compound as an HCl salt (87% yield). MS MH+ C20H28F5N3O4S calc: 502 found: 502. 1H and 19F NMR were consistent with the desired product.

[1266] Example A61. Preparation of N-hydroxy-4-methoxy-2-(2-methoxyethyl)-2-({4-[5-(3,3,4,4,4-pentafluorobutyl)pyridin-2-yl]piperidin-1-yl}sulfonyl)butanamide hydrochloride:

[1267] Part A. To tert-butyl ({4-[5-(3,3,4,4,4-pentafluorobutyl)pyridin-2-yl]piperidin-1-yl}sulfonyl)acetate (1.5 g, 3.08 mmol, 1 eq.) and a 60% (w/w) NaH dispersion in mineral oil (308 mg, 7.71 mmol, 2.5 eq.) was added 10 mL of dry N-N' dimethylformamide with some effervescence. This slurry was stirred at room temperature for 30 min. Afterward, bromoethylmethyl ether (1.07g 7.71 mmol, 2.5 eq.) was added in one portion. The mixture was then heated at 75°C under argon for 75 hr. At 24 and 48 hr, 2 more equivalents of NaH and bromoethylmethyl ether were added, respectively. Water (5 mL) was then added dropwise. The resulting mixture was diluted with 75 mL of ethyl acetate, amd washed 3 x with 75 mL of water and 1 x 50 mL of brine. The organic layer was dried over Na₂SO₄, and the solvent was removed *in vacuo* to afford an oil. The oil was purified via SiO₂ chromatography (gradient: 10% ethyl acetate/hexanes to 100% ethyl

5

10

15

20

acetate) to afford 625 mg of the desired t-butyl ester intermediate (33% yield). MS MH+ C26H40F5N2O6S calc: 603 found 603. 1H and 19F NMR were consistent with the desired intermediate.

[1268] Part B. The t-butyl ester from Part A (600 mg 1.0 mmol, 1 eq.) was combined with neat trifluoroacetic acid (4 mL). The resulting mixture was stirred at room temperature for 4 hr. Excess trifluoroacetic acid was then removed *in vacuo* to afford the desired carboxylic acid in the form of a paste. The paste was used in the next step without further purification. MS MH+ C22H32F5N2O6S calc 547 found 547.

N' dimethyl formamide. Afterward, N-methyl morpholine (505 mg, 5 mmol, 5 eq.) and 1-hydroxybenzotriazole (162 mg, 1.2 mmol, 1.2 eq.) were added. The resulting mixture was stirred at room temperature for 5 min. Subsequently, 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (268 mg, 1.4 mmol, 1.4 eq.) was added, followed by O-(tetrahyrdro-2H-pyran-2-yl)hydroxylamine (175 mg, 1.5 mmol, 1.5 eq.). The resulting mixture was stirred at room temperature for 18 hr. The mixture was then diluted with 50 mL of ethyl acetate, washed 3 x 50 mL of water and 1 x 50 mL of brine, and dried over Na₂SO₄. The solvent was removed *in vacuo* to afford an oil. The oil was purified via SiO₂ chromatography (gradient 10% ethyl acetate/hexanes to 100% ethyl acetate) to yield 200 mg of the desired THP-protected intermediate (31% yield). MS MH+ C27H40F5N3O7S calc: 646 found: 646. 1H and 19F NMR were consistent with the desired intermediate.

[1270] Part D. The THP-protected compound from Part C was suspended in 5 mL 4.0 N HCl dioxane. The resulting mixture was stirred at room temperature for 4 hr. Afterward, the mixture was diluted with methanol, and the solvent was removed *in vacuo*. The product was then purified by reverse phase prep HPLC to afford 60 mg of the title compound as an HCl salt (32% yield). MS MH+ C22H33F5N3O6S calc: 562 found: 562. 1H and 19F NMR were consistent with the desired product.

5

10

15

20

25

×

[1271] Example A62. Preparation of 1-cyclopropyl-4-({4-[3-fluoro-4-(4,4,4-trifluorobutyl)phenyl]piperazin-1-yl}sulfonyl)-N-hydroxypiperidine-4-carboxamide hydrochloride:

[1272] Part A. Preparation of triphenyl-(4,4,4-trifluoro-butyl)-phosphonium, iodide:

A mixture of triphenylphosphine (1.62 g, 6.18 mmol) and 1,1,1-trifluoro-4-iodo-propane (1.53 g, 6.83 mmol) in DMF (3 mL) was placed into a microwave at 150° C under 75 watts for 30 min. The mixture was then concentrated *in vacuo* to afford an oil. The oil was triturated with ether several times to afford 2.86 g (95% yield) of the desired compound in the form of a white solid. MS: m/z = 359 (M⁺).

[1273] Part B. Preparation of 4-chloro-2-fluoro-1-(4,4,4-trifluoro-but-1-enyl)-benzene:

15

20

10

5

A mixture of the product from Part A (5.81 g, 11.9 mmol), K₂CO₃ (1.80 g, 13.0 mmol), and 4-chloro-2-fluorobenzaldehyde (1.83 g, 11.6 mmol) in IPA (37 mL) were combined and heated for 3.5 hr at 80°C. The resulting mixture was then cooled to ambient temperature, diluted with water (300 mL), and extracted with hexane (3x100 mL). The organic layer was washed with water (2x100 mL), dried over MgSO₄, and concentrated in vacuo to afford 2.26 g (82% yield) of the desired compound in the form of a clear, colorless liquid. Proton NMR in CDCl₃ was consistent with the desired product in the form of a mixture of cis and trans isomers.

[1274] Part C. Preparation of 4-chloro-2-fluoro-1-(4,4,4-trifluoro-butyl)-benzene:

The product from Part B (2.20 g,9.22 mmol) in ethanol was hydrogenated at 5 psi for 2 hr over a catalytic amount of 5% Pt/C. The mixture was then diluted with water (300 mL) and extracted with ethyl acetate (3x100 mL). The organic layer was washed with water (3x100 mL) and brine (100 mL), dried over MgSO₄, and concentrated *in vacuo* to afford 1.88 g (85% yield) of the desired compound in the form of a clear, colorless liquid. Proton NMR in CDCl₃ was consistent with the desired product.

[1275] Part D. Preparation of 4-methanesulfonyl-piperazine-1-carboxylic acid tert-butyl ester:

To a 14°C CH₂Cl₂ mixture (500 mL) of t-butyl 1-piperazinecarboxylate (50.0 g, 246 mmol) and triethylamine (68.6 mL, 492 mmol) was added (dropwise) a CH₂Cl₂ solution (150 mL) of methanesulfonyl chloride (17.1 mL, 222 mmol). The resulting mixture was stirred at ambient temperature for 2 hr. The mixture was then washed with 1.0 N HCl_{aq}(200 mL), saturated NaCO_{3aq} (200 mL), water (2x200 mL) and brine (200 mL); dried over MgSO₄; and concentrated *in vacuo* to afford 57.7 g (98% yield) of the desired compound in the form of a white solid.

[1276] Part E. Preparation of 4-tert-butoxycarbonylmethanesulfonylpiperazine-1-carboxylic acid tert-butyl ester:

To a -79°C tetrahydrofuran solution (100 mL) of Part D (8.88 g, 33.6 mmol) was added dropwise 1.0 N lithium bis(trimethylsilyl)amide in tetrahydrofuran (100 mL, 100 mmol).

5

10

15

After the addition, the mixture was warmed up to 0°C, and then cooled again to -79°C. A tetrahydrofuran solution (10 mL) of t-butylcarboxylate anhydride (9.10 g, 41.7 mmol) was then added dropwise to the mixture. The mixture was then allowed to warm up to 0°C. Subsequently, the reaction was quenched with saturated NH₄Cl(aq) (1100 mL), and extracted with ethyl acetate (3 x 250 mL). The organic layer was washed with water (2 x 250 mL) and brine (250 mL), dried over MgSO₄, and concentrated *in vacuo* to afford a solid. The solid was recrystallized from an ethyl acetate/hexane solution to afford 9.99 g (82% yield) of the desired compound in the form of a white, crystalline solid. MS: m/z = 364 (M+).

[1277] Part F. Preparation of 4-(1-benzyl-4-tert-butoxycarbonyl-piperidine-4-sulfonyl)-piperazine-1-carboxylic acid tert-butyl ester:

A mixture of the product from **Part E** (9.90 g, 27.2 mmol), bis(2-chloroethyl)benzylamine (7.57 g, 32.6 mmol), 18-crown-6 ether (2.39 g, 9.07 mmol), and K_2CO_3 (11.2 g, 81.5 mmol) in DMF (50 mL) was heated at $57^{\circ}C$ for 18 hr. Subsequently, the mixture was cooled to ambient temperature, diluted with water (350 mL), and extracted with ethyl acetate (3x100 mL). The organic layer was washed with water (2x100 mL) and brine (100 mL), dried over MgSO₄, and concentrated *in vacuo* to afford a solid. The solid was triturated with hot methanol (1mL per g of solid), collected by filtration, and washed with ethyl ether to afford 7.61 g (54% yield) of the desired compound in the form of a white solid. MS: m/z = 524 (M+H).

[1278] Part G. Preparation of 4-(4-tert-butoxycarbonyl-piperidine-4-sulfonyl)-piperazine-1-carboxylic acid tert-butyl ester:

5

10

15

The product from Part F (7.42 g, 14.2 mmol) in ethanol-tetrahydrofuran was hydrogenated at 60 psi for 5 hr over a catalytic amount of 20% $Pd(OH)_2/C$ at ambient temperature. Afterward, the mixture was filtered, concentrated *in vacuo*, triturated with ethyl ether, and concentrated *in vacuo* to afford 6.00 g (97% yield) of the desired compound in the form of a solid. MS: m/z = 434 (M+H).

[1279] Part H. Preparation of 4-(4-tert-butoxycarbonyl-1-cyclopropyl-piperidine-4-sulfonyl)-piperazine-1-carboxylic acid tert-butyl ester:

To a methanol solution (58 mL) of the product of Part G (3.00 g, 6.92 mL) and concentrated acetic acid (4.03 g, 69.2 mmol) was added [(1-ethoxycyclopropyl)oxy]trimethylsilane (1.81 mL, 9.02 mmol). After 10 min, sodium cyanoborohydride (1.96 g, 31.2 mmol) also was added. After refluxing for 2.5 hr, the mixture was concentrated *in vacuo*, diluted with ethyl acetate (150 mL), washed with 1.0 N NaOH(aq) (2 x 25 mL), water (2 x 50 mL), and brine (50 mL); dried over MgSO₄; and concentrated *in vacuo* to afford 3.08 g (94% yield) of the desired compound in the form of a white solid. MS: m/z = 474 (M+H).

[1280] Part I. Preparation of 4-(4-tert-butoxycarbonyl-1-cyclopropyl-piperidine-4-sulfonyl)-piperazine-1-carboxylic acid tert-butyl ester, 2HCl:

To a methanol solution (2 mL) of the product of **Part H** (0.500 g, 1.06 mmol) was added a methanol solution (3 mL) of acetyl chloride (0.239 g, 3.17 mmol). The resulting mixture was stirred at ambient temperature for 3 days. Subsequently, the mixture was diluted with ethyl ether, and the solid was collected to afford 0.409 g (86% yield) of the desired compound in the form of a white solid. MS: m/z = 374 (M+H).

[1281] Part J. Preparation of 1-cyclopropyl-4-{4-[3-fluoro-4-(4,4,4-trifluoro-butyl)-phenyl]-piperazine-1-sulfonyl}-piperidine-4-carboxylic acid tert-butyl ester:

A mixture of the product of **Part I** (2.78 g, 6.22 mmol), the product of **Part C** (1.80 g, 7.48 mmol), palladium(II) acetate (0.070 g, 0.312 mmol), sodium t-butoxide (0.836 g, 8.69 mmol), and 2-(di-t-butylphosphino)biphenyl (0.185, 0.621 mmol) in toluene was heated at 90°C for 18 hr. The mixture was then diluted with water (350 mL) and extracted with ethyl acetate (3 x 100 mL). The organic layer was filtered through celite, washed with water (2 x 100 mL) and brine (100 mL), dried over MgSO₄, and concentrated *in vacuo* to afford a yellow oil. The oil was purified on silica gel (70 g), eluting with 0-100% ethyl acetate in hexane, to afford 0.638 g (17% yield) of the desired compound in the form of a yellow oil. MS: m/z = 578 (M+H).

[1282] Part K. Preparation of 1-cyclopropyl-4-{4-[3-fluoro-4-(4,4,4-trifluoro-butyl)-phenyl]-piperazine-1-sulfonyl}-piperidine-4-carboxylic acid, 2HCl:

15

20

5

10

A solution of Part J (0.630 g, 1.09 mmol) in 4N HCl in dioxane (2.7 mL, 10.9 mmol) was heated at 50° C until LCMS analysis indicated that the reaction was complete. The ambient solution was poured into ethyl ether, and a white precipitate was collected to afford 0.543 g (84% yield) of the desired compound in the form of a tan solid. MS: m/z = 522 (M+H).

[1283] Part L. Preparation of 1-cyclopropyl-4-{4-[3-fluoro-4-(4,4,4-trifluoro-butyl)-phenyl]-piperazine-1-sulfonyl}-piperidine-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

To a mixture of the product of **Part K** (0.533 g, 0.897 mmol), N-hydroxybenzotriazole (0.180 g, 1.33 mmol), and triethylamine (3.81 g, 3.77 mmol) in 1-methyl-2-pyrrolidinone (3.83 mL) was added O-(tetrahydro-2H-pyran-2-yl)hydroxylamine (0.179 g, 1.53 mmol), followed by 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.251 g, 1.31 mmol). After 18 hr at ambient temperature, more O-(tetrahydro-2H-pyran-2-

yl)hydroxylamine (0.050 g, 0.37 mmol) and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (0.050 g, 0.26 mmol) were added to the mixture. The mixture was then stirred for an additional 24 hr. Subsequently, the mixture was diluted with water (200 mL) and extracted with ethyl acetate (3 x 50 mL). The organic layer was washed with water (2 x 50 mL) and brine (50 mL), dried over MgSO₄, and concentrated *in vacuo* to afford an oil. The crude material was purified on silica gel (20 g), eluting with 0-100% ethyl acetate in hexane. to afford 0.466 g (84% yield) of the desired compound in the form of a yellow oil.

[1284] Part M. Preparation of 1-cyclopropyl-4-({4-[3-fluoro-4-(4,4,4-trifluorobutyl)phenyl]piperazin-1-yl}sulfonyl)-N-hydroxypiperidine-4-carboxamide hydrochloride:

To a methanol solution (4.8 mL) of the product of Part L (0450 g, 0.725 mmol) was added in one portion a methanol solution (2.4 mL) of acetyl chloride (0.273 g, 3.61 mmol). A solid began to precipitate after 5 min at ambient temperature. The solution was diluted with ethyl ether and concentrated *in vacuo*, and then diluted again with ethyl ether

25

10

15

and concentrated *in vacuo* to afford 0.345 g (78% yield) of the desired compound in the form of a white solid. HRMS for $C_{23}H_{33}N_4O_4F_4S$ showed $M^{+H}_{found} = 537.2142$ ($M^{+H}_{calc} = 537.2159$)

[1285] Example A63. Preparation of 4-({4-[5-(3,3-difluorobutyl)pyridin-2-yl]piperidin-1-yl}sulfonyl)-N-hydroxytetrahydro-2H-pyran-4-carboxamide hydrochloride:

$$\begin{array}{c|c} & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ &$$

mL N,N-dimethylformamide was added 1-buten-3-ol (24.4 mL, 282.3 mmol), palladium acetate (0.64 g, 2.82 mmol), tetrabutylammonium chloride (0.79 g, 2.82 mmol), and sodium bicarbonate (5.94 g, 70.6 mmol). The resulting mixture was stirred at 50°C for 5 hr, and then quenched with water (20 mL). Subsequently, the mixture was diluted with 20 mL of ethyl acetate and filtered through a pack of celite. The organic layer was separated from the filtrate, and the aqueous layer was further extracted with ethyl acetate. The organics were combined, washed with saturated NaCl solution, and dried over magnesium sulfate. Chromatography (on silica, ethyl acetate/hexane) afforded the desired 4-(6-chloropyridin-3-yl)butan-2-one intermediate in the form of a yellow oil (4.01 g, 77% yield). MS MH⁺ for C₀H₁₀ClNO: calc. 184, found 184.

of methylene chloride was added [bis(2-methoxyethyl)amino] sulfur trifluoride (3.76 g, 17 mmol) and 92 mg of ethanol. The mixture was stirred at ambient temperature for 40 hr. Subsequently, the mixture was poured into a 25 mL saturated sodium bicarbonate solution. After carbon dioxide evolution ceased, the mixture was extracted with methylene chloride. The resulting organics were dried over magnesium sulfate. Chromatography (on silica, ethyl acetate/hexane) afforded the desired 2-chloro-5-(3,3-difluorobutyl)pyridine intermediate in the form of a colorless oil (1.30 g, 63% yield). MS MH⁺ for C₉H₁₀ClF₂N: calc. 206, found 206.

20

25

Itass] Part C. To a solution of the product of Part B (0.50 g, 2.44 mmol) in 12 mL ethylene glycol dimethyl ether was added tert-butyl 4-{[4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-3,6-dihydropyridin-1(2H)-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate (1.28 g, 2.80 mmol), tetrakis(tri-phenylphosphine) palladium (145 mg), and potassium carbonate (0.42 g, 3.05 mmol) in 2 mL of water. The mixture was stirred at 73°C under N₂ for 15 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with saturated NaCl and dried over magnesium sulfate. Some solid precipitated during the concentration. The solid was triturated with ethyl acetate/hexane and filtered. The filtrate was concentrated and chromatographed (on silica, ethyl acetate/hexane) to afford an additional quantity of the desired tert-butyl 4-{[5-(3,3-difluorobutyl)-3',6'-dihydro-2,4'-bipyridin-1'(2'H)-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate intermediate. This procedure afforded a total of 0.99 g of this compound in the form of a yellow solid (81% yield). MS MH⁺ for C₂₄H₃₄F₂N₂O₅S: calc. 501, found 501.

ethanol, and then hydrogenated under 40 psi at room ambient temperature for 12 hr using chlorotris(triphenylphosphine) rhodium as a catalyst. The mixture was then concentrated and chromatographed (on silica, ethyl acetate/hexane) to afford the desired tert-butyl 4-({4-[5-(3,3-difluorobutyl)pyridin-2-yl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxylate intermediate in the form of a yellow solid (550 mg, 82% yield). MS MH⁺ for C₂₄H₃₆F₂N₂O₅S: calc. 503, found 503.

[1290] Part E. The product from Part D (700 mg, 1.39 mmol) was dissolved in neat trifluoroacetic acid (10 mL). After 2 hr, the mixture was concentrated *in vacuo* to provide the crude carboxylic acid. The acid was dissolved in N,N-dimethylformamide (10 mL). Subsequently, 1-hydroxybenzotriazole (221 mg, 1.63 mmol), 4-methylmorpholine (0.60 mL, 5.42 mmol), O-(tetrahyrdro-2H-pyran-2-yl)hydroxylamine (407 mg, 3.48 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (666 mg, 3.48 mmol) were added. The mixture was stirred at ambient temperature for 18 hr. The mixture was then partitioned between ethyl acetate and water. The organic layer was washed with saturated NaCl and dried over magnesium sulfate. Chromatography (on silica, ethyl acetate/hexane) afforded the desired 4-({4-[5-(3,3-difluorobutyl)pyridin-2-

WO 03/091247

10

15

20

25

30

٠į

yl]piperidin-1-yl}sulfonyl)-N-(tetrahydro-2H-pyran-3-yloxy)tetrahydro-2H-pyran-4-carboxamide intermediate in the form of a white solid (580 mg, 77% yield). MS MH⁺ for C₂₅H₃₇F₂N₃O₆S: calc. 545, found 545.

[1291] Part F. The product of Part E (580 mg, 1.06 mmol) was dissolved in 4M HCl in dioxane (10 mL). After 15 hr, the mixture was concentrated *in vacuo*. The residue was triturated with acetone and filtered. The solid was washed with additional acetone and dried under high vacuum at 65°C for 12 hr to afford the title compound in the form of a white solid (437 mg, 89% yield). MS MH⁺ for C₂₀H₂₉F₂N₃O₅S: calc. 462, found 462.

[1293] Part A. Preparation of tert-butyl 4-4{[4-(methoxymethyl)piperdin-1-vl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate:

An oven-dried round-bottom flask (fitted with septa and a nitrogen needle) was charged with (methoxymethyl)triphenylphosphonium chloride (4.11 g, 12 mmol) and tetrahydrofuran (50 mL). The flask was immersed in an ice bath. A 1 M solution of lithium hexamethyldisilazide in tetrahydrofuran (13 mL, 13 mmol) was then added dropwise while maintaining the temperature at less than 5°C. After complete addition, the mixture was stirred with cooling for 15 min. Subsequently, a solution of tert-butyl 4-(4-oxopiperidin-1-yl)sulfonyl]tetrahydro-2H-pyran-4-carboxylate (3.47 g, 10 mmol) in tetrahydrofuran (10 mL) was added dropwise while maintaining the temperature at less than 5°C. After complete addition (approximately 30 min), the mixture was stirred with cooling for 15 min. The cooling bath was then removed, and the mixture was slowly warmed to room temperature and stirred overnight. Subsequently, diethyl ether (200 mL)

5

15

20

was added, which resulted in the formation of a yellow precipitate. This precipitate was removed by vacuum filtration. The filtrate was washed with 5% aqueous HCl (3 x 100 mL), saturated aqueous sodium bicarbonate (3 x 100 mL), and brine (1 x 100 mL). The organic layer was then dried over magnesium sulfate and concentrated *in vacuo*.

Purification by flash column chromatography (20-40% ethyl acetate/hexane) afforded 2.82 g of the title compound in the form of a colorless, viscous oil (75% yield): 1H NMR (CDCl₃) δ 1.51 (s, 9H), 2.05-2.30 (m, 2H), 2.29 (m, 2H), 3.29 (m, 6H), 3.95 (dd, J = 11.4, 4.2 Hz, 2H), 5.84 (s, 1H); LCMS m/z = 376 (M+H).

[1294] Part B. Preparation of tert-butyl 4-[(4-formylpiperidin-1-10 yl)sulfonyl]tetrahydro-2H-pyran-4-carboxylate:

A round-bottom flask was charged with the product of **Part A** (0.50 g, 1.34 mmol), tetrahydrofuran (5 mL), and 5% aqueous HCl (1 mL, 1.37 mmol). The resulting mixture was stirred at room temperature for 2 hr, and then heated to 50°C overnight. Afterward, the mixture was partitioned between diethyl ether (25 mL) and saturated aqueous sodium bicarbonate (25 mL). The organic layer was washed with brine (25 mL), dried over magnesium sulfate, and concentrated *in vacuo*. This resulted in isolation of 0.50 g (quantitative) product in the form of a yellow solid: 1H NMR (CDCl₃) δ 1.51 (s, 9H), 1.70 (m, 2H), 1.93 (m, 2H), 2.08 (td, J = 12.4, 4.8 Hz, 2H), 2.29 (d, J = 12.4 Hz, 2H), 2.41 (m, 1H), 3.11 (m, 2H), 3.29 (td, J = 12, 1.6 Hz, 2H), 3.70 (m, 2H), 3.95 (dd, J = 11.2, 4 Hz, 2H), 9.65 (s, 1H); LCMS m/z = 362 (M+H).

[1295] Part C. Preparation of: tert-butyl 4-({4-[(1E,3E)-5-ethoxy-5-oxopenta-1,3-dienyl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxylate:

A round-bottom flask (fitted with septa and an N₂ gas inlet) was charged with triethyl 4-phosphonocrotonate 90% (Aldrich, 3.8 g, 15.2 mmol), the product from **Part B**, lithium hydroxide hydrate (460 mg, 11 mmol), molecular sieves (4 angstrom, 10g), and

tetrahydrofuran (25 mL). The resulting white slurry was heated at 70° C for 6 hr. Afterward, the heating mantle was then removed. Water (50 mL) and ethyl acetate (100 mL) were added, and the resulting mixture was filtered through a pad of celite by vacuum filtration. The filtrate was washed with water (50 mL) and brine (50 mL). The organic layer was dried over sodium sulfate and concentrated *in vacuo*. Crystallization occurred on standing to afford 3 g of the product in the form of a white crystalline solid (59% yield): 1H NMR (CDCl₃) δ ; LCMS m/z = 458.55 (M+H).

[1296] Part D. Preparation of 5-(1-{[4-(tert-butoxycarbonyl)tetrahydro-2H-pyran-4-yl]sulfonyl}piperidin-4-yl)pentanoic acid:

10

15

20

5

A 150 mL Parr shaker flask was charged with 10% palladium on carbon (degussa type, 2 g) and a solution of the product from Part C (2.8 g, 6.0 mmol) in ethyl acetate (75 mL). The flask was placed under an H₂ atmosphere and agitated at room temperature for 2.5 hr. Afterward, the mixture was filtered through celite and concentrated to afford an oil. The oil was dissolved in tetrahydrofuran (25 mL). Methanol (5mL) and aqueous NaOH (2.5N, 5 mL) were then added. The resulting mixture was stirred for 12-15 hr at room temperature. Afterward, water (50 mL) and ethyl acetate were added. The organic layer was separated and washed with 6N aqueous HCl, dried over sodium sulfate, and concentrated *in vacuo*. Crystallization occurred on standing to afford 2 g of the product in the form of a white crystalline solid (77% yield): LCMS m/z = 434.03 (M+H).

[1297] Part E. Preparation of: tert-Butyl-4-{[4-(4-{3-[4-(trifluoromethoxy)phenyl]-1,2,4-oxadiazol-5-yl}butyl)piperidin-1-yl]sulfonyl}tetrahydro-2H-pyran-4-pentanoate:

In round bottom flask under N₂, the butyric acid from Part D. (2 g, 4.6 mmol) was dissolved in dry dimethylacetamide (20 mL). Next, the following reagents were added in

the following order: N-hydroxybenzotriazole hydrate (1 g, 7 mmol), triethylamine (2 mL, 25.0 mmol), 4-(trifluoromethoxy)benzamidoxime (1.5 g, 6.8 mmol), and 1-(3-dimethylaminopropyl)-3-ethylcarbodiimide hydrochloride (2 g, 10.0 mmol). After 24 hr at 70°C, the mixture was concentrated *in vacuo*. The residue was combined with ethyl acetate; washed with water, saturated NaHCO₃, saturated NaCl solution; dried over Na₂SO₄; filtered; and concentrated *in vacuo*. Chromatography (on silica, ethyl acetate/methanol/hexanes) afforded the desired oxazdiazole compound in the form of a light yellow oil (600 mg, 23% yield). LCMS $m/z = 618[M+H]^+$.

[1298] Part F. Preparation 4-{[4-(4-{3-[4-(trifluoromethoxy)phenyl]-1,2,4-oxadiazol-5-yl}butyl)piperidin-1-yl]sulfonyl}tetrahydro-2H-pyran-4-pentanoic acid:

A round bottom flask was charged with the product of **Part E** (0.600 g, 0.69 mmol) and a 1:1 mixture of trifluoroacetic acid and dichloromethane (1 mL). The mixture was stirred at room temperature for 5 hr and then concentrated *in vacuo*. The product was precipitated by the addition of diethyl ether. The resulting solid was collected by vacuum filtration. Further drying *in vacuo* afforded 540 mg of the desired compound in the form of a white solid (95% yield): LCMS m/z = 562 (M+H).

[1299] Part G. Preparation of 4-(4-{4-[3-(4-trifluoromethoxy-phenyl)-[1,2,4]oxadiazol-5-yl]-butyl}-piperidine-1-sulfonyl)-tetrahydro-pyran-4-carboxylic acid (tetrahydro-pyran-2-yloxy)-amide:

A round bottom flask was charged with the product from Part F (0.54 g, 0.96 mmol), hydroxybenotriazole,(100 mg, 0.7 mmol), a 0.5 M solution of THP-ONH₂ (0.17 g, 1.8 mmol), triethylamine (0.33 mL, 2.4 mmol), and EDC (0.350 mg, 1.8 mmol). The resulting mixture was stirred at room temperature overnight, and then partitioned between water (25 mL) and ethyl acetate (25 mL). The organic layer was washed with 5% aqueous HCl (3 x 25 mL), washed with brine (1X100 mL), filtered through a celite column, and

. 5

10

15

20

25

ų

concentrated in vacuo. Purification using chromatography (on silica, ethyl acetate/methanol/hexanes) afforded the desired compound in the form of a light yellow oil.

[1300] Part H. Preparation of N-hydroxy-4-{[4-(4-{3-[4-(trifluoromethoxy)phenyl]-1,2,4-oxadiazol-5-yl}butyl)piperidin-1-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxamide

A round bottom flask was charged with the oil from Part G in acetonitrile (10 mL) and 6 N aqueous HCl (2 mL). The resulting solution was stirred at room temperature for 60 min. The volatile solvents were removed by passing a N_2 line over the surface of the vigorously stirring mixture. This resulted in the product separating from solution as a white solid. This solid was filtered and dried (220 mg) (50% yield after two reaction steps). LCMS m/z = 568 (M+H).

[1301] Example A65. Preparation of N-hydroxy-4-({4-[5-(3,3,4,4,4-15 pentafluorobutyl)pyrazin-2-yl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide:

[1302] Part A. Tert-butyl 4-{[4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-3,6-dihydropyridin-1-(2H)-yl]sulfonyl}tetrahydro-2H-pyran-4-carboxylate (10 g, 21.86 mmol, Gateway Chemical), 2-bromo-5-iodopyrazine (6.23 g, 21.86 mmol, Gateway Chemical), toluene (105 mL), ethanol (32 mL), 2M Na₂CO₃(aq) (64 mL), and [1,1'-bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with CH₂Cl₂ (1:1) (0.892 g, 1.1 mmol, Aldrich) were heated together under N₂ at 73°C for 3 hr and then cooled to ambient temperature overnight. The resulting mixture was diluted with ethyl acetate (300 mL) and deionized water (200 mL). The layers were separated, and the aqueous was back-extracted with ethyl acetate (100 mL). The combined ethyl acetate

5

layers were washed with 150 mL each of sat. NaHCO₃(aq) and brine, dried over MgSO₄, filtered, and concentrated to afford an oil *in vacuo*. The oil was purified by chromatography on silica (heaxnes/ethyl acetate) to afford 7.68 g (72% yield) of solids.

[1303] Part B. Zn (dust, 325 mesh, 17.05 g, 262 mmol, Aldrich) and THF (60 mL) were combined and stirred under N₂ at ambient temperature for 10 min. 1,2-Dibromoethane (1.81 mL, 21 mmol, Aldrich) was then added, and the resulting mixture was brought to reflux 3 times under N₂, cooling to ambient after each reflux in a water bath. The mixture was then cooled to 0°C in an ice bath, and chlorotrimethylsilane (2.93 mL, 23 mmol, Aldrich) was added over a few minutes under N₂. The mixture was stirred at 0°C for 5 min, and then allowed to warm to ambient temperature over 20 min with stirring under N2. Subsequently, 1,1,1,2,2-pentafluoro-4-iodobutane (36 g, 131.16 mmol, Matrix Scientific) was added to the mixture. The mixture was then mixed at 40°C under N₂ for 90 min. The estimated concentration of organo-zinc iodide was 1.4 mmol/mL THF. The product from Part A (7.68 g, 15.72 mmol), N,N-dimethylacetamide (150 mL), 33.7 mL (47.16 mmol) of the organo-zinc iodide in THF, bis(benzonitrile)dichloropalladium(II) (386 mg, 1 mmol, Aldrich), and 2-(dicyclohexylphosphino)-2'-methylbiphenyl (613 mg, 1.68 mmol. Strem Chemicals) were combined and stirred at 55°C under N₂ for 3 hr and then cooled to ambient temperature overnight. Subsequently, the mixture was diluted with ethyl acetate (400 mL) and deionized water (200 mL), and filtered through a bed of Celite®. The filter cake wash rinsed with ethyl acetate (100 mL), and the resulting filtrate layers were separated. The aqueous layer was back-extracted with ethyl acetate (200 mL). The combined ethyl acetate layers were washed with 200 mL each of sat. NaHCO₃(aq) and brine, dried over MgSO₄, filtered, and concentrated. The resulting residue was triturated with hexanes, filtered, and dried in vacuo at 50°C for 2 hr to afford 8.0 g (92% yield) of the desired intermediate.

[1304] Part C. The product from Part B was dissolved in CH₂Cl₂ (100 mL). Trifluoroacetic acid (100 mL) was then added. The resulting mixture was stoppered with a syringe needle vent overnight at ambient temperature. Subsequently, the solution was concentrated *in vacuo* to afford a residue that was triturated with Et₂O/hexanes to form solids. The solids were filtered, washed with hexanes, and dried *in vacuo* at 50°C for 2 hr to afford 6.67 g (93% yield) of the desired intermediate in the form of solids.

5

10

15

20

25

30

--

hydroxybenzotriazole (5.35 g, 39.63 mmol, Aldrich), and 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (7.6 g, 39.63 mmol, Aldrich) were dissolved in N,N-dimethylformamide (20mL). The mixture was stoppered at ambient temperature for 10 min. Subsequently, 4-methylmorpholine (10.9 mL, 99 mmol) and O-(tetrahydropyranyl) hydroxylamine (4.64 g, 39.63 mmol, Carbogen) were added. The resulting mixture was mixed at ambient temperature overnight, and then poured into 300 mL ethyl acectate and 150 mL deionized water. The layers were separated and the aqueous layer was back-extracted with ethyl acetate (150 mL). The combined ethyl acetate layers were washed with 150 mL each of sat. NaHCO₃(aq), a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq), dried over MgSO₄, and concentrated *in vacuo* to an oil. The oil was triturated with Et₂O/hexanes to form solids that were slurried for 2 hr, filtered, and dried to a constant weight *in vacuo* at 50°C to afford 7.0 g (88.5% yield) of the desired intermediate. ¹H NMR confirmed structure of the compound.

[1306] Part E. The product from Part D (6.0 g, 10.02 mmol) was dissolved in methanol (60 mL). Palladium on carbon (Degussa type, 10% Pd on C, 50% water by weight, 1.3 g, Aldrich) was then added. The solution was deoxygenated and placed under a 50 p.s.i. H₂ atmosphere at ambient temperature. The mixture was mixed for 2.5 hr while maintaining the H₂ pressure at 50 psi. The resulting mixture was filtered through a prewetted (with methanol) bed of Celite®. The filter cake was washed with methanol (200 mL), and the filtrate was concentrated *in vacuo* to afford the desired intermediate in the form of an oil (5.5 g, 91.7% yield).

HCl/methanol (60 mL). The resulting mixture was heated to make the solution homogeneous. The mixture was allowed to cool to ambient temperature over 45 minutes of mixing. The mixture was then concentrated *in vacuo* to form solids. The solids were evaporated with 2 portions of 1.25 N HCl/methanol (50 mL each portion), concentrating to dryness during each evaporation. Solids were then precipitated from 1.25 N HCl/methanol and deionized water. After stirring at ambient temperature for 30 min, the solids were filtered, washed with deionized water, and dried *in vacuo* at 50°C to a constant weight. This afforded 3.8 g (80% yield) of product. MS, M+H calculated for C₁₉H₂₅F₅N₄O₅S: 517.1539, found: 517.1523.

5

10

15

20

25

[1308] Example A66. Preparation of N-hydroxy-4-methoxy-2-({4-[4-(3,3,4,4,4-pentafluorobutyl)phenyl]piperidin-1-yl}sulfonyl)butanamide:

[1309] Part A. A mixture of 4-(4-bromophenyl)-4-piperidinol (50 g, 195 mmol, Aldrich), triethylamine (59.8 mL, 429mmol), and CH₂Cl₂ (400 mL) was cooled to 0°C with mixing under N₂. To this mixture was added methanesulfonyl chloride (16.6 mL, 214 mmol) in CH₂Cl₂ (100 mL) dropwise while maintaining the temperature at less than 10°C. After addition was complete, the ice bath was removed and the solution was stirred for 1 hr. Methanesulfonyl chloride (10 mL, 129 mmol) in CH₂Cl₂ (50 mL) was then added dropwise. The resulting mixture was stirred at ambient temperature under N₂ overnight. Subsequently, the mixture was added to 300 mL of 0.5 N HCl(aq) and 200mL of deionized water. The layers were separated, and the aqueous layer was back-extracted with CH₂Cl₂ (100 mL). The combined CH₂Cl₂ layers were washed with 300 mL each of saturated NaHCO₃(aq) and saturated NaCl(aq). The CH₂Cl₂ layer was then dried over MgSO₄, filtered, and concentrated *in vacuo* to afford the desired methylsulfonamide in the form of solids (62 g, 95.6% yield).

[1310] Part B. To the methylsulfonamide product of Part A was added CH₂Cl₂ (300 mL) and triethylsilane (125 mL, 778 mmol). To this slurry was added trifluoroacetic acid (300 mL, 3.9 mol). The resulting mixture was stoppered and stirred at ambient temperature for 1 hr, and then concentrated *in vacuo* to solids. These solids were mixed with MeOH (150 mL) at ambient temperature for 2 days in a stoppered flask. The solids filtered from that slurry, in turn, were washed with 100 mL MeOH and then dried in a vacuum oven at 50°C overnight to afford 54.14 g (91.7% yield) of solids. ¹H NMR confirmed the structure of the desired intermediate.

[1311] Part C. Zinc (dust, 325 mesh, 2.06 g, 31.5mmol), 1,2-dibromoethane (0.243mL, 2.8mmol), and tetrahydrofuran (12.5 mL) were heated together at 65° C under N_2 for 5 min. The slurry was cooled to ambient temperature with mixing under N_2 , and trimethylchlorosilane (0.336mL, 2.64 mmol) was added. The resulting mixture was then

5

10

15

20

stirred at ambient temperature for 30 min. Subsequently, 1,1,1,2,2-pentafluoro-4-iodobutane (6.45 g, 23.5 mmol, Matrix Scientific) was added, and the mixture was stirred at 40°C for 3 hr under N₂. Next, N,N-dimethylaceamide (35 mL), the product from Part B (5 g, 15.7 mmol), and dichlorobis(tri-o-tolylphosphine)palladium(II) (802 mg, 1.02 mmol, Aldrich) were added to the mixture. The mixture was then heated at 80°C under N₂ overnight. Subsequently, the mixture was cooled to less than 30°C, and 50 mL of saturated NH₄Cl(aq) was added to the mixture, followed by 200 mL ethyl acetate. The resulting biphasic system was filtered through a pad of Celite®, and washed with deionized water (50 mL) and ethyl acetate (50 mL). The layers were separated, and the ethyl acetate layer was washed with 100 mL each of saturated NaHCO₃(aq) and saturated NaCl(aq). The ethyl acetate layer was dried over MgSO₄, filtered, and concentrated *in vacuo* to form solids. The solids, in turn, were slurried in hexanes (50 mL) for 1 hr, filtered, washed with hexanes (20 mL), and dried at 50°C in a vacuum oven for 2 hr to afford 5.58 g (92% yield) of solids. ¹H NMR confirmed the structure of the desired intermediate.

[1312] Part D. Tetrahydrofuran (70 mL), the product from Part C (6.7 g, 17.4 mmol), and di-tert-butyl dicarbonate (4.55 g, 20.9 mmol, Aldrich) were cooled together to -78°C under N₂. To the resulting mixture, a solution of lithium bis(trimethylsilyl)amide in tetrahydrofuran (1M, 46mL) was added at a rate such that the temperature remained at less than -70°C. This mixture was the mixed at -78°C under N₂ for 1 hr, and then at 0°C for 20 min. Subsequently, the mixture was cooled to -40°C, and saturated NH₄Cl(aq) (25 mL) was added. After the addition was complete, the mixture was warmed to ambient temperature, and ethyl acetate (250 mL) and deionized water (100mL) were added. The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (100 mL). The combined ethyl acetate layers were washed with 100 mL each of saturated NaHCO₃(aq) and saturated NaCl(aq), dried over MgSO₄, filtered, and concentrated in vacuo. The resulting solid/oil was co-evaporated several times with acetonitrile to afford solids. The solids were dried in a vacuum oven at 50°C overnight to afford 8.55 g (102% yield) of solids.

[1313] Part E. Product from Part D (1.5 g, 3.08 mmol), DMF (20 mL), and a 60% NaH dispersion in mineral oil (0.310 g, 7.7 mmol, Aldrich) were combined and stirred at ambient temperature for 20 min under N₂. To the resulting mixture was added 2-

5

10

15

20

25

10

15

20

25

30

bromoethyl methyl ether (0.695 mL, 7.4 mmol, Aldrich). The mixture was then mixed overnight at 60°C under N2. Subsequently, the mixture was cooled to ambient temperature. An additional amount of NaH (2 times the amount of NaH used initially) was then added. After mixing at ambient temperature for 20 min, additional 2-bromoethyl methyl ether was added (2 times the amount of used above). The resulting mixture was heated to 60°C overnight under N2. Subsequently, the mixture was cooled to ambient temperature, and another additional amount of NaH (i.e., 2 times the amount of NaH used initially) was added. After mixing at ambient temperature for 20 min, another additional amount of the added 2 times the amount of was added (i.e., 2 times the amount used above). The resulting mixture was heated to 60°C overnight under N2. Subsequently, the mixture was cooled to ambient temperature and diluted with ethyl acetate (250 mL) and deionized water (100mL). The layers were separated, and the aqueous layer was backextracted aqueous with ethyl acetate (100 mL). The combined ethyl acetate layers were washed with 100 mL each of saturated NaHCO₃(aq), 1:1 deionized water: saturated NaCl(aq), and saturated NaCl(aq). The ethyl acetate layers were then dried over MgSO4, filtered, and concentrated in vacuo to afford an oil (2.0 g, 108% yield). The intended product was the dialkylated intermediate. A monoalkylated compound, however, also was formed as a side product, and was isolated as well.

[1314] Part F. The t-butyl ester from Part E was dissolved in CH₂Cl₂ (25 mL). Trifluoroacetic acid (25 mL) was then added. The resulting mixture was stoppered with a syringe needle vent and mixed at ambient temperature overnight. The mixture was then concentrated in vacuo to afford an oil (2.0 g, 119% yield)

[1315] Part G. To the acid from Part F was added N,N-dimethylformamide (30 mL), 1-hydroxybenzotriazole (1.25 g, 9.24 mmol, Aldrich), 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (1.77 g, 9.24 mmol, Aldrich), and 4-methylmorpholine (2.55 mL, 23.1 mmol). The resulting mixture was stoppered and stirred for 10 min at ambient temperature. To the resulting solution was added O-(tetrahydropyranyl) hydroxylamine (1.08 g, 9.24 mmol). This mixture was then stoppered and stirred for 10 hr at ambient temperature. Subsequently, O-(tetrahydropyranyl) hydroxylamine (1.0 g, 8.55 mmol) was added. The mixture was stoppered and mixed overnight at ambient temperature. Ethyl acetate (200 mL) and deionized water (100mL) were then added, and the layers were separated. The aqueous layer was back-extracted with ethyl acetate (100

mL). The combined ethyl acetate layers were then washed with 100 mL each of a 1:1 mixture of deionized water:saturated NaCl(aq) and saturated NaCl(aq). The ethyl acetate layer was then dried over MgSO₄, filtered, and concentrated *in vacuo* to give afford an oil (3.0 g, 150% yield).

[1316] Part H. The oil from Part G was added to 1.25 N HCl/methanol (30 mL). The resulting mixture was stirred at ambient temperature for 30 min. Afterward, the mixture was concentrated *in vacuo* to afford solids. The solids were evaporated with 2 portions of 1.25 N HCl/methanol (30 mL each portion) and concentrated to dryness after each evaporation. The product material was then purified by chromatography (on reversed-phase silica, water/acetonitrile w/ 0.05% trifluoroacetic acid in both). Exchanged trifluoroacetate salt for hydrochloride salt by 3 evaporations with 1.25 N HCl/methanol (30 mL). After the last evaporation, the material was dissolved in acetonitrile/deionized water and lyophilized to afford 60 mg of solids. MS, M+H calculated for C₂₀H₂₇F₅N₂O₅S: 503.1634, found: 503.1613.

15

5

10

[1317] Example A67 Preparation of 4-({4-[5-(2-cyclopropylethoxy)pyrazin-2-yl]piperidin-1-yl}sulfonyl)-N-hydroxytetrahydro-2H-pyran-4-carboxamide:

25

20

[1318] Part A. A 60% NaH dispersion in mineral oil (0.504 mg, 12.66 mmol, Aldrich) was added to a mixture of 2-cyclopropylethanol (1.0 g, 11.61 mmol, Lancaster) in THF (60 mL). The resulting mixture was stirred at ambient temperature under N₂ for 20 min. Subsequently, 2-bromo-5-iodopyrazine (3.0 g, 10.55 mmol, Gateway Chemical) was added, and the resulting mixture was stirred at 65°C under N₂ for 3.5 hr. The mixture was then allowed to cool to ambient temperature overnight. THF was removed *in vacuo*, and the residue was diluted with ethyl acetate (150 mL) and deionized water (75 mL). The layers were separated, and the aqueous was back-extracted with ethyl acetate (50 mL). The combined ethyl acetate layers were then washed with 75 mL each of sat. NaHCO₃(aq) and brine, dried over MgSO₄, filtered, and concentrated to an oil *in vacuo* 3.0g (~100%). It was observed that the alkoxide did not selectively displace the iodide versus bromide in

10

15

20

25

this reaction. Thus, a mixture of the monoalkoxylated product resulted. This, however, did not matter for the next reaction

[1319] Part B. Tert-butyl 4-{[4-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)-3,6-dihydropyridin-1-(2H)-yl]sulfonyl} tetrahydro-2H-pyran-4-carboxylate (1.72 g, 3.75 mmol, Gateway Chemical), the product from Part A (1.0 g, 3.75 mmol), toluene (18 mL), ethanol (5.5 mL), 2M Na₂CO₃(aq) (11 mL), and [1,1'-bis(diphenylphosphino)ferrocene]dichloropalladium(II), complex with CH₂Cl₂ (1:1) (0.153 g, 0.187 mmol, Aldrich) were heated together under N₂ at 73°C for 3 hr and then cooled to ambient temperature overnight. The mixture was then diluted with ethyl acetate (150 mL) and deionized water (75 mL). The layers were separated, and the ethyl acetate layer was washed with 75 mL each of sat. NaHCO₃(aq) and brine, dried over MgSO₄, filtered and, concentrated *in vacuo* to afford an oil (2.12 g, 114% yield).

[1320] Part C. The product from Part B was dissolved in CH₂Cl₂ (20 mL). Trifluoroacetic acid (20 mL) was then added. The mixture was stoppered with a syringe needle vent and mixed for 5 hr at ambient temperature, and then concentrated *in vacuo* to afford an oil (quantitative conversion).

[1321] **Part D.** The oil from **Part C**, 1-hydroxybenzotriazole (1.52 g, 11.25 mmol, Aldrich), and 1-[3-dimethylamino)propyl]-3-ethylcarbodiimide hydrochloride (2.16 g, 11.25 mmol, Aldrich) were dissolved in N,N-dimethylformamide (20mL). The mixture was stoppered and mixed at ambient temperature for 10 min. To the resulting mixture was added 4-methylmorpholine (3.1 mL, 28.1 mmol) and O-(tetrahydropyranyl) hydroxylamine (1.32 g, 11.25 mmol, Carbogen). The mixture was then mixed at ambient temperature overnight. Subsequently, the mixture was poured into 125 mL ethyl acetate and 75 mL deionized water. The layers were separated, and the aqueous layer was back-extracted with ethyl acetate (75 mL). The combined ethyl acetate layers were washed with 75 mL each of sat. NaHCO₃(aq), a 1:1 mixture of deionized water:saturated NaCl(aq), and saturated NaCl(aq); dried over MgSO₄; and concentrated *in vacuo* to afford an oil (quantitative conversion).

[1322] Part E. The oil from Part D was dissolved in methanol (60 mL).

Palladium on carbon to solution (Degussa type, 10% Pd on C, 50% water by weight, 0.5 g, Aldrich) was then added. The mixture was deoxygenated and placed under a 50 psi. H₂ atmosphere at ambient temperature. The mixture was mixed for an hour while

maintaining the H₂ pressure at 50 psi. Additional palladium on carbon (Degussa type, 10% Pd on C, 50% water by weight, 0.5 g, Aldrich) was added to the mixture. The mixture again was deoxygenated and placed under a 50 psi H₂ atmosphere at ambient temperature. The mixture was mixed for 3 hr while maintaining the H₂ pressure at 50 psi.

5 Further palladium on carbon (Degussa type, 10% Pd on C, 50% water by weight, 0.5 g, Aldrich) was added to the mixture, and the mixture was again deoxygenated and placed under a 50 psi H₂ atmosphere at ambient temperature where it was mixed for 90 min while the H₂ pressure was maintained at 50 psi. The mixture was filtered through a pre-wetted (with methanol) bed of Celite®. The filter cake was washed with methanol (200 mL), and the filtrate was concentrated *in vacuo* to afford an oil. The oil was purified by chromatography [silica, ethyl acetate (w/10%MeOH)/hexanes] to afford 1.1 g (55% yield) of solids.

[1323] Part F. The solids from Part E were added to 1.25 N HCl/methanol (30 mL). The mixture was stirred at ambient temperature for 30 min. The solution was concentrated *in vacuo* to solids. The solids were evaporated with 2 portions of 1.25 N HCl/methanol (30 mL each portion) and concentrated to dryness after each evaporation. The product material was then purified by chromatography (on reversed-phase silica, water/acetonitrile w/ 0.05% trifluoroacetic acid in both). Exchanged trifluoroacetate salt for hydrochloride salt by 3 evaporations with 1.25 N HCl/methanol (30 mL). The residue was triturated with Et₂O, filtered, dried *in vacuo* at 50°C overnight to afford 0.375 g (34% yield) of product. MS, M+H calculated for C₂₀H₃₀N₄O₆S: 455.1975, found: 455.1959.

[1324] Example A68. Preparation of 1-cyclopropyl-N-hydroxy-4-({4-[4-(2,2,3,3-tetrafluoropropoxy)phenyl]piperidin-1-yl}sulfonyl)piperidine-4-carboxamide hydrochloride:

[1325] Part A. A round bottom flask was charged with 4-fluorobenzaldehyde (25 g, 202 mmol, Aldrich) and 2,2,3,3-tetrafluoropropanol (29.2 g, 222 mmol, Aldrich) in

15

20

10

15

20

25

30

3 :

₩.

dimethylformamide (400 ml). Potassium carbonate (41.7 g, 303 mmol, Aldrich) was added, the reaction was heated to 80°C, and stirred for 18 hr. Then the reaction was diluted with water (500ml) precipitating a white solid. The solid was collected by filtration, washed with water, and dried to afford the product as a white solid (43.2 g, 91 % yield). ¹H NMR showed the desired compound.

[1326] Part B. A round bottom flask was charged with the product from Part A (41 g, 174 mmol), ethylacetoacetate (44.2 ml, 347 mmol, Aldrich), and piperidine (1.0 g, 11.7 mmol, Aldrich). The reaction mixture was stirred without solvent for 3 days, resulting in a solid yellow mass. Ethanol (300 ml) was added, and the reaction mixture was heated at reflux for 2 hr. The reaction mixture was cooled to room temperature. After cooling to room temperature, precipitation occurred. The solids were filtered, washed with hexanes, and dried to afford a yellow solid. This solid was slowly added portion wise to a heated (85°C) aqueous potassium hydroxide solution (26.1 g, 470 mmol in 23 ml water). After the addition, the reaction continued for 2 hr at 85°C, turning the reaction black. The reaction was cooled by adding ice (100 g). The resulting mixture was washed with ethyl acetate (50 ml) and separated. The aqueous was titrated to a pH of 1 using concentrated HCl. The product was extracted out with dichloromethane (3x-200 ml). The organics were combined, dried over Na₂SO₄, and concentrated to yield the dicarboxylic acid as a yellowish white solid (26.9 g, 46 % yield over three steps). ¹H NMR showed the desired compound.

[1327] Part C. A round bottom flask was charged with the product from Part B (26.8 g, 79.3 mmol) and urea (7.1 g, 118.9 mmol). The reaction was heated to 170°C for 2 hr, and then cooled to 80°C. Ethanol (40 ml) was added, and the reaction was stirred at reflux for 30 min. The reaction was cooled to 0°C, then filtered for solids. The solids were collected, washed with hexanes, and dried to afford the diketopiperidine product as a beige solid (22.3 g, 88 % yield). ¹H NMR showed the desired compound.

[1328] Part D. A round bottom flask was charged with a lithium aluminum hydride solution (208 ml, 1.0 M), and then heated to 40-60°C. The solid from Part C (22.2 g, 69.5 mmol) was added portion wise keeping the temperature below 60°C. After the addition, the reaction flask was equipped with a condenser and refluxed for 1.5 hr. Work up consisted of cooling the mixture to room temperature, carefully adding water (2 ml), and then slurring with sodium sulfate (100 g). The solids were removed by filtration,

the filtrate was dried over sodium sulfate, and concentrated affording the piperidine product as an orange oil (17.6 g, 87% yield). ¹H NMR showed the desired compound.

[1329] Part E. A round bottom flask was charged with the product from Part D (12.3 g, 42.2 mmol) and triethyl amine (10.1 ml, 72.5 mmol, Aldrich) in dichloromethane (100 ml). After cooling to 0°C, a solution of methylsulfonyl chloride (4.9 ml, 63.4 mmol in dichloromethane (10 ml)) was added drop wise. After the addition, the ice bath was removed, and the reaction stirred at room temperature for 18 hr. The reaction was concentrated to dryness, and the residue was taken up in ethyl acetate (200 ml). The organic was washed with 10% HCl_{aq}, water, and brine, dried over sodium sulfate, and concentrated for a mix of orange and white solids. The solids were recrystallized from methanol, collected, washed with hexanes, and dried affording the desired product (10.1 g, 65% yield). ¹H NMR showed the desired compound.

t-butylcarboxylate anhydride (7.9 g, 36.4 mmol, Aldrich) in tetrahydrofuran (60 ml, Aldrich) was cooled to -75°C. A solution of lithium bis(trimethylsilyl)amide (1.0 M (Aldrich) in tetrahydrofuran, 90.9 ml, 90.9 mmol) was slowly added, keeping the temperature below -65°C. After the addition, the mixture was warmed to 0°C, and stirred 1 hr. The mixture was then cooled back to -75°C, and quenched with a saturated aqueous solution of ammonium chloride. The mixture was warmed to room temperature and separated. The aqueous was extracted twice with ethyl acetate. The organics were combined, washed twice with water, washed twice with brine, dried over Na₂SO₄, and concentrated for brown residue. The residue was slurried on diethyl ether, and filtered affording the desired product (12.7 g, 89% yield). ¹H NMR showed the desired product.

catalytic amount, Aldrich), potassium carbonate (6.1 g, 44.4 mmol, Aldrich), and bis(chloroethyl)-N-cyclopropylamine (1.7 g, 7.8 mmol) were slurried in 20 ml of N,N-dimethylformamide, and stirred at 65°C for 15 hr. Once complete, the mixture was diluted with 50 ml of water, and extracted with ethyl acetate (3x-100ml). The organics were combined, washed twice with water, washed with brine, dried over Na₂SO₄, and concentrated for a tan oil. The oil was washed with hexanes, and dried for a tan oil. The oil was recrystallized from methanol to afford the product as a white solid (2.5 g, 58 % yield). ¹H NMR and LCMS showed the desired product.

5

10

15

10

15

20

[1332] Part H. To a solution of the product from Part G (2.5 g, 4.3 mmol) in dichloromethane (5 ml) was added trifluoroacetic acid (5 ml, Aldrich). The reaction was stirred overnight at room temperature. Work up consisted of concentrating the mixture to one-third volume, and then dripping the residue into stirring diethyl ether (500 ml). The resulting solid was collected, washed with diethyl ether, and dried to afford the product as a white solid (1.9 g, 70 % yield). ¹H NMR showed the desired compound.

formamide was added triethylamine (1.2 ml, 8.5 mmol, Aldrich) followed by N-hydroxybenzotriazole hydrate (0.83 g, 6.2 mmol, Aldrich), O-(tetrahydro-2H-pyran-2-yl)hydroxylamine (0.66 g, 5.6 mmol), and, lastly, 1-(3-dimethylaminopropyl)-3-ethyl carbodiimide hydrochloride (1.3 g, 7.0 mmol, Sigma). The mixture was stirred at room temperature for 5 hr. Workup consisted of diluting with water (15 ml) and ethyl acetate (100 ml). The organic was separated, and the aqueous was further extracted with ethyl acetate (2x-75 ml). The organics were combined, and washed with saturated NaHCO_{3aq} (2x-150 ml), water (2x-100ml), and brine (1x-200 ml). After drying over sodium sulfate, the organics were concentrated to a foamy oil, and crystallized from methanol to give the product as a white solid (1.7 g, 100% crude yield). ¹H NMR showed the desired compound.

[1334] Part J. To the product of Part I (1.7 g, 2.8 mmol) were added methanol (1 ml) and 4N HCl in dioxane (10 ml). After stirring for 2 hr, the solvent was concentrated to one-third volume, and then diethyl ether was added. The resulting solid was filtered, washed with diethyl ether, and dried to afford the desired product as a pale yellow solid (1.6 g, 100 % yield). ¹H NMR showed the desired compound. HRMS for $C_{23}H_{31}F_4N_3O_5S$ showed $M^{^{+H}}_{found} = 538.1978$ ($M^{^{+H}}_{calc} = 538.1993$).

25

...

[1335] Example A69. Preparation of N-hydroxy-4-({4-[4-(2,2,2-trifluoroethoxy) phenyl]piperidin-1-yl}sulfonyl)tetrahydro-2H-pyran-4-carboxamide:

[1336] Part A. A round bottom flask was charged with 4-fluorobenzaldehyde (25 g, 202 mmol, Aldrich) and 3,3,3-trifluoroethanol (22.2 g, 222 mmol, Aldrich) in dimethylformamide (400 ml). Potassium carbonate (41.7 g, 303 mmol, Aldrich) was added, the reaction was heated to 80°C, and stirred for 18 hr. The reaction was diluted with water (500ml) precipitating a white solid. The solid was collected by filtration, washed with water, and then dried to afford the product as a white solid (37 g, 90 % yield).

1 H NMR showed the desired compound.

[1337] **Part B.** A round bottom flask was charged with the product from **Part A** (37 g, 181.2 mmol), ethylacetoacetate (69.3 ml, 543.7 mmol, Aldrich), and piperidine (1.0 g, 11.7 mmol, Aldrich). The reaction was stirred without solvent for 3 days, resulting in a solid yellow mass. Ethanol (300 ml) was added, and the reaction was heated at reflux for 2 hr. After cooling to room temperature, precipitation occurred. The solids were filtered, washed with hexanes, and dried to afford a yellow solid. This solid was slowly added portion wise to a heated (85°C) aqueous potassium hydroxide solution (26.1 g, 470 mmol in 23 ml water). After the addition, the reaction continued for 2 hr at 85°C, turning the reaction black. The reaction was cooled by adding ice (100 g). The resulting mixture was washed with ethyl acetate (50 ml) and separated. The aqueous was titrated to pH 1 with concentrated HCl. The product was extracted out with dichloromethane (3x-200 ml). The organics were combined, dried over Na₂SO₄, and concentrated to yield the dicarboxylic acid as a yellow solid (27.7 g, 50 % yield over three steps). ¹H NMR showed the desired compound.

[1338] Part C. A round bottom flask was charged with the product from Part B (27.6 g, 90.1 mmol) and urea (8.1 g, 135 mmol). The reaction was heated to 170°C for 2 hr, and then cooled to 80°C. Ethanol (40 ml) was added, and the reaction stirred at reflux for 30 min. The reaction was cooled to 0°C, and then filtered for solids. The solids were collected, washed with hexanes, and dried to afford the diketopiperidine product as a beige solid (24.1 g, 93 % yield). ¹H NMR showed the desired compound.

[1339] Part D. A round bottom flask was charged with a lithium aluminum hydride solution (251 ml, 1.0 M), and then heated to 40-60°C. The solid from Part C (42 g, 84 mmol) was added portion wise keeping the temperature below 60°C. After the addition, the reaction flask was equipped with a condenser and refluxed for 1.5 hr. Work up consisted of cooling the mixture to room temperature, carefully adding water (2 ml),

5

10

15

20

25

10

15

20

25

30

and then slurring with sodium sulfate (100 g). The solids were removed by filtration. The filtrate was dried over sodium sulfate, and concentrated affording the piperidine product as an orange oil (17 g, 78% yield). ¹H NMR showed the desired compound.

[1340] Part E. A round bottom flask was charged with the product from Part D (17.0 g, 65.6 mmol) and triethyl amine (9.6 ml, 68.8 mmol, Aldrich) in dichloromethane (110 ml). After cooling to 0°C, a solution of methylsulfonyl chloride (5.3 ml, 68.8 mmol) in dichloromethane (10 ml) was added drop wise. After the addition, the ice bath was removed, and the reaction stirred at room temperature for 18 hr. The reaction was concentrated to dryness, and the residue was taken up in ethyl acetate (200 ml). The organic was washed with 10% HCl_{aq}, water, and brine, dried over sodium sulfate, and concentrated for a mix of orange and white solids. The solids were recrystallized from methanol, collected, washed with hexanes, and dried affording the desired product (14.9 g, 67% yield). ¹H NMR showed the desired compound.

t-butylcarboxlyate anhydride (11.5 g, 52.7 mmol, Aldrich) in tetrahydrofuran (80 ml, Aldrich) was cooled to -75°C. A solution of lithium bis(trimethylsilyl)amide (1.0 M (Aldrich) in tetrahydrofuran, 132 ml, 132 mmol) was slowly added, keeping the temperature below -65°C. After the addition, the mixture was warmed to 0°C, and stirred 1 hr. The mixture was then cooled back to -75°C, and quenched with a saturated aqueous solution of ammonium chloride. The mixture was warmed to room temperature, and then separated. The aqueous was extracted twice with ethyl acetate. The organics were combined and washed twice with water, washed with brine, dried over Na₂SO₄, and concentrated for brown residue. The residue was slurried on diethyl ether, and filtered affording the desired product (12.0g, 62% yield). ¹H NMR showed the desired product.

[1342] Part G. The product from Part F (4.0 g, 9.1 mmol), 18-crown-6 (0.5 g, catalytic amount, Aldrich), potassium carbonate (5.0 g, 36.6 mmol, Aldrich), and bis(bromoethyl)ether (4.2 g, 18.2 mmol, Aldrich) were slurried in N,N-dimethylformamide (15 ml), and stirred at 65°C for 15 hr. Once complete, the mixture was diluted with water (50 ml), and extracted with ethyl acetate (3x-100 ml). The organics were combined, washed twice with water, washed with brine, dried over Na₂SO₄, and concentrated for a tan oil. The oil was washed with hexanes, and dried for a tan oil.

The oil was recrystallized from methanol to afford the product as a white solid (2.5 g, 54 % yield). ¹H NMR and LCMS showed the desired product.

[1343] Part H. To a solution of the product from Part G (2.5 g, 4.9 mmol) in dichloromethane (5 ml) was added trifluoroacetic acid (5 ml, Aldrich). The reaction was stirred overnight at room temperature. Work up consisted of concentrating the mixture to one-third volume, and then dripping the residue into stirring diethyl ether (500 ml). The resulting solid was collected, washed with diethyl ether, and dried to afford the product as a white solid (1.8 g, 82 % yield). ¹H NMR showed the desired compound.

[1344] Part I. To the product of Part H (1.8 g, 4.0 mmol) in N.Ndimethylformamide (10 ml) was added triethylamine (0.6 ml, 4.0 mmol, Aldrich) followed by N-hydroxybenzotriazole hydrate (1.1 g, 8.0 mmol, Aldrich), O-(tetrahydro-2H-pyran-2yl) hydroxylamine (0.94 g, 8.0 mmol), and, lastly, 1-(3-dimethylaminopropyl)-3ethylcarbodiimide hydrochloride (1.7 g, 8.8 mmol, Sigma). The mixture was stirred at room temperature for 5 hr. Workup consisted of diluting with water (15 ml) and ethyl acetate (100 ml). The organic was separated, and the aqueous was further extracted with ethyl acetate (2x-75 ml). The organics were combined and washed with saturated NaHCO_{3aq} (2x-150 ml), water (2x-100ml), and brine (1x-200 ml). After drying over sodium sulfate, the organics were concentrated to a foamy oil, and crystallized from methanol to give the product as a white solid (2.2 g, 100% crude yield). ¹H NMR showed 20 the desired compound.

[1345] Part J. To the product of Part I (2.2 g, 4.0 mmol) were added methanol (1 ml) and 4N HCl in dioxane (10 ml). After stirring for 2 hr, the solvent was concentrated to one-third volume, and then diethyl ether was added. The resulting solid was filtered, washed with diethyl ether, and dried to afford the desired product as a white solid (1.2 g, 67 % yield). ¹H NMR showed the desired compound. HRMS for $C_{19}H_{25}F_3N_2O_6S$ showed $M_{found}^{+H} = 467.1431$ ($M_{calc}^{+H} = 467.1464$).

Table 8 below lists MMP inhibition K_i values for the compounds of Examples A35 thru A67. As with the tables above, all K_i values are given in nM units.

30

25

5

10

15

これのでは、大学を建設され

Table 8

	Table 8					
Compound Example	Structure	MMP-1 Ki	MMP-2 Ki	MMP-9 Ki	MMP-13 Ki	MMP-14 Ki
A35	HO N CF3	5290	2.22	2.68	0.28	1710
A36	HO N CH ₃	>10000	3.51	0.95	5.92	1940
A36A	HO N CH ₃	>10000	6	2.65	9.36	816
A36B	HO N S N CH ₃	>10000	1.87	1.34	0.63	1080
A36C	HO N CH ₃	>10000	3.93	3.41	1.22	1900
A36D	HO N CH ₃	>10000	11.9	39.1	19.9	4060
A36E	HO N CH ₃ CH ₃ CH ₃	>10000	112	365	65.8	4250
A36F	HO N CH ₃	>10000	2.47	2.26	1.11	1900
A36G	HO N O O O	>10000		16.4	30.2	2610
А36Н	HO N CH ₃	>10000	60.1	45.7	70.5	>10000

Compound Example	Structure	MMP-1 Ki	MMP-2 Ki	MMP-9 Ki	MMP-13 Ki	MMP-14 Ki
A36I	HO. J. S.	>10000	9.08	2.57	7.7	6370
	H O CH ₃					
А36Ј	но	>10000	7.8	10.3	4.38	6550
	M N O CF ₃					
A37	но	6710	0.97	0.30	0.30	690
	N N CF3					
A38	но	4580	0.72	2.25	0.52	1190
	H O CH ₃					
A39	но	1990	12.5	10	1.99	1410
	H O TO CH,					
A40	но	4260	6.99	46.4	0.60	3420
	M N O CF ₃			:		
A41	но	>10000	8.38	1.79	7.95	7210
	H O CH ₃					
A42	но	>10000	22	28.6	33.3	>10000
	H O CF_3					
A43	но	3100	0.33	0.19	0.58	757
	CF ₃					
A44	но	>10000	27.3	12.5	38.2	>10000
	H O N CH ₃					
A45	но	>10000	23.6	16.8	12.2	>10000
	H O CF ₃					
L	<u> </u>	<u> </u>		L	L	L

Compound Example	Structure	MMP-1 Ki	MMP-2 Ki	MMP-9 Ki	MMP-13 Ki	MMP-14 Ki
A46	HO N CF ₃	1500	5.97	17.5	0.52	3610
A47	HO N S N	>10000	18.6	10.2	12.7	>10000
A48	HO N	>10000	3.49	8.23	1.13	2710
A49	HO N O O O O O O O O O O O O O O O O O O	>10000	3.81	3.1	2.87	6740
A50	HO N CF3	>10000	1.57	7.1	0.60	4560
A51	HO N CF3	5110	0.27	1.01	0.27	1260
A52	HO N CF3	3930	0.55	1.03	0.23	922
A53	HO N CF3	2880	1.10	2.46	2.45	2360
A54	HO N F F CF3	>10000	1.06	0.81	0.67	3410
A55	HO N S N HCI	1610	0.27	0.13	0.06	700
	~ FF,					

Compound Example	Structure	MMP-1 Ki	MMP-2 Ki	MMP-9 Ki	MMP-13 Ki	MMP-14 Ki
A56	HO S HCI	2470	0.47	0.15	0.14	1010
	N N					
	CF ₃					
A57	F F	1570	0.52	0.40	0.24	2000
A37	но	1570	0.53	0.48	0.34	2020
	H		!			
	HCI OCF3					
A58	HO S	1550	0.52	1.37	0.24	6230
	H N					
	HCI CF ₃					
A59	0 0	1660	0.76	1.54	0.62	5150
	HON	1000	0.76	1.54	0.62	5150
	H N					
	HCI CF ₂ H			!		
A60	HO HCI	9180	1.23	0.63	0.40	6070
	H N					
į	CH ₃ CH ₃ CF ₃					
	F F					
A61	HO HCI	3530	0.98	0.38	0.16	4170
	H N			•		
	CH ₃ CH ₃ CF ₃					
A62		>10000	0.73	1.74	0.56	9050
	HO HCI					
	HCI CF ₃					
A63	HO S HCI	4370	0.50	0.22	0.39	1840
	HCI HCI					
	O CH ₃					
	F F					

Compound Example	Structure	MMP-1	MMP-2		MMP-13	
		Ki	Ki	Ki	Ki	Ki
A64	HO N O O O O O O O O O O O O O O O O O O	8880	63.8	273	0.51	>10000
A65	HO N CF3	>10000	2.15	0.19	0.47	3870
A66	HO N CF3	>10000	2.15	1.15	1.28	9640
A67	HO N O SO	4450	0.66	0.07	0.22	1350

[1346] Examples A70-207

[1347] Further examples of compounds contemplated by this invention are shown in Table 9, along with corresponding mass spectroscopy and MMP inhibition data
 obtained by Applicants. As with earlier tables, all in vitro K_i results in Table 9 are given in nM units,

Table 9
Additional Examples of
Piperazinyl- or Piperidinyl-Sulfonylmethyl Hydroxamic acid Compounds

A70 HON HON HON A71 HON HON HON A72 HON	Ex.	Structure	Calc.	Observed	MIMP-1	MMP-2	MMP-9	MMP-13	MMP-14
HON Co, O (10-50) (10-			Mass	Mass	K	K	×	Ā	Ķ
HON CH3 HON CH3 HON CT3 HON CT4 HON CT5 HON					(IC-50)	(IC-50)	(IC-50)	(IC-50)	(IC-50)
HO,	A70		497	497					
HO, We have the horizon of the horiz		_/							
HO HO O O O O O O O O O O O O O O O O O		J.	_						
HO,		, CH							
HON CH3 CF3 481.1727 481.1720 S72.2000 3.8 1.4 2.0 HON CH3 S72.2000 572.1800 716 0.020 0.09									
HO, W, CF ₃ HO, M, CF ₃ HO	A71		481.1727	481.1720					
HO,		Z-VIH		_		•			
HO M ST2.1800 716 0.22 0.16 0.09 HO M ST2.1800 716 0.22 0.16 0.09									
HOM CF3 572.2000 572.1800 716 0.22 0.16 0.09 H3C CH3 F F 5		CF3							
HO, HO, HO, CF ₃ Ho,	A72				>10000	3.8	1.4	2.0	>10000
HON W CF ₃ 572.2000 572.1800 716 0.09		Z-2004							
HO HO TIGO 0.22 0.16 0.09 HO CF ₃	_								•
HON HON THO THE									
H, CCH,	A73	0 0 0	572.2000	572.1800	716	0.22	0.16	60.0	140
		Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z					-		
CH,		N N							
		E							

MMP-14 K ₁ (IC-50)	7960	>10000	>10000	>10000	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.18	0.41	6.79	6.79	0.52	5.94
MMP-9 K ₁ (IC-50)	65.8	501	1780	5910	428	>10000
MMP-2 K ₁ (IC-50)		228	356	1100	172	2450
MIMP-1 K ₁ (IC-50)	512	6150	>10000	6200	2420	>10000
Observed Mass	508.2481	504.2163 504.2149	533.2428 533.2443 >10000	458.2339	456.2197	484.2464
Calc. Mass	508.2476 508.2481	504.2163	533.2428	458.2319 458.2339	456.2163 456.2197	484.2476 484.2464 >10000
Structure	HOM NO NO H	NOW	HO NO	HON CH3 CH3	HOW NOT	HO N CH ₃
Ex.	A74	A75	A76	A77	A78	A79

MIMP-14 K _i (IC-50)	>10000	>10000	>10000	>10000	5390	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.389	0.92	0.901	1.58	1.82	ш
MIMP-9 K ₁ (IC-50)	1890	274	8280	382	0.738	553
MMP-2 K ₁ (IC-50)	239	213	1080	09	2.88	82.3
MMP-1 K _i (IC-50)	5450	4440	>10000	772	9770	3420
Observed Mass	490.2004	496.2479	490.1994	444.2185	504.2161	462.2293
Calc. Mass	490.2006 490.2004	496.2476 496.2479	490.2006 490.1994	444.2163 444.2185	504.2144 504.2161	462.2268 462.2293
Structure	HOM N N N N N N N N N N N N N N N N N N N	N S H OH	HON SON HON	HON CH3	HOL HCI	N. O. O. O. H. O.
Ex.	A80	A81	A82	A83	A84	A85

MMP-14 K,	(IC-50)	7540	>10000	5360	8570	1040
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i	(IC-50)	8.19	0.01	2.01	0.66	0.249
MIMIP-9 K,	(IC-50)	307	107	50.7	471	0.075
MMP-2 K _i	(IC-50)	23.8	17.2	38.0	29.3	0.296
MMP-1 K _i	(IC-50)	516	927	2780	1030	1190
Observed Mass		406.2031	494.2335	500.2763	552.2122	445
Calc. Mass		406.2006 406.2031	494.2319 494.2335	500.2789 500.2763	552.1986 552.2122	445
Structure		HO N CH ₃	HON SON HOH	HO-N SK HOH	HO, HO, H	HO, HCI H M M HCI H M M HCI H M M HCI H M M M M M M M M M M M M M M M M M M M
Ex.		A86	A87	A88	A89	A90

MIMP-14 K ₁		>10000	>10000	>10000	2270
Observed MMP-1 MMP-2 MMP-13 Mass K _i K _i	5.08	2.01	0.82	1.18	0.376
MIMIP-9 K ₁	3800	1100	336	823	7.97
1 MMP-2 M Ki	781	237	92.3	197	2.13
MMP-1 K _i	2580	3910	1050	2820	7630
Observed Mass	462.2632 462.2618	460.2476 460.2478	500.2225 500.2260	482.2304	479
Calc. Mass	462.2632	460.2476	500.2225	482.2319 482.2304	479
Structure	HO N CH ₃ CH ₃	O N H OH	HO, N, CH ₃	HO N CH ₃	ном бо в о о о о о о о о о о о о о о о о о
Ex.	A91	A92	A93	A94	A95

MMP-14 K _i (IC-50)	>10000	>10000	>10000	00000	1770
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50)	1.1	1.63	0.17	0.79	0.45
MMP-9 K ₁ (IC-50)	726	592	191	241	13.2
MMP-2 K _i (IC-50)	240	135	38.2	50.8	5.27
MMP-1 K ₁ (IC-50)	1110	496	1620	356	>10000
Observed Mass	488.2789 488.2775	446.2302	537.2725	486.2228	473
Calc. Mass	488.2789	446.2319 446.2302	537.2741 537.2725	486.2268 486.2228	473
Structure	HO N CH ₃	HO N S N N N N N N N N N N N N N N N N N	HOOM STATE OF THE PART OF THE	HON CH ₃ CH ₃	HO, N S N HCI
Ex.	A96	A97	A98	A99	A100

MMP-14 K _i (IC-50)	2640	2160	2880	6540	1130
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.17	0.215	1.08	0.82	0.23
MMP-9 K _i (IC-50)	0.33	3.84	3.39	1.01	0.18
MMP-2 K _i (IC-50)	6.0	1.3	3.84	2.04	0.52
MMP-1 K ₁ (IC-50)	721	6280	363	8590	2170
Observed Mass	498.1487 498.1485	479	407.1874 407.1840	526.1800 526.1815	450.1674 450.1691
Calc. Mass	498.1487	479	407.1874	526.1800	450.1674
Structure	HON AS N HCI	HO-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N	HON NOW NO CH3	HON HCI H ₂ CCH ₂ CCF ₃	HON SON HCI
Ex.	A101	A102	A103	A104	A105

		•		
MMP-14 K _i (IC-50)	1250	3370	4520	3720
MP-13 K _i IC-50)	0.14	0.85	0.16	0.42
-2 MIMP-9 M K, (IC-50) (1.05	0.86	55.5	26.8
-1 MMP-2 M K _i (IC-50) (I	0.54	2.89	3.25	0.60
d MMP-1 N K, (IC-50) (5460	4440	1630	8300
Observed Mass	465	561.2052 561.2026	502.166	587.196
Calc. Mass	465	561.2052	502.1676 502.166	587.1963
Structure	HON HCI	HO H S N N CF3 CH3	HO NO	HON GO HCI
Ex.	A106	A107	A108	A109

THE PARTY OF

Commence of the second of the

Structure		Observed	MMP-1	MMP-2	MIMP-9	IMP-13	MMP-14
	Mass	Mass	K _i (IC-50)	K ₁ (IC-50	$\left \begin{array}{c} \mathbf{K_i} \\ \mathbf{(IC-50)} \end{array}\right $		K _i (IC-50)
NO N	439.201	439.2021	×10000	7.78	1.03	4.40	9210
HO N N N N N N N N N N N N N N N N N N N	488.2789	488.2789 488.2796	>10000	364	1710	60.6	>10000
HO, N, CH ₃	502.2945 502.2912	502.2912	708	190	1820	0.92	>10000
HON HCI HCI CF3	548.1642 548.166	548.166	9730	1.28	0.80	0.34	4410

MMP-14 K _i (IC-50)	1150	>10000	331	>10000
MP-13 K ₁ IC-50)	0.80	0.81	0.08	7.8
-2 MMP-9 M K _i 0) (IC-50) (0.94	1350	0.14	0.96
$\begin{array}{c c} I & MMP-2 & M \\ K_i & K_i \\ \hline (IC-50) & G \end{array}$	0.38	98.5	0.19	9.91
MMP-1 K ₁ (IC-50)	5410	>10000	1700	>10000
Observed Mass		508.246	514.1427	441.2066 441.2148 >10000
Calc. Mass		508.2476	514.1436 514.1427	441.2066
Structure	HON O O O O O O O O O O O O O O O O O O	HOH	HON HCI	HO N O CH ₃
Ex.	A114	A115	A116	A117

MMP-14 K _i (IC-50)	3600	>10000	1280	3320	2600
	0.18	154	0.15	4.94	0.12
MIMIP-9 K ₁ (IC-50)	0.40	>10000 >10000	0.16	237	0.27
MMP-2 K _i (IC-50)	0.56	>10000	0.42	52.8	0.37
MMP-1 K ₁ (IC-50)	0099	>10000	4910	>10000	3100
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	573.1823	461.2428 461.2388	451	524.168	474.1487 474.1476
Calc. Mass	573.1806 573.1823	461.2428	451	524.1676	474.1487
Structure	OH ZH	HO N HCI	HO HCI	HON HCI O NO HCI O CF3	HO HCI H ₃ C CH ₃ N
Ex.	A118	A119	A120	A121	A122

MIMP-14 K _i (IC-50)	1280	7290	>10000	1300	4710
Observed MMP-1 MMP-2 MMP-13 MASS K ₁ CC-50 CC-50 CC-50 CC-50	0.43	3.11	106	90.0	1.71
MIMP-9 K ₁	0.08	0.59	>10000	0.14	0.52
MIMP-2 K ₁	0.58	3.42	>10000	0.27	1.62
MMP-1 K ₁	5160	3040	>10000	2750	1610
Observed Mass	437	426.2060	489.2741 489.2728	486.1486 486.1492	398.1750 398.1750
Calc. Mass	437	426.2063 426.2060	489.2741	486.1486	398.1750
Structure	HO,N HCI	HON CH3 CH3 CH3	HO, N CH ₃	HON HCI	HON SON HCI Hyc CH ₃ N
Ex.	A123	A124	A125	A126	A127

3 MMP-14 K _i (IC-50)	>10000	4540	>10000	1910
Σ	0.84	2.81	3080	0.34
2 MMP-9 K _i (IC-50)	8.82	10.8	>10000 >10000 >10000	0.57
1 MMP-2 K _i (IC-50)	3,33	2.96	>1000(0 1.2
ed MMP-1 N K ₁ (IC-50)	5190	3 3650	3 >1000(7 >10000
	516.1592 516.1608	8 448.173	475.2585 475.2603	606.2173 606.2197
Calc. Mass	516.159	448.1718	475.258	606.217
Structure	HON O O HCI	HO, N S N HCI	HO HCI	HO H
Ex.	A128	A129	A130	A131

MMP-14 K ₁ (IC-50)	5290	3870	191	609	1150
Observed MMP-1 MMP-2 MMP-9 MMP-13 K _i (IC-50) (1.48	1.12	0.109	0.28	0.48
MIMP-9 K ₁ (IC-50)		1.07	1.25	0.48	2.03
MMP-2 K ₁ (IC-50)	2.29	0.77	0.65	0.31	0.33
MIMP-1 K ₁ (IC-50)	7170	1900	1250	2620	4300
Observed Mass	443.1934	438.00	482.1750 482.1772	492.1804 492.1829	492.1804 492.1801
Calc. Mass	443.1939 443.1934	437.1621	482.1750	492.1804	492.1804
Structure	HON S N N CH3		HO HCI	HO, HCI	HO, HCI
Ex.	A132	A133	A134	A135	A136

MMP-14 K _i	221	763	401	>10000	>10000
Observed MIMP-1 MIMP-2 MIMP-9 MIMP-13 MIMP-14 Mass K _i K _i K _i K _i K _i Mass K _i K _i K _i K _i		0.14	0.17	12.5	3.4
MMP-9 K ₁	0.32	0.24	0.15	814	348
MMP-2 Ki		0.68	0.50	390	219
MMP-1 Ki	1260	3440	2340	>10000	0069
Observed Mass	448.1906 448.1923	448.1906 448.1920		538.1829 538.1824 >10000	472.2112 472.2134
Calc. Mass	448.1906	448.1906		538.1829	472.2112
Structure	HON HCI	HON HCI	HON HCI	HON CF3	HO, N S N N N N N N N N N N N N N N N N N
Ex.	A137	A138	A139	A140	A141

一会の本法を選いている者をあった。

$\begin{array}{c} \text{MMP-14} \\ \text{K}_i \\ \text{(IC-50)} \end{array}$	>10000	>10000	>10000	6520	>10000
MMP-2 MMP-9 MMP-13 K _i K _i K _i (C-50) (IC-50) (C-50)	66.4	50.8	22.2	23	31.8
MMP-9 K _t (IC-50)	184	389	1520	15.2	262
MMP-2 K _i (IC-50)	358	989	958	26.3	344
MMP-1 K ₁ (IC-50)	>10000	>10000	>10000	>10000	>10000
Observed MMP-1 Mass K ₁ (IC-50)	482.2319 482.2328	468.2163 468.2160	474.2632 474.2609	496.2470 496.2465	486.2069 486.2071
Calc. Mass	482.2319	468.2163	474.2632	496.2470	486.2069
Structure	HON S N CH ₃	HON H	HO N N N N N N N N N N N N N N N N N N N	O NH OH	HON NO STATE OF THE PART OF TH
Ex.	A142	A143	A144	A145	A146

MIMP-14 K _i (IC-50)	>10000	1730	6550	>10000	3100
M C	44.8	5.21	2.63	19.8	1.53
MMP-9 K _i (IC-50)	42.9	3.79	7.04	1030	0.72
MMP-2 K _i (IC-50)	76.1	6.67	4.42	243	1.34
MMP-1 K _i (IC-50)	>10000	2710	>10000	>10000	>10000
Observed Mass		415.1525	444.1805 444.1792	538.1829 538.1814	
Calc. Mass	482.2319 482.2291	415.1509 415.1525	444.1805	538.1829	441.1802 441.1781
Structure	HON N CH ₃	HO, N N N CH ₃	HON HCI	HO HCI	HO, N O O HOO HOO HOO HOO HOO HOO HOO HOO H
Ex.	A147	A148	A149	A150	A151

MMP-14 K ₁ (IC-50)	4330	>10000	>10000	859
EMP-13 K _i IC-50)	5.25	0.37	95.5	0.15
.2 MMP-9 N K _i (1C-50) (9.85	1910	715	6.59
1 MMP-2 M K _i (TC-50) (I	2.36	175	88.9	0.48
MMP-1 K _i (IC-50)	>10000	>10000	>10000	1220
Observed Mass	447		451.1764 451.1768 >10000	467.1423 467.1441
Calc. Mass	447		451.1764	467.1423
Structure	HON HCI	HON HON N-N N-N N-CF13	HO HCI	HON CONTRACTOR HCI
Ex.	A152	A153	A154	A155

MIMP-14 K _i (IC-50)	>10000	>10000	>10000	8580
Observed MMP-1 MMR-2 MMR-9 MMR-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	1.57	2.54	8.98	1.91
MMP-9 K ₁ (IC-50)	9.5	2.94	13.4	3.99
MMP-2 K _i (IC-50)	3.14	36.5	14.6	2.65
MIMP-1 K _i (IC-50)	4550	>10000	×10000	1840
Observed Mass	462.1878	498.1699	625.1675 625.1684	440.187
Calc. Mass	462.1874 462.1878	498.1686 498.1699	625.1675	440.1855
Structure	HO, HCI	HON HCI HCI CF3	HON S OF STATE OF STA	HON HCI
Ex.	A156	A157	A158	A159

MMP-14 K _i (IC-50)	>10000	1670	2290	>10000	>10000
MIMP-13 K _i (IC-50)	40.9	0.474	0.301	2.53	42.2
2 MMP-9 M K ₁ (IC-50) (613	0.223	0.194	1630	2970
1 MMP-2 M K _i (IC-50) (529	0.513	1.15	225	63
MMP-1 N K _i (IC-50)	>1000	2970	4510	1490	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	562.1709 563.1776	447	453	566.2142 566.2154	
Calc. Mass	562.1709	447	453	566.2142	
Structure	HON N SHOH	HON HCI	HON HCI	HO, HO, TO, TO, TO, TO, TO, TO, TO, TO, TO, T	HON CH3.
Ex.	A160	A161	A162	A163	A164

Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K _i K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50) (IC-50)	7210	2060	>10000	8570
MMP-13 K _i (IC-50)	0.647	1.03	1.54	1.72
MMP-9 K ₁ (IC-50)	0.979	1.77	2.21	1.5
MMIP-2 K ₁ (IC-50)	1.67	1.93	3.04	1.7
MMP-1 K _i (IC-50)	>10000	>10000	>10000	2290
Observed Mass	592.2017 592.2023	442.2012 442.2023	591.2064 591.2079	464.1661
Calc. Mass	592.2017	442.2012	591.2064	464.1668 464.1661
Structure	HO N S N N N N N N N N N N N N N N N N N	HON HCI	HO N 2HCI HO N 2HCI The state of the state	HO, N, HCI
Ex.	A165	A166	A167	A168

MMP-14 K ₁ (IC-50)	9300	>10000	604	3620	>10000
13	4.53	1.55	0.31	1.24	1.91
MMP-9 K ₁ (IC-50)	10.2	4.01	0.54	0.36	1.84
MMP-2 K _i (IC-50)	3.5	4.21	0.42	1.31	7.59
MMP-1 K ₁ (IC-50)	5370	>10000	4180	4070	>10000
Observed Mass	457.2	515.1751 515.1754	438.1699 438.1701	440.1856 440.1845	481
Calc. Mass	457.2	515.1751	438.1699	440.1856	481
Structure	HON HCI HCI CH3	HO N N N N N N N N N N N N N N N N N N N	HO, HCI	HONN HCI	HON GOO HCI
Ex.	A169	A170	A171	A172	A173

MMP-14 K _i (IC-50)	6520	591	184	3360
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i	0.52	0.09	0.15	6.81
MIMP-9 K ₁ (IC-50)	0.73	1.37	0.81	0.88
MMP-2 K, (IC-50)	1.31	0.07	80.0	3.83
MMP-1 Ki (IC-50)	>10000	854	1710	>10000
Observed Mass		492,2029 292,2053	466.176 466.1779	413
Calc. Mass	605.2221 605.2232	492.2029	466.176	413
Structure	HON S 2HCI	HO, NO, NO, NO, NO, NO, NO, NO, NO, NO, N	HON HCI	HON HCI
Ex.	A174	A175	A176	A177

Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K ₁ K ₁ K ₁ K ₁ (IC-50) (IC-50) (IC-50) (IC-50)	1950	4280	1300	>10000
MMP-13 K ₁ (IC-50)	0.437	1.9	2.1	0.61
MMP-9 K ₁ (1C-50)	0.596	0.49	96.1	1.33
MMP-2 K ₁ (IC-50)	0.881	2.51	2.35	2.36
MMP-1 K ₁ (IC-50)	>10000	>10000	0688	>10000
Observed Mass	593.1967	427	413.1295 413.1314	543.2064 543.2057 >10000
Calc. Mass	593.1969 593.1967	427	413.1295	543.2064
Structure	HON ZHCI HON ZHON ZHON ZHON ZHON ZHON ZHON ZHON	HO O HCI		HON O O O CF3
Ex.	A178	A179	A180	A181

MIMP-14	K _i (IC-50)	5890	>10000	985	42.7
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14	K _i (IC-50)	0.30	1.07	0.41	\$6:0
MMP-9	K _i (IC-50)	0.39	307	0.52	1.69
MMP-2	K _i (IC-50)	0.93	2.06	0.38	T.
MMP-1	K _i (IC-50)	>10000	>10000	7050	1720
Observed	Mass	573.217	561.197 561.1969	467.1576 467.1584	397.1792 397.1814
1		<i>57</i> 3.21 <i>7</i>	561.197	467.1576	397.1792
Structure		HON SHOIL THE CF3	HON HCI HCI	HO N N N N N N N N N N N N N N N N N N N	HON SON
Ex.		A182	A183	A184	A185

MIMP-14	K _i (IC-50)	421	1240	6200	>10000
MMP-13	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0.21	0.56	3.89	4.443
MMP-9	K _i (TC-50) (0.55	2.14	54.7	4.35
MMP-2	K ₁ (IC-50)	0.23	0.54	7.61	45.5
MMP-1	K ₁ (IC-50)	924	936	3310	>10000
Observed	Mass	466.1878	453.1277	436.1655 436.1665	557
	Mass	466.1873 466.1878	453.1266 453.1277	436.1655	557
Chunchino	Structure	HON HOI NOT THE THE THE THE THE THE THE THE THE TH	HON SWITTER	HON GOOD HON HON TO SHOULD HON	HON GOO HON HOIN THEIL WAS CF3
	Ex.	A186	A187	A188	A189

MIMP-14	K _i (IC-50)	3350	470	>10000	2820
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14	K _i (IC-50)	0.22	0.13	4.11	2.09
MMP-9	K _i (IC-50)	1.09	0.27	10	8.24
MMP-2	K _i (IC-50)	0.39	0.31	3.25	4.7
MMP-1	K_{l} (IC-50)	>10000	1710	>10000	4710
Observed	Mass	517.1544 517.1533	460.1577 460.1574	579.1876 579.1883	450.1811 450.1827
Calc.		517.1544	460.1577	579.1876	450.1811
Structure		HO, N S N N N N N N N N N N N N N N N N N	HON NOW NOW NOW NOW NOW NOW NOW NOW NOW N	HCI HCI	HO, N, N, N, N, HCI HCI HCI
Ex.		A190	A191	A192	A193

MIMIP-14 K ₁	1700	2430	>10000	>10000
Observed MMP-1 MMP-2 MMP-9 MMP-13 MMP-14 Mass K ₁ K ₁ K ₂ K ₃ K ₄	8.86	0.34	21.8	496
MMP-9 K ₁	12.6	6.81	2.02	1620
MMP-2 Ki	8.71	0.18	70	077
MMP-1 Kı	×10000	1570	>10000	>10000
Observed Mass	436.1667	465.1625	426	
Calc. Mass	436.1681 436.1667	465.1608 465.1625	426	
Structure	HO, N HCI	HON HCI HCI HCI HCI	HONN NO CH3	HON HCI HCI HCI
Ex.	A194	A195	A196	A197

**

The state of the s

MMP-14 K _i (IC-50)	577	287	>10000	3380
Observed MMP-1 MMP-2 MMP-9 MMP-13 Mass K _i K _i K _i K _i (IC-50) (IC-50) (IC-50) (IC-50)	0.53	0.04	6.77	2.14
MMP-9 K _i (IC-50)	32.9	0.84	6.77	16.8
MMP-2 K _i (IC-50)	1.44	90.00	8.83	4.25
MMP-1 K ₁ (IC-50)	>10000	287	>10000	5850
Observed Mass	515.1591	520.1586	453.1266 453.1285	450.1821
Calc. Mass	515.1604 515.1591	520.159	453.1266	450.1811 450.1821
Structure	HON OS NO HOI NO HOI N	HO N N N N N N N N N N N N N N N N N N N	HO, N,	HON HON NO STATE TO S
Ex.	A198	A199	A200	A201

MMP-14 K ₁ (IC-50)		554	5100	297
$\begin{array}{c} \text{MMP-13} \\ \text{K}_1 \\ \text{(IC-S0)} \end{array}$	2.08	0.61	0.23	0.93
K _i (IC-50)	0.92	6.93	0.29	1.16
MMP-2 K ₁ (IC-50)	0.46	1.25	0.65	0.33
MMP-1 K ₁ (IC-50)	2300	>10000	>10000	3590
Observed Mass		461.1887 461.1881	555.2064 555.2081	·
Calc. Mass		461.1887	555.2064	
Structure	HOI NOH	HO HCI N	HO, HCI	HO, NO, HCI
Ex.	A202	A203	A204	A205

MP-14	K _i (IC-50)	5750	>10000	>10000
P-13 M	K _i (IC-50) (I		4140 >	1.94 >
MM	(IC	0		∷
MMP-9	K _i (IC-50)	0.84	>10000	1590
MMP-2	K _i (IC-50)	0.71	6130	178
MMP-1	$\begin{array}{c cc} K_i & K_i & K_i \\ (IC-50) & (IC-50) \end{array}$	4460	>10000	7360
Observed MMP-1 MMR-2 MMP-9 MMP-13 MMP-14	Mass	501.1425 501.1414	467.1417 467.1412	458.1955 458.1985
Calc.	Mass	501.1425	467.1417	458.1955
Structure		HON NO CF2H	HON N N N N N N N N N N N N N N N N N N	· HO N S N
T.	•	A206	A207	A208

10

15

20

25

30

4.

ø

[1348] Example 421. In Vivo Angiogenesis Assay

[1349] The study of angiogenesis depends on a reliable and reproducible model for the stimulation and inhibition of a neovascular response. The corneal micropocket assay provides such a model of angiogenesis in the cornea of a mouse. See, A Model of Angiogenesis in the Mouse Cornea; Kenyon, BM, et al., Investigative Ophthalmology & Visual Science, July 1996, Vol. 37, No. 8.

[1350] In this assay, uniformLy sized HydronTM pellets containing bFGF and sucralfate are prepared and surgically implanted into the stroma mouse cornea adjacent to the temporal limbus. The pellets are formed by making a suspension of 20 μL sterile saline containing 10 μg recombinant bFGF, 10 mg of sucralfate and 10 μL of 12 percent HydronTM in ethanol. The slurry is then deposited on a 10 x 10 mm piece of sterile nylon mesh. After drying, the nylon fibers of the mesh are separated to release the pellets.

[1351] The corneal pocket is made by anesthetizing a 7 week old C57Bl/6 female mouse, then proptosing the eye with a jeweler's forceps. Using a dissecting microscope, a central, intrastromal linear keratotomy of approximately 0.6 mm in length is performed with a #15 surgical blade, parallel to the insertion of the lateral rectus muscle. Using a modified cataract knife, a lamellar micropocket is dissected toward the temporal limbus. The pocket is extended to within 1.0 mm of the temporal limbus. A single pellet is placed on the corneal surface at the base of the pocket with a jeweler's forceps. The pellet is then advanced to the temporal end of the pocket. Antibiotic ointment is then applied to the eye.

[1352] Mice are dosed on a daily basis for the duration of the assay. Dosing of the animals is based on bioavailability and overall potency of the compound. An exemplary dose is 10 or 50 mg/kg (mpk) bid, po. Neovascularization of the corneal stroma is permitted to continue under the influence of the assayed compound for 2 days. At that point, the degree of angiogenic inhibition is scored by viewing the neovascular progression with a slit lamp microscope.

[1353] The mice are anesthetized and the studied eye is once again proptosed. The maximum vessel length of neovascularization, extending from the limbal vascular plexus toward the pellet is measured. In addition, the contiguous circumferential zone of neovascularization is measured as clock hours, where 30 degrees of arc equals one clock hour. The area of angiogenesis is calculated as follows.

area = $(0.4 \times 10^{-2} \times 3.14 \times 10^{-2} \times 10^{-2} \times 10^{-2} \times 10^{-2})$

[1354] Five to six mice should be utilized for each compound in each study. The studied mice are thereafter compared to control mice and the difference in the area of neovascularization is recorded as an averaged value. A contemplated compound typically exhibits about 25 to about 75 percent inhibition, whereas the vehicle control exhibits zero percent inhibition.

10

15

20

- [1355] Example 422. Tumor Necrosis Factor Assays
- [1356] Cell Culture.
- [1357] The cells used in the assay are the human moncytic line U-937 (ATCC CRL-1593). The cells are grown in RPMI w/10% FCS and PSG supplement (R-10) and are not permitted to overgrow. The assay is carried out as follows:
- [1358] 1. Count, then harvest cells by centrifugation. Resuspend the pellet in R-10 supplement to a concentration of 1.540×10^6 cells/mL.
- [1359] 2. Add test compound in 65 uL R-10 to the appropriate wells of a 96-well flat bottom tissue culture plate. The initial dilution from a DMSO stock (100 mM compound) provides a 400 uM solution, from which five additional three-fold serial dilutions are made. Each dilution of 65 ul (in triplicate) yields final compound test concentrations of 100 μ M, 33.3 μ M, 11.1 μ M, 3.7 μ M, 1.2 μ M and 0.4 μ M.
- [1360] 3. The counted, washed and resuspended cells (200,000 cells/well) in 130 μ L are added to the wells.
- 25 [1361] 4. Incubation is for 45 min to 1 hr at 37°C in 5% CO₂ in a water saturated container.
 - [1362] 5. R-10 (65 uL)containing 160 ng/mL PMA (Sigma) is added to each well.
 - [1363] 6. The test system is incubated at 37°C in 5% CO2 overnight (18-20 hr) under 100% humidity.
- 30 [1364] 7. Supernatant, 150 μL, is carefully removed from each well for use in the ELISA assay.

10

20

25

30

nm.

[1365] 8. For toxicity, a 50 µL aliquot of working solution containg 5 mL R-10, 5 mL MTS solution [CellTiter 96 AQueous One Solution Cell Proliferation Assay Cat.#G358/0,1 (Promega Biotech)] and 250 ul PMS solution are added to each well containing the remaining supernatant and cells and the cells incubated at 37°C in 5% CO₂ until the color develops. The system is excited at 570 nm and read at 630 nm.

[1366] TNF Receptor II ELISA Assay

[1367] 1. Plate 100 µL/well 2 ug/mL mouse anti-human TNFrII antibody (R&D Systems #MAB226) in 1 x PBS (pH 7.1, Gibco) on NUNC-Immuno Maxisorb plate. Incubate the plate at 4°C overnight (about 18-20 hr).

[1368] 2. Wash the plate with PBS-Tween (1 x PBS w/ 0.05% Tween).

[1369] 3. Add 200 μL 5% BSA in PBS and block at 37°C in a water saturated atmosphere for 2 hr.

[1370] 4. Wash the plate with PBS-Tween.

15 [1371] 5. Add sample and controls (100 ul of each) to each well. The standards, are 0, 50, 100, 200, 300 and 500 pg recombinant human TNFrII (R&D Systems #226-B2) in 100 μ L 0.5% BSA in PBS. The assay is linear to between 400-500 pg of standard.

[1372] 6. Incubate at 37°C in a saturated atmosphere for 1.5 hr.

[1373] 7. Wash the plate with PBS-Tween.

[1374] 8. Add 100 µL goat anti-human TNFrII polyclonal (1.5 µg/mL R&D Systems #AB226-PB in 0.5% BSA in PBS).

[1375] 9. Incubate at 37°C in a saturated atmosphere for 1 hr.

[1376] 10. Wash the plate with PBS-Tween.

[1377] 11. Add 100 μ L anti-goat IgG-peroxidase (1:50,000 in 0.5% BSA in PBS, Sigma #A5420).

[1378] 12. Incubate at 37°C in a saturated atmosphere for 1 hr.

[1379] 13. Wash the plate with PBS-Tween.

[1380] 14. Add 10 μ L KPL TMB developer, develop at room temperature (usually about 10 min), then terminate with phosphoric acid and excite at 450 nm and read at 570

[1381] TNFa ELISA Assay.

[1382] Coat Immulon® 2 plates with 0.1 mL/well of 1ug/mL Genzyme mAb in 0.1 M NaHCO3 pH 8.0 buffer overnight (about 18-20 hr) at 4°C, wrapped tightly in Saran® wrap.

[1383] Flick out coating solution and block plates with 0.3 mL/well blocking buffer overnight at 4°C, wrapped in Saran® wrap.

[1384] Wash wells thoroughly 4X with wash buffer and completely remove all wash buffer. Add 0.1 mL/well of either samples or rhTNF α standards. Dilute samples if necessary in appropriate diluant (e.g. tissue culture medium). Dilute standard in same diluant. Standards and samples should be in triplicates.

[1385] Incubate at 37°C for 1 hr in humified container.

[1386] Wash plates as above. Add 0.1 mL/well of 1:200 dilution of Genzyme rabbit anti-hTNFa.

15 [1387] Repeat incubation.

5

10

[1388] Repeat wash. Add 0.1 mL/well of 1 μ g/mL Jackson goat anti-rabbit IgG (H+L)-peroxidase.

[1389] Incubate at 37°C for 30 min.

[1390] Repeat wash. Add 0.1 mL/well of peroxide-ABTS solution.

20 [1391] Incubate at room temperature for 5-20 min.

[1392] Read OD at 405 nm.

[1393] 12 Reagents are:

Genzyme mouse anti-human TNF monoclonal (Cat.# 80-3399-01)

Genzyme rabbit anti-human TNF polyclonal (Cat.#IP-300)

Genzyme recombinant human TNF (Cat.#TNF-H).

Jackson Immunoresearch peroxide-conjugated goat anti-rabbit IgG (H+L)

(Cat.#111-035-144).

Kirkegaard/Perry peroxide ABTS solution (Cat#50-66-01).

30 Immulon 2 96-well microtiter plates.

605

Blocking solution is 1 mg/mL gelatin in PBS with 1X thimerasol. Wash buffer is 0.5 mL Tween[®] 20 in 1 liter of PBS.

[1394] Example 423. In Vitro Aggrecanase Inhibition Analysis

[1395] Assays for measuring the potency (IC₅₀) of a compound toward inhibiting aggrecanase are known in the art.

[1396] One such assay, for example, is reported in European Patent Application Publ. No. EP 1 081 137 A1. In that assay, primary porcine chondrocytes from articular joint cartilage are isolated by sequential trypsin and collagenase digestion followed by collagenase digestion overnight and are plated at 2x10⁵ cells per well into 48 well plates with 5 μCi/ml³⁵S (1000 Ci/mmol) sulphur in type 1 collagen coated plates. Cells are allowed to incorporate label into their proteoglycan matrix (approximately 1 week) at 37°C under an atmosphere of 5% CO₂. The night before initiating the assay, chondrocyte monolayers are washed 2 times in DMEM/1% PSF/G and then allowed to incubate in fresh DMEM/1% FBS overnight. The next morning, chondrocytes are washed once in DMEM/1% PSF/G. The final wash is allowed to sit on the plates in the incubator while making dilutions. Media and dilutions are made as described in the following Table 10:

Table 10

control media	DMEM alone
IL-1 media	DMEM + IL-1 (5ng/ml)

5

10

drug dilutions	Make all compound stocks at 10 mM in DMSO.
	Make a 100 μM stock of each compound in DMEM in 96-well
	plate. Store in freezer overnight.
	The next day, perform serial dilutions in DMEM with IL-1 to 5
	μ M, 500 nM, and 50 nM.
	Aspirate final wash from wells and add 50 μ M of compound from
	above dilutions to 450 μ L of IL-1 media in appropriate wells of
	the 48 well plates.
	Final compound concentrations equal 500 nM, 50 nM, and 5 nM.
	All samples completed in triplicate with control and IL-1 alone on
	each plate.

Plates are labeled and only the interior 24 wells of the plate are used. On one of the plates, several columns are designated as IL-1 (no drug) and control (no IL-1, no drug). These control columns are periodically counted to monitor 35S-proteoglycan release. Control and IL-1 media are added to wells (450 μ L) followed by compound (50 μ L) so as to initiate the assay. Plates are incubated at 37°C with 5% CO₂ atmosphere. At 40-50% release (when CPM from IL-1 media is 4-5 times control media) as assessed by liquid scintillation counting (LSC) of media samples, the assay is terminated (about 9 to about 12 hours). Media is removed from all wells and placed into scintillation tubes. Scintillate is added and radioactive counts are acquired (LSC). To solubilize cell layers, 500 μ L of papain digestion buffer (0.2 M Tris, pH 7.0, 5 mM DTT, and 1 mg/ml papain) is added to each well. Plates with digestion solution are incubated at 60°C overnight. The cell layer is removed from the plates the next day and placed in scintillation tubes. Scintillate is then added, and samples counted (LSC). The percent of released counts from the total present in each well is determined. Averages of the triplicates are made with control background subtracted from each well. The percent of compound inhibition is based on IL-1 samples as 0% inhibition (100% of total counts).

[1397] Another assay for measuring aggrecanase inhibition is reported in WIPO Int'l Publ. No. WO 00/59874. That assay reportedly uses active aggrecanase accumulated in media from stimulated bovine cartilage (BNC) or related cartilage sources and purified

5

10

15

WO 03/091247 PCT/US03/13123

cartilage aggrecan monomer or a fragment thereof as a substrate. Aggrecanase is generated by stimulation of cartilage slices with interleukin-1 (IL-1), tumor necrosis factor alpha (TNF- α), or other stimuli. To accumulate BNC aggrecanase in culture media, cartilage reportedly is first depleted of endogenous aggrecan by stimulation with 500 ng/ml human recombinant IL- β for 6 days with media changes every 2 days. Cartilage is then stimulated for an additional 8 days without media change to allow accumulation of soluble, active aggrecanase in the culture media. To decrease the amounts of matrix metalloproteinases released into the media during aggrecanase accumulation, agents which inhibit MMP-1, -2, -3, and -9 biosynthesis are included during stimulation. This BNC conditioned media containing aggrecanase activity is then used as the source of aggrecanase for the assay. Aggrecanase enzymatic activity is detected by monitoring production of aggrecan fragments produced exclusively by cleavage at the Glu373-Ala374 bond within the aggrecan core protein by Western analysis using the monoclonal antibody, BC-3 (Hughes, et al., *Biochem J*, 306:799-804 (1995)). This antibody reportedly recognizes aggrecan fragments with the N-terminus, 374ARGSVIL, generated upon cleavage by aggrecanase. The BC-3 antibody reportedly recognizes this necepitope only when it is at the N-terminus and not when it is present internally within aggrecan fragments or within the aggrecan protein core. Only products produced upon cleavage by aggrecanase reportedly are detected. Kinetic studies using this assay reportedly yield a Km of 1.5+/-0.35 μ M for aggrecanase. To evaluate inhibition of aggrecanase, compounds are prepared as 10 mM stocks in DMSO, water, or other solvents and diluted to appropriate concentrations in water. Drug (50 μ L) is added to 50 μ L of aggrecanase-containing media and 50 μ L of 2 mg/ml aggrecan substrate and brought to a final volume of 200 μ L in 0.2 M Tris, pH 7.6, containing 0.4 M NaCl and 40 mM CaCl₂. The assay is run for 4 hr at 37°C, quenched with 20 mM EDTA, and analyzed for aggrecanase-generated products. A sample containing enzyme and substrate without drug is included as a positive control and enzyme incubated in the absence of substrate serves as a measure of background. Removal of the glycosaminoglycan side chains from aggrecan reportedly is necessary for the BC-3 antibody to recognize the ARGSVIL epitope on the core protein. Therefore, for analysis of aggrecan fragments generated by cleavage at the Glu373-Ala374 site, proteoglycans and proteoglycan fragments are enzymatically deglycosylated with

5

10

15

20

25

30

(d.)

çŝ

à

WO 03/091247 PCT/US03/13123

chondroitinase ABC (0.1 units/10 μ g GAG) for 2 hr at 37°C and then with keratanase (0.1 units/10 μ g GAG) and keratanase II (0.002 units/10 μ g GAG) for 2 hr at 37°C in buffer containing 50 mM sodium acetate, 0.1 M Tris/HCl, pH 6.5. After digestion, aggrecan in the samples is precipitated with 5 volumes of acetone and resuspended in 30 μ L of Tris glycine SDS sample buffer (Novex) containing 2.5% beta mercaptoethanol. Samples are loaded and then separated by SDS-PAGE under reducing conditions with 4-12% gradient gels, transferred to nitrocellulose and immunolocated with 1:500 dilution of antibody BC3. Subsequently, membranes are incubated with a 1:5000 dilution of goat anti-mouse IgG alkaline phosphatase second antibody and aggrecan catabolites visualized by incubation with appropriate substrate for 10-30 minutes to achieve optimal color development. Blots are quantitated by scanning densitometry and inhibition of aggrecanase determined by comparing the amount of product produced in the presence versus absence of compound.

* * * * * * * * *

15 [1398] The above detailed description of preferred embodiments is intended only to acquaint others skilled in the art with the invention, its principles, and its practical application so that others skilled in the art may adapt and apply the invention in its numerous forms, as they may be best suited to the requirements of a particular use. This invention, therefore, is not limited to the above embodiments, and may be variously modified.

5

We claim:

5

10

15

20

25

1. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$A^1$$
 A^2 E^1 - E^2 - E^3 (1-1); and

as to A^1 and A^2 :

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected R^{χ} substituents; and

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino, R^aR^a-aminoalkyl, R^aR^a-aminoalkoxy, R^aR^a-aminoalkyl(R^a)amino, R^aR^a-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclylalkyl, heterocyclyloxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

5

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

10

Y is selected from the group consisting of:

nitrogen, and carbon bonded to hydrogen, and carbon bonded to R^x; and

E¹ is heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

20

15

 $E^2 \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is selected from the group consisting of halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, hydroxyimino, amino (optionally substituted with up to two substituents independently selected

5

10

15

20

: ': '≚ from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylalkoxyalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

2. A compound or salt thereof according to claim 1, wherein the compoundcorresponds in structure to the following formula:

HO N
$$A^1 A^2$$
 $E^1-E^2-E^3$ (2-1).

3. A compound or salt thereof according to claim 2, wherein the compound corresponds in structure to the following formula:

HO N
$$R^x$$
 $E^1-E^2-E^3$ (3-1).

4. A compound or salt thereof according to claim 3, wherein the compound corresponds in structure to the following formula:

HO N O O O O O
$$E^1-E^2-E^3$$
 (4-1)

5. A compound or salt thereof according to claim 4, wherein the compound corresponds in structure to the following formula:

6. A compound or salt thereof according to claim 3, wherein: the compound corresponds in structure to the following formula:

HO
$$R^{x'}$$
 E^{1} - E^{2} - E^{3} (6-1), and

Rx' is halogen.

7. A compound or salt thereof according to claim 6, wherein the compound corresponds in structure to the following formula:

15

- 8. A compound or salt thereof according to claim 2, wherein Y is nitrogen.
- 9. A compound or salt thereof according to claim 2, wherein Y is carbon bonded to hydrogen.
 - 10. A compound or salt thereof according to claim 2, wherein E² is a bond.
- 11. A compound or salt thereof according to claim 2, wherein A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents.

20 12. A compound or salt thereof according to claim 11, wherein the compound corresponds in structure to a formula selected from the group consisting of:

HO
$$_{H}$$
 $_{CF_{3}}$ $_{H_{2}C}$ $_{CH_{2}}$ $_{F}$ $_{F}$ $_{F}$ $_{CF_{3}}$ $_{CF_{3}}$ $_{CF_{3}}$ $_{CF_{3}}$

HO
$$H_{3}$$
C CH_{3} H_{3} C

13. A compound or salt thereof according to claim 11, wherein the compound corresponds in structure to the following formula:

5

14. A compound or salt thereof according to claim 11, wherein the compound corresponds in structure to the following formula:

10

15. A compound or salt thereof according to claim 2, wherein A¹ and A², together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected R^X substituents.

16. A compound or salt thereof according to claim 15, wherein the compound corresponds in structure to a formula selected from the group consisting of:

HO H (16-1),
$$(16-2)$$
, $(16-2)$, $(16-4)$, $(16-4)$, $(16-5)$, and $(16-6)$.

- 17. A compound or salt thereof according to claim 15, wherein the compound corresponds in structure to the following formula:
 - HO N CF₃

WO 03/091247

18. A compound or salt thereof according to claim 15, wherein the compound corresponds in structure to the following formula:

PCT/US03/13123

5 19. A compound or salt thereof according to claim 15, wherein: the compound corresponds in structure to the following formula:

HO N
$$E^{1}-E^{2}-E^{3}$$
 (19-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

R^X is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl.

20. A compound or salt thereof according to claim 19, wherein E¹ is selected from the group consisting of pyrazinyl, pyrimidinyl pyridazinyl, furanyl, thienyl, pyrrolyl,

10

15

imidazolyl, pyrazolyl, triazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, thiodiazolyl, oxathiazolyl, oxathiazolyl, oxathiazolyl, pyranyl, pyridinyl, triazinyl, tetrazolyl, oxazinyl, azepinyl, and diazepinyl, wherein:

each such substituent is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

- 21. A compound or salt thereof according to claim 20, wherein E¹ is selected from the group consisting of pyrazinyl, pyrimidinyl, pyridazinyl, furanyl, thienyl, pyrrolyl, imidazolyl, pyrazolyl, triazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, thiodiazolyl, oxathiazolyl, oxathiazolyl, pyranyl, pyridinyl, diazinyl, triazinyl, oxazinyl, azepinyl, and diazepinyl.
 - 22. A compound or salt thereof according to claim 21, wherein E¹ is thienyl.
 - 23. A compound or salt thereof according to claim 22, wherein the compound corresponds in structure to a formula selected from the group consisting of:

5

10

15

- 24. A compound or salt thereof according to claim 21, wherein \mathbf{E}^1 is thiazolyl.
- 25. A compound or salt thereof according to claim 24, wherein the compound
 5 corresponds in structure to a formula selected from the group consisting of:

HO N HO N HO N HO N H₃C
$$CH_3$$
 and CH_3 CH_3 CH_3 CCH_3 CC

- 26. A compound or salt thereof according to claim 21, wherein E¹ is pyridinyl.
- 27. A compound or salt thereof according to claim 26, wherein the compound corresponds in structure to a formula selected from the group consisting of:

620

· · n

さいない、と思いて、は、近ば魔者のな魔婦です。 ちょう

28. A compound or salt thereof according to claim 26, wherein the compound corresponds in structure to a formula selected from the group consisting of:

(28-20),

: ;

29. A compound or salt thereof according to claim 26, wherein the compound corresponds in structure to a formula selected from the group consisting of:

WO 03/091247 PCT/US03/13123

30. A compound or salt thereof according to claim 26, wherein the compound corresponds in structure to the following formula:

626

. .

31. A compound or salt thereof according to claim 26, wherein the compound corresponds in structure to the following formula:

5

32. A compound or salt thereof according to claim 26, wherein the compound corresponds in structure to the following formula:

33. A compound or salt thereof according to claim 26, wherein the compound corresponds in structure to the following formula:

34. A compound or salt thereof according to claim 26, wherein the compound corresponds in structure to the following formula:

35. A compound or salt thereof according to claim 26, wherein the compound corresponds in structure to the following formula:

- 36. A compound or salt thereof according to claim 21, wherein E¹ is pyrazinyl.
- 37. A compound or salt thereof according to claim 36, wherein the compound corresponds in structure to the following formula:

10

5

38. A compound or salt thereof according to claim 36, wherein the compound corresponds in structure to a formula selected from the group consisting of:

39. A compound or salt thereof according to claim 36, wherein the compound corresponds in structure to the following formula:

5

40. A compound or salt thereof according to claim 36, wherein the compound corresponds in structure to the following formula:

10

41. A compound or salt thereof according to claim 21, wherein E¹ is pyrimidinyl.

WO 03/091247 PCT/US03/13123

42. A compound or salt thereof according to claim 41, wherein the compound corresponds in structure to the following formula:

5 43. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$A^1$$
 A^2 E^1 - E^2 - E^3 (43-1); and

as to A^1 and A^2 :

A¹ and A², together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\rm X}$ substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents; and

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkoxy, alkoxy, alkoxyalkyl, alkoxyalkoxy,

10

15

Ra-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, RaRa-amino, RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxy, carbocyclyloxy, carbocyclylalkyl, heterocyclylalkyl, heterocyclyloxy,

5 heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

10

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

15

E¹ is heterocyclyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

20

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and E² is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R²)-, -C(O)-N(R²)-, -N(R²)-C(O)-, -C(O)-N(R²)-N(R²)-C(O)-, -S-, -S(O)-, -S(O)2-, -N(R²)-S(O)2-, -S(O)2-N(R²)-, -O-S(O)2-, -S(O)2-O-, -C(NH)-, -C(NOH)-, and a bond;

25 and

E³ is selected from the group consisting of hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

10

15

20

5

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

25

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

WO 03/091247 PCT/US03/13123

44. A compound or salt thereof according to claim 43, wherein the compound corresponds in structure to a formula selected from the group consisting of:

45. A compound or salt thereof according to claim 43, wherein E¹ is heterocyclyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

46. A compound or salt thereof according to claim 45, wherein E³ is selected from the group consisting of hydrogen, halogen, cyano, C₁-C₉-alkyl, C₁-C₉-alkoxy-C₁-C₉-alkyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyl-C₁-C₆-alkyl, phenyl, C₁-C₆-alkylphenyl, C₁-C₆-alkoxyphenyl, phenyl-C₁-C₆-alkyl, heterocyclyl-C₁-C₆-alkyl, C₁-C₆-alkylheterocyclyl, and C₁-C₆-alkoxyheterocyclyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and cyano, and

10

15

すったい いっぱい難能をいる経験にいったい

any heterocyclyl of E^3 has 5 to 10 ring members, and is optionally substituted with up to 2 oxo.

47. A compound or salt thereof according to claim 46, wherein -E²-E³ is selected from the group consisting of hydrogen, halogen, C₁-C₉-alkyl, C₁-C₄-alkoxy, methoxymethoxy, butoxy, butylamino, phenyl, methylphenyl, methoxyphenyl, phenylmethoxy, and phthalimidylbutyl, wherein:

any member of such group optionally is substituted with one or more fluoro.

10

48. A compound or salt thereof according to claim 45, wherein each R^x is independently selected from the group consisting of aldehydo, C₁-C₆-alkyl, C₃-C₆-alkynyl, C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl, C₃-C₆-alkenyloxycarbonyl, C₃-C₆-alkynyloxycarbonyl, amino, amino-C₁-C₆-alkyl, aminocarbonyl, amino-C₁-C₆-alkylcarbonyl, amino(thiocarbonyl), aminosulfonyl, C₁-C₆-alkylaminocarbonyl, C₃-cycloalkyl, C₃-cycloalkyl-C₁-C₆-alkyl, C₃-cycloalkylcarbonyl, phenyl, phenyl-C₁-C₆-alkyl, phenylcarbonyl, phenylsulfonyl, C₁-C₆-alkoxyphenyl, heterocyclyl, heterocyclyl-C₁-C₆-alkyl, heterocyclylcarbonyl, heterocyclylsulfonyl, and C₁-C₆-alkoxyheterocyclyl, wherein:

20

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen,

25

any amino of R^x optionally is substituted with up to 2 independently selected $C_1\text{-}C_6\text{-alkyl}$, and

any heterocyclyl of \mathbb{R}^x has 5 to 10 ring members, and optionally is substituted with up to 2 oxo.

- 49. A compound or salt thereof according to claim 48, wherein R^x is selected from the group consisting of butyl, methoxyethyl, cyclopropyl, methylphenyl, phenylmethyl, pyridinyl, pyrimidinyl, and pyridinylmethyl.
- 50. A compound or salt thereof according to claim 49, wherein R^x is selected from the group consisting of 2-methoxyethyl, pyridinyl, and pyrimidinyl.
 - 51. A compound or salt thereof according to claim 45, wherein the compound corresponds in structure to the following formula:

HO N
$$E^1-E^2-E^3$$
 (51-1).

10

- 52. A compound or salt thereof according to claim 51, wherein A¹ is alkyl.
- 53. A compound or salt thereof according to claim 52, wherein the compound corresponds in structure to the following formula:

- 54. A compound or salt thereof according to claim 45, wherein A¹ and A², together with the carbon to which they are bonded, form cycloalkyl optionally substituted with up to 3 independently selected R^X substituents.
 - 55. A compound or salt thereof according to claim 54, wherein A^1 and A^2 , together with the carbon to which they are bonded, form cyclopentyl.

56. A compound or salt thereof according to claim 55, wherein the compound corresponds in structure to the following formula:

- 5 57. A compound or salt thereof according to claim 54, wherein A¹ and A², together with the carbon to which they are bonded, form cyclohexyl.
 - 58. A compound or salt thereof according to claim 57, wherein the compound corresponds in structure to a formula selected from the group consisting of:

$$HO_{H}$$
 OOO
 OOO
 HO_{H}
 OOO
 OOO
 HO_{H}
 OOO
 O

- 59. A compound or salt thereof according to claim 45, wherein A^1 and A^2 , together with the carbon to which they are bonded, form cycloalkenyl optionally substituted with up to 3 independently selected $R^{\rm X}$ substituents.
- 15 60. A compound or salt thereof according to claim 59, wherein the compound corresponds in structure to the following formula:

WO 03/091247 PCT/US03/13123

61. A compound or salt thereof according to claim 45, wherein: the compound corresponds in structure to the following formula:

HO N
$$E^{1}-E^{2}-E^{3}$$
 (61-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

R^X is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl.

62. A compound or salt thereof according to claim 61, wherein E¹ is selected
20 from the group consisting of pyrazinyl, pyrimidinyl pyridazinyl, furanyl, tetrahydropyranyl, dihydrofuranyl, tetrahydrofuranyl, thienyl, dihydrothienyl, tetrahydrothienyl, pyrrolinyl, pyrrolidinyl, imidazolyl, imidazolyl, imidazolinyl, imidazolyl, imidazolyl, oxazolyl, imidazolyl, pyrazolyl, pyrazolidinyl, triazolyl, tetrazolyl, oxazolyl, isoxazolyl, oxazolyl, isoxazolyl, isothiazolyl, isothiazolyl, isothiazolyl, isothiazolyl, oxatriazolyl, oxa

10

15

一年 参考を表現を表現を表現の

pyranopyrrolyl, 4H-quinolizinyl, purinyl, naphthyridinyl, pyridopyridinyl, pteridinyl, indolyl, isoindolyl, isoindazolyl, benzazinyl, phthalazinyl, quinoxalinyl, quinazolinyl, benzodiazinyl, benzopyranyl, benzothiopyranyl, benzoxazolyl, indoxazinyl, anthranilyl, benzodioxolyl, benzodioxanyl, benzoxadiazolyl, benzofuranyl, isobenzothienyl, benzothiazolyl, benzothiadiazolyl, benzothiadiazolyl, benzotriazolyl, benzoxazinyl, benzisoxazinyl, tetrahydroisoquinolinyl, carbazolyl, xanthenyl, and acridinyl, wherein:

any member of such group is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

15

10

5

63. A compound or salt thereof according to claim 62, wherein E¹ is heterocycloalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

25

20

64. A compound or salt thereof according to claim 62, wherein E¹ is heterocycloalkenyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, oxo, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

30

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

65. A compound or salt thereof according to claim 64, wherein the compound corresponds in structure to the following formula:

5

66. A compound or salt thereof according to claim 62, wherein E¹ is heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

10

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

15 h

67. A compound or salt thereof according to claim 66, wherein E¹ is 5-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

20

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

68. A compound or salt thereof according to claim 67, wherein E¹ is thiazolyl.

69. A compound or salt thereof according to claim 68, wherein the compound corresponds in structure to a formula selected from the group consisting of:

WO 03/091247 PCT/US03/13123

70. A compound or salt thereof according to claim 68, wherein the compound corresponds in structure to a formula selected from the group consisting of:

71. A compound or salt thereof according to claim 68, wherein the compound corresponds in structure to a formula selected from the group consisting of:

HO
$$_{\rm H}$$
 $_{\rm CF_3}$ $_{\rm CH_3}$ $_{\rm CH_3}$

- 72. A compound or salt thereof according to claim 67, wherein E¹ is selected from the group consisting of oxadiazolyl and thiodiazolyl.
 - 73. A compound or salt thereof according to claim 72, wherein the compound corresponds in structure to a formula selected from the group consisting of:

74. A compound or salt thereof according to claim 66, wherein E¹ is a 6-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

75. A compound or salt thereof according to claim 74, wherein E¹ is pyridinyl.

76. A compound or salt thereof according to claim 75, wherein the compound corresponds in structure to a formula selected from the group consisting of:

5

10

. :

(76-23),

The second section of the second

WO 03/091247 PCT/US03/13123

646

. . .

77. A compound or salt thereof according to claim 75, wherein the compound corresponds in structure to a formula selected from the group consisting of:

78. A compound or salt thereof according to claim 75, wherein the compound corresponds in structure to the following formula:

5 79. A compound or salt thereof according to claim 75, wherein the compound corresponds in structure to a formula selected from the group consisting of:

: ;

- 80. A compound or salt thereof according to claim 74, wherein \mathbf{E}^1 is pyrazinyl.
- 81. A compound or salt thereof according to claim 80, wherein the compound
 5 corresponds in structure to a formula selected from the group consisting of:

82. A compound or salt thereof according to claim 80, wherein the compound corresponds in structure to the following formula:

83. A compound or salt thereof according to claim 80, wherein the compound corresponds in structure to the following formula:

84. A compound or salt thereof according to claim 80, wherein the compound corresponds in structure to the following formula:

85. A compound or salt thereof according to claim 74, wherein E^1 is pyrimidinyl.

86. A compound or salt thereof according to claim 85, wherein the compound corresponds in structure to a formula selected from the group consisting of:

87. A compound or salt thereof according to claim 85, wherein the compound corresponds in structure to the following formula:

5 88. A compound or salt thereof according to claim 85, wherein the compound corresponds in structure to the following formula:

89. A compound or salt thereof according to claim 85, wherein the compound corresponds in structure to a formula selected from the group consisting of:

- 90. A compound or salt thereof according to claim 74, wherein E¹ is pyridazinyl.
- 91. A compound or salt thereof according to claim 90, wherein the compound corresponds in structure to a formula selected from the group consisting of:

92. A compound or salt thereof according to claim 90, wherein the compound corresponds in structure to the following formula:

10

93. A compound or salt thereof according to claim 66, wherein E¹ is a multi-ring heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

15

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

94. A compound or salt thereof according to claim 93, wherein the compound corresponds in structure to the following formula:

5 95. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$A^1$$
 A^2 Z^1 Z^2 Z^3 Z^4 Z^2 Z^4 (95-1); and

as to A^1 and A^2 :

A¹ and A², together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected R^{χ} substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, wherein:

20 wherein:

10

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents; and

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkoxy, alkoxyalkyl, alkoxyalkoxy,

- Ra-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, RaRa-amino,
 RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl,
 carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio,
 carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy,
 heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:
- any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:
 - any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and
 - the amino optionally is substituted by up to 2 independently selected alkyl; and
 - Y is selected from the group consisting of nitrogen or carbon bonded to hydrogen; and
 - $E^2 \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$
- E³ is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, and alkoxyalkylthioalkyl, wherein:
 - each member of such group is partially substituted with one or more independently selected halogen; and

15

20

からから 一年本書の一次の

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

96. A compound or salt thereof according to claim 95, wherein -E²-E³ is selected
25 from the group consisting of alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy,
each member of such group is substituted with one or more independently
selected halogen.

15

97. A compound or salt thereof according to claim 96, wherein the compound corresponds in structure to the following formula:

98. A compound or salt thereof according to claim 96, wherein the compound corresponds in structure to the following formula:

- 99. A compound or salt thereof according to claim 95, wherein -E²-E³ is selected 10 from the group consisting of alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

 each such substituent is substituted with trihalomethyl.
 - 100. A compound or salt thereof according to claim 95, wherein -E²-E³ is selected from the group consisting of haloalkyl, haloalkoxy, halo-substituted alkoxyalkyl, and halo-substituted alkoxyalkoxy, wherein:

each member of such group is substituted with trihalomethyl.

- 101. A compound or salt thereof according to claim 95, wherein E³ comprises a carbon bonded to at least one halo and at least one hydrogen.
- 102. A compound or salt thereof according to claim 95, wherein -E²-E³ is selected from the group consisting of alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

15

each member of such group is substituted with one or more halogen independently selected from the group consisting of chloro and fluoro.

103. A compound or salt thereof according to claim 95, wherein -E²-E³ is selected from the group consisting of haloalkyl, haloalkoxy, halo-substituted alkoxyalkyl, and halo-substituted alkoxyalkoxy, wherein:

each member of such group is substituted with trifluoromethyl.

104. A compound or salt thereof according to claim 95, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 (104-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl.

25

20

15

- 105. A compound or salt thereof according to claim 104, wherein -E²-E³ is selected from the group consisting of alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:
- each member of such group is substituted with fluoro.
- 106. A compound or salt thereof according to claim 104, wherein -E²-E³ is selected from the group consisting of alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:
- each member of such group is substituted with trifluoromethyl.
 - 107. A compound or salt thereof according to claim 106, wherein the compound corresponds in structure to a formula selected from the group consisting of:

The state of the second of the

108. A compound or salt thereof according to claim 106, wherein the compound corresponds in structure to the following formula:

109. A compound or salt thereof according to claim 106, wherein the compound corresponds in structure to the following formula:

5 110. A compound or salt thereof according to claim 106, wherein the compound corresponds in structure to the following formula:

111. A compound or salt thereof according to claim 106, wherein the compound corresponds in structure to the following formula:

112. A compound or salt thereof according to claim 106, wherein the compound corresponds in structure to the following formula:

113. A compound or salt thereof according to claim 106, wherein the compound corresponds in structure to the following formula:

5 114. A compound or salt thereof according to claim 106, wherein the compound corresponds in structure to the following formula:

115. A compound or salt thereof according to claim 104, wherein -E²-E³ is selected from the group consisting of fluoroalkyl, fluoroalkoxy, fluoro-substituted alkoxyalkyl, and fluoro-substituted alkoxyalkoxy, wherein:

each member of such group is substituted with trifluoromethyl.

116. A compound or salt thereof according to claim 115, wherein the
 15 compound corresponds in structure to a formula selected from the group consisting of the following:

117. A compound or salt thereof according to claim 115, wherein the compound corresponds in structure to the following formula:

5

118. A compound or salt thereof according to claim 115, wherein the compound corresponds in structure to the following formula:

119. A compound or salt thereof according to claim 115, wherein the compound corresponds in structure to the following formula:

5 120. A compound or salt thereof according to claim 115, wherein the compound corresponds in structure to the following formula:

121. A compound or salt thereof according to claim 104, wherein E³ comprises

10 a carbon bonded to at least one fluoro and at least one hydrogen.

122. A compound or salt thereof according to claim 121, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

HO
$$_{\rm H}$$
 $_{\rm H}$ $_{\rm CF_2H}$ $_{\rm HO}$ $_{\rm H}$ $_{\rm CF_2H}$ $_{$

123. A compound or salt thereof according to claim 121, wherein the compound corresponds in structure to the following formula:

PCT/US03/13123

5 124. A compound or salt thereof according to claim 121, wherein the compound corresponds in structure to the following formula:

125. A compound or salt thereof according to claim 121, wherein the compound corresponds in structure to the following formula:

・ このから、その後、金融が生ませば繊維を持ち、 ここのでき

126. A compound or a salt thereof, wherein:

the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 (126-1); and

as to A^1 and A^2 :

5

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents, or

 A^1 and A^2 are independently selected as follows:

10

A¹ is selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

15

any member of such group optionally is substituted with up

to 3 independently selected RX substituents, and

20

A² is selected from the group consisting of alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclyloxyalkyl,

carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylthioalkyl,

carbocyclylalkylthioalkyl, heterocyclyl, heterocyclylalkyl,

heterocyclylalkenyl, heterocyclylalkynyl, heterocyclyloxyalkyl,

heterocyclylalkoxyalkyl, heterocyclylalkylthio, heterocyclylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents; and

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino, R^aR^a-aminoalkyl, R^aR^a-aminoalkoxy, R^aR^a-aminoalkyl(R^a)amino, R^aR^a-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

Y is selected from the group consisting of nitrogen and a carbon bonded to hydrogen; and

 $E^2 \ \text{is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-,} \\ -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, \\ -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, \\ -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, \\ -N(R^a)-, -N(R^a)-, -N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, \\ -N(R^a)-, -N(R^a)-,$

 $-N(R^a)-S(O)_2-$, $-S(O)_2-N(R^a)-$, $-O-S(O)_2-$, $-S(O)_2-O-$, -C(NH)-, -C(NOH)-, and a bond; and

E³ is selected from the group consisting of carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy,

669

15

20

25

cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

5

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylsulfonylalkyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylsulfonyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylsulfonylalkyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

20

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

25

Z¹ and Z³ are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

 Z^2 and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

the alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

the alkyl and alkoxy comprise at least two carbons and/or are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

127. A compound or salt thereof according to claim 126, wherein A¹ and A² are independently selected from the group consisting of alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkylthio, heterocyclylalkynyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{x}}$ substituents.

128. A compound or salt thereof according to claim 126, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^2 (128-1); and

25

5

10

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl.

15

5

129. A compound or salt thereof according to claim 128, wherein E³ is selected from the group consisting of carbocyclyl and carbocyclylalkyl, wherein:

the carbocyclyl and carbocyclylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

25

20

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

130. A compound or salt thereof according to claim 129, wherein E³ is selected 30 from the group consisting of cycloalkyl and cycloalkylalkyl, wherein:

5

10

the cycloalkyl and cycloalkylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

131. A compound or salt thereof according to claim 130, wherein the compound corresponds in structure to a formula selected from the group consisting of:

132. A compound or salt thereof according to claim 129, wherein E³ is selected from the group consisting of aryl and arylalkyl, wherein:

the aryl and arylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy,

cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

5

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

10

133. A compound or salt thereof according to claim 132, wherein the compound corresponds in structure to a formula selected from the group consisting of:

5

10

134. A compound or salt thereof according to claim 126, wherein E³ is selected from the group consisting of heteroaryl and heteroarylalkyl, wherein:

the heteroaryl and heteroarylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

15 135. A compound or salt thereof according to claim 134, wherein the compound corresponds in structure to the following formula:

136. A compound or salt thereof according to claim 134, wherein the compound corresponds in structure to a formula selected from the group consisting of:

137. A compound or salt thereof according to claim 126, wherein E³ is selected from the group consisting of heterocycloalkyl and heterocycloalkylalkyl, wherein:

the heterocycloalkyl and heterocycloalkylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

5

138. A compound or salt thereof according to claim 137, wherein the compound corresponds in structure to a formula selected from the group consisting of:

10

139. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 (139-1); and

as to A^1 and A^2 :

15

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents, or

20

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl,

carbocyclylalkylthioalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

5

15

20

25

9.5

. 1

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{x}}$ substituents; and

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkoxyl, alkoxyl, alkoxylkyl, alkoxylkyl, alkoxylkyl, alkoxylkyl, alkoxylkyl, alkoxylkyl, alkylyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino,

10 RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy, heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl; and

Y is selected from the group consisting of nitrogen and carbon bonded to hydrogen; and

 $E^2 \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is selected from the group consisting cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, wherein:

the alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkoxyalkyl, and alkoxyalkylthioalkyl are substituted with one or more cyano; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

140. A compound or salt thereof according to claim 139, wherein E² is a bond.

5

10

15

20

25

141. A compound or salt thereof according to claim 139, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 (141-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

 R^{X} is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^{a} -oxyalkyl, alkylsulfonyl, $R^{a}R^{a}$ -aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl.

142. A compound or salt thereof according to claim 141, wherein $-E^2-E^3$ is 20 cyanoaryl.

5

10

143. A compound or salt thereof according to claim 142, wherein the compound corresponds in structure to the following formula:

- 5 144. A compound or salt thereof according to claim 141, wherein -E²-E³ is cyano.
 - 145. A compound or salt thereof according to claim 144, wherein the compound corresponds in structure to the following formula:

10

146. A compound or salt thereof according to claim 144, wherein the compound corresponds in structure to the following formula:

15

147. A compound or salt thereof according to claim 141, wherein E³ is cyanoalkyl.

148. A compound or salt thereof according to claim 147, wherein the compound corresponds in structure to a formula selected from the group consisting of:

- 149. A compound or a salt thereof, wherein:
- the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 (149-1); and

R^x is selected from the group consisting of R^c-oxyalkyl, R^cR^c-aminoalkyl, carbocyclyl, carbocyclylalkyl, and carbocyclylsulfonyl, wherein:

the carbocyclyl and the carbocyclyl of the carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, and carbocyclylsulfonyl are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

5

5

10

15

20

25

30

174 年 位 16克勒斯特 等于50金数 500 100 100 100

a missistem . .

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

Y is selected from the group consisting of nitrogen and carbon bonded to hydrogen; and

 $E^2 \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is selected from the group consisting of hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such gruop optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkyl,

heterocyclylalkoxyalkyl, heterocyclylthioalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminoalkyl, aminoalkyl, aminoalkyl, aminoalkyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

5

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

10

each R^c is independently selected from the group consisting of carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, and carbocyclylsulfonylalkyl, wherein:

15

the carbocyclyl and the carbocyclyl of the carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, and carbocyclylsulfonylalkyl are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

20

 Z^1, Z^2, Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

25

30

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

150. A compound or salt thereof according to claim 149, wherein:

R^x is selected from the group consisting of R^c-oxyalkyl, R^cR^c-aminoalkyl, phenyl, phenylalkyl, and phenylsulfonyl, wherein:

the phenyl and the phenyl of the phenylalkyl, phenyloxy, phenyloxyalkoxy, phenylthio, and phenylsulfonyl are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

5

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

10

each R° is independently selected from the group consisting of phenyl, phenylalkyl, phenylalkyl, phenylalkoxyalkyl, phenylthioalkyl, phenylthioalkyl, phenylsulfonyl, and phenylsulfonylalkyl, wherein:

15

the phenyl and the phenyl of the phenylalkyl, phenyloxyalkyl, phenylalkoxyalkyl, phenylthioalkyl, phenylthioalkenyl, phenylsulfoxidoalkyl, phenylsulfonyl, and phenylsulfonylalkyl are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, and nitroso.

20

151. A compound or salt thereof according to claim 150, wherein R^X is phenyl substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, C₁-C₆-alkyl, C₁-C₆-alkoxy, C₁-C₆-alkoxy-C₁-C₆-alkoxy, wherein:

25

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected C_1 - C_6 -alkyl.

30

152. A compound or salt thereof according to claim 151, wherein R^X is phenyl substituted with one or more substituents independently selected from the group consisting

of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, C_1 - C_2 -alkyl, C_1 - C_2 -alkoxy, C_1 - C_2 -alkoxy- C_1 - C_2 -alkoxy- C_1 - C_2 -alkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected $C_1\text{-}C_2\text{-alkyl}$.

153. A compound or salt thereof according to claim 152, wherein the compound corresponds in structure to a formula selected from the group consisting of:

)

(153-5),

HO N N N N CH₃

(153-7),

HO

HO

CH₃

(153-9),

HO N O CH₃
(153-11),

154. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 Z^2 (154-1); and

 R^{x1} is selected from the group consisting of -C(O)-, -C(S)-, -C(NR^b)-, and -S(O)₂-; and

R^b is selected from the group consisting of hydrogen and hydroxy; and Rx2 is selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, RaRa-amino, RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino,

5

carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, heterocyclyl, heterocyclyloxy, and heterocyclyloxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy; and

Y is selected from the group consisting of nitrogen and carbon bonded to hydrogen; and

 $E^2 \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is selected from the group consisting of hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl,

5

10

15

20

25

10

20

25

30

alkylthioalkenyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

15 Z¹, Z², Z³, and Z⁴ are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

155. A compound or salt thereof according to claim 154, wherein -E²-E³ is selected from the group consisting of n-pentyl and n-butoxy, wherein:

the n-pentyl and n-butoxy optionally are substituted with one or more fluoro.

156. A compound or salt thereof according to claim 154, wherein R^{x2} is selected from the group consisting of hydrogen, amino, alkyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, alkenyloxy, alkynyloxy, aminoalkyl, cycloalkyl, aryl, heterocycloalkyl, and heteroaryl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl, and

the amino optionally is substituted with up to two substituents independently selected from the group consisting of alkyl and alkoxyalkyl.

157. A compound or salt thereof according to claim 156, wherein the compound corresponds in structure to the following formula:

HO N
$$E^2-E^3$$
 (157-1).

10

5

158. A compound or salt thereof according to claim 157, wherein the compound corresponds in structure to a formula selected from the group consisting of:

159. A compound or salt thereof according to claim 157, wherein R^{x2} is heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl.

160. A compound or salt thereof according to claim 159, wherein the compound corresponds in structure to the following formula:

161. A compound or salt thereof according to claim 156, wherein the compound corresponds in structure to the following formula:

HO N
$$E^2$$
- E^3 (161-1).

162. A compound or salt thereof according to claim 161, wherein the compound corresponds in structure to the following formula:

15

163. A compound or salt thereof according to claim 156, wherein the compound corresponds in structure to the following formula:

5 164. A compound or salt thereof according to claim 163, wherein the compound corresponds in structure to the following formula:

165. A compound or salt thereof according to claim 156, wherein the compound corresponds in structure to the following formula:

166. A compound or salt thereof according to claim 165, wherein the compound corresponds in structure to a formula selected from the group consisting of:

694

. ;

4

°CH₃

(166-26), and

167. A compound or salt thereof according to claim 156, wherein R^{x2} is selected from the group consisting of cycloalkyl and aryl, wherein:

the cycloalkyl and aryl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl.

168. A compound or salt thereof according to claim 167, wherein the compound corresponds in structure to a formula selected from the group consisting of:

10

15

5

169. A compound or salt thereof according to claim 156, wherein R^{x2} is selected from the group consisting of heterocycloalkyl and heteroaryl, wherein:

the heterocycloalkyl and heteroaryl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, oxo, hydroxy, and alkyl.

170. A compound or salt thereof according to claim 169, wherein the compound corresponds in structure to a formula selected from the group consisting of:

171. A compound or a salt thereof, wherein:

the compound corresponds in structure to the following formula:

HO N
$$Z^3$$
 Z^2 Z^4 Z^2 Z^3 Z^4 Z^2 (171-1); and

5 as to A^1 and A^2 :

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected R^χ substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl,

carbocyclylalkylthioalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkenyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

5

any member of such group optionally is substituted with up to 3 independently selected R^χ substituents; and

each R^{X} is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^{a} -oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, $R^{a}R^{a}$ -amino,

10 RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy, heterocyclyloxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

20

25

30

15

the amino optionally is substituted by up to 2 independently selected alkyl; and

 $E^2 \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is selected from the group consisting of hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

5

10

15

20

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and at least one of Z^1 , Z^2 , Z^3 , Z^4 , and $-E^2-E^3$ is halogen.

5

10

172. A compound or salt thereof according to claim 171, wherein E³ is selected from the group consisting of hydrogen, halogen, cyano, C₁-C₉-alkyl, C₁-C₉-alkyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyl-C₁-C₆-alkyl, phenyl, C₁-C₆-alkylphenyl, C₁-C₆-alkoxyphenyl, phenyl-C₁-C₆-alkyl, heterocyclyl-C₁-C₆-alkyl, C₁-C₆-alkylheterocyclyl, and C₁-C₆-alkoxypherocyclyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and cyano, and

any heterocyclyl of E^3 has 5 to 10 ring members, and is optionally substituted with up to 2 oxo.

15

173. A compound or salt thereof according to claim 172, wherein $-E^2-E^3$ is selected from the group consisting of butyl, pentyl, ethoxy, propoxy, methoxyethoxy, cyclobutyloxy, butoxy, trifluoromethylpropoxy, cyclopropylmethoxy, and phenyl.

20

174. A compound or salt thereof according to claim 171, wherein R^x is selected from the group consisting of aldehydo, C₁-C₆-alkyl, C₃-C₆-alkynyl, C₁-C₆-alkylcarbonyl, C₁-C₆-alkoxycarbonyl, C₃-C₆-alkenyloxycarbonyl, C₃-C₆-alkynyloxycarbonyl, amino, amino-C₁-C₆-alkyl, aminocarbonyl, amino-C₁-C₆-alkylcarbonyl, amino(thiocarbonyl), aminosulfonyl, C₁-C₆-alkylaminocarbonyl, C₃-cycloalkyl, C₃-cycloalkyl-C₁-C₆-alkyl, C₃-cycloalkylcarbonyl, phenyl, phenyl-C₁-C₆-alkyl, phenylcarbonyl, phenylsulfonyl, C₁-C₆-alkoxyphenyl, heterocyclyl-C₁-C₆-alkyl, heterocyclylcarbonyl, heterocyclylsulfonyl, and C₁-C₆-alkoxyheterocyclyl, wherein:

30

25

÷

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen,

any amino of R^x optionally is substituted with up to 2 independently selected C_1 - C_6 -alkyl, and

- any heterocyclyl of R^x has 5 to 10 ring members, and optionally is substituted with up to 2 oxo.
- 175. A compound or salt thereof according to claim 174, wherein R^x is selected from the group consisting of butyl, methoxyethyl, cyclopropyl, methylphenyl, phenylmethyl, pyridinyl, and pyridinylmethyl.
 - 176. A compound or salt thereof according to claim 171, wherein $-E^2-\dot{E}^3$ is halogen.
- 15 177. A compound or salt thereof according to claim 176, wherein the compound corresponds in structure to the following formula:

- 178. A compound or salt thereof according to claim 171, wherein at least one of Z^1 , Z^2 , Z^3 , and Z^4 is halogen.
 - 179. A compound or salt thereof according to claim 178, wherein Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of halogen and hydrogen.

180. A compound or salt thereof according to claim 179, wherein Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of fluoro, chloro, and hydrogen.

- 181. A compound or salt thereof according to claim 180, wherein Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of fluoro and hydrogen.
- 182. A compound or salt thereof according to claim 179, wherein A¹ and A², together with the carbon to which they are bonded, form heterocycloalkyl optionally substituted with up to 3 independently selected R^X substituents.
 - 183. A compound or salt thereof according to claim 182, wherein the compound corresponds in structure to the following formula:

15

5

10

184. A compound or salt thereof according to claim 179, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 (184-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and

20 $-S(O)_2$ -; and

RX is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl,

R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl.

185. A compound or salt thereof according to claim 184, wherein at least 2 of Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen.

186. A compound or salt thereof according to claim 185, wherein: three of Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen; and one of Z^1 , Z^2 , Z^3 , and Z^4 is halogen.

187. A compound or salt thereof according to claim 186, wherein: the compound corresponds in structure to the following formula:

HO N
$$E^2$$
- E^3 (187-1), and

Z¹ is halogen.

5

10

15

188. A compound or salt thereof according to claim 187, wherein the compound corresponds in structure to a formula selected from the group consisting of:

189. A compound or salt thereof according to claim 187, wherein the compound corresponds in structure to the following formula:

5

190. A compound or salt thereof according to claim 187, wherein the compound corresponds in structure to the following formula:

10

191. A compound or salt thereof according to claim 186, wherein: the compound corresponds in structure to the following formula:

HO N
$$\mathbb{Z}^2$$
 $\mathbb{E}^2 \cdot \mathbb{E}^3$ (191-1); and

Z² is halogen.

192. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to a formula selected from the group consisting of:

193. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to a formula selected from the group consisting of:

5

194. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to a formula selected from the group consisting of:

5 195. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to the following formula:

196. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to the following formula:

197. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to the following formula:

5 198. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to the following formula:

199. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to the following formula:

200. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to the following formula:

5 201. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to the following formula:

202. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to a formula selected from the group consisting of:

(202-3).

203. A compound or salt thereof according to claim 191, wherein the compound corresponds in structure to the following formula:

- 5 204. A compound or salt thereof according to claim 185, wherein: two of Z^1 , Z^2 , Z^3 , and Z^4 are hydrogen; and two of Z^1 , Z^2 , Z^3 , and Z^4 are halogen.
- 205. A compound or salt thereof according to claim 204, wherein:
 the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 E^2-E^3 (205-1), and

 Z^1 and Z^2 are independently selected halogen.

206. A compound or salt thereof according to claim 204, wherein:

the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 E^2 - E^3 (206-1), and

 Z^1 and Z^3 are independently selected halogen.

207. A compound or salt thereof according to claim 204, wherein: the compound corresponds in structure to the following formula:

HO N
$$E^2-E^3$$
 (207-1), and

 Z^2 and Z^4 are independently selected halogen.

5

208. A compound or salt thereof according to claim 207, wherein the compound corresponds in structure to the following formula:

10 209. A compound or a salt thereof, wherein:

the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 Z^2 (209-1); and

as to A^1 and A^2 :

A¹ and A², together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

5

10

20

25

11

Sales Contraction

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected R^X substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 $independently \ selected \ R^{\chi} \ substituents; \ and$

each R^X is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy,

Ra-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, RaRa-amino,
RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl,
carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio,
carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy,
heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl; and

 $E^2 \text{ is selected from the group consisting of -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, and -C(NOH)-; and$

E³ is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylsulfonylalkyl, carbocyclyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

5

10

15

20

25

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

Z¹, Z², Z³, and Z⁴ are independently selected from the group consisting of
 hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

10210. A compound or salt thereof according to claim 209, wherein:

the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^4 Z^2 (210-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

20

the amino optionally is substituted by up to 2 independently selected alkyl.

- 211. A compound or salt thereof according to claim 210, wherein E³ is selected from the group consisting of hydrogen, C₁-C₉-alkyl, C₁-C₉-alkoxy-C₁-C₉-alkyl, C₃-C₆-cycloalkyl, C₃-C₆-cycloalkyl-C₁-C₆-alkyl, phenyl, C₁-C₆-alkylphenyl, C₁-C₆-alkoxyphenyl, phenyl-C₁-C₆-alkyl, heterocyclyl-C₁-C₆-alkyl, C₁-C₆-alkylheterocyclyl, and C₁-C₆-alkoxyheterocyclyl, wherein:
- any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and cyano, and

any heterocyclyl of E^3 has 5 to 10 ring members, and is optionally substituted with up to 2 oxo.

- 212. A compound or salt thereof according to claim 210, wherein E² is -S-.
- 213. A compound or salt thereof according to claim 212, wherein the compound corresponds in structure to a formula selected from the group consisting of:

- 214. A compound or salt thereof according to claim 210, wherein E² is -S(O)₂-.
- 215. A compound or salt thereof according to claim 214, wherein the compound corresponds in structure to the following formula:

216. A compound or salt thereof according to claim 214, wherein the compound corresponds in structure to the following formula:

217. A compound or salt thereof according to claim 210, wherein E² is -C(O)-.

218. A compound or salt thereof according to claim 217, wherein the compound corresponds in structure to a formula selected from the group consisting of:

- 219. A compound or salt thereof according to claim 210, wherein E^2 is 5 $\,$ -O-S(O)2-.
 - 220. A compound or salt thereof according to claim 219, wherein the compound corresponds in structure to the following formula:

10

221. A compound or salt thereof according to claim 210, wherein E^2 is -C(O)-N(H)-.

222. A compound or salt thereof according to claim 221, wherein the compound corresponds in structure to the following formula:

5 223. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 (223-1); and

as to A^1 and A^2 :

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected R^χ substituents, or

· ...

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, heterocyclylalkynyl, heterocyclylalkylthioalkyl, wherein:

10

15

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{x}}$ substituents; and

each R^X is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy,

Ra-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, RaRa-amino, RaRa-aminoalkyl, RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy, heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl; and

 $E^{2} \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^{a})-, -C(O)-N(R^{a})-, -N(R^{a})-C(O)-, -C(O)-N(R^{a})-N(R^{a})-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^{a})-S(O)₂-, -S(O)₂-N(R^{a})-, -O-S(O)₂-, -S(O)₂-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is selected from the group consisting of halogen, cyano, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and

30

25

10

15

carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylsulfonylalkyl, carbocyclyl, earbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylalkoxyalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

30 224. A compound or salt thereof according to claim 223, wherein E³ is alkoxyalkyl.

5

10

15

20

225. A compound or salt thereof according to claim 224, wherein $-E^2-E^3$ is alkoxyalkyl.

226. A compound or salt thereof according to claim 225, wherein the compound corresponds in structure to a formula selected from the group consisting of:

227. A compound or a salt thereof, wherein:

the compound corresponds in structure to the a formula selected from the group consisting of:

HO N
$$A^1A^2$$
 Z^1 Z^2 CH_3 Z^3 Z^4 CH_3 and Z^3 Z^4 Z^2 CH_3 Z^3 Z^4 Z^2 CH_3 Z^3 Z^4 Z^2 Z^4 Z^2 Z^4 Z^2 Z^3 Z^4 Z^3 Z^4 Z^3 Z^4 Z^4 Z^2 Z^4 Z^4 Z^2 Z^4 Z^4 Z^2 Z^4 Z^4

as to A^1 and A^2 :

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents, or

to 3 independently selected R^x substituents, or

 A^1 and A^2 are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl,

15

5

carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $R^{\rm X}$ substituents; and

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino, R^aR^a-aminoalkyl, R^aR^a-aminoalkoxy, R^aR^a-aminoalkyl(R^a)amino, R^aR^a-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxy, carbocyclyloxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy,

heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfoxidoalkyl,

5

10

15

20

25

heterocyclylsulfonyl, heterocyclylsulfonylalkyl, aminoalkyl, aminoalkyl, aminoalkyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

228. A compound or salt thereof according to claim 227, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 CH_3 Z^3 Z^4 $(228-1)$; and

A is selected from the group consisting of -O-, -N(H)-, -N(R x)-, -S-, -S(O)-, and -S(O)₂-; and

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

5

10

15

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl.

229. A compound or salt thereof according to claim 228, wherein the compound corresponds in structure to the following formula:

230. A compound or salt thereof according to claim 227, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^3$$
 Z^4 Z^2 CH_3 Z^4 (230-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

15

10

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl.

231. A compound or salt thereof according to claim 230, wherein the compound corresponds in structure to the following formula:

232. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 (232-1); and

as to A^1 and A^2 :

20

5

A¹ and A², together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\rm X}$ substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, heterocyclylalkynyl, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected R^{χ} substituents; and

• ...

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino, R^aR^a-aminoalkyl, R^aR^a-aminoalkoxy, R^aR^a-aminoalkyl(R^a)amino, R^aR^a-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy, heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl; and

30

25

5

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and at least one of Z^1 , Z^2 , Z^3 , and Z^4 is not hydrogen.

5

10

15

233. A compound or salt thereof according to claim 232, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 (233-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

. (*)

the amino optionally is substituted by up to 2 independently selected alkyl.

5

10

234. A compound or salt thereof according to claim 233, wherein the compound corresponds in structure to the following formula:

(234-2), and

235. A compound or a salt thereof, wherein:

the compound corresponds in structure to the following formula:

HO N
$$Z^3$$
 Z^2 Z^3 Z^4 Z^2 (235-1); and

 A^1 and A^2 , together with the carbon to which they are bonded, form carbocyclyl optionally substituted with up to 3 independently selected R^{χ} substituents; and

each R^X is independently selected from the group consisting of halogen, cyano, 10 hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkoxy, alkoxyalkyl, alkoxyalkoxy,

Ra-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, RaRa-amino, RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclyloxy,

5 heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

 $E^2 \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is selected from the group consisting of hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

A 13.

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of

30

10

15

20

halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfoxyalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxyalkyl, heterocyclylsulfoxyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

25

20

5

10

15

236. A compound or salt thereof according to claim 235, wherein A^1 and A^2 , together with the carbon to which they are bonded, form cycloalkyl optionally substituted with up to 3 independently selected R^X substituents.

237. A compound or salt thereof according to claim 236, wherein the compound corresponds in structure to the following formula:

5 238. A compound or salt thereof according to claim 236, wherein the compound corresponds in structure to the following formula:

239. A compound or a salt thereof, wherein:

the compound corresponds in structure to the following formula:

HO N
$$E^2$$
- E^3 (239-1); and

ş'.

 $E^2 \text{ is selected from the group consisting of: -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, and -C(NOH)-; and$

E³ is selected from the group consisting of alkyl and alkoxyalkyl; and each R³ is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl,

10

15

carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylthioalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminoalkyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

240. A compound or salt thereof according to claim 239, wherein the compound corresponds in structure to a formula selected from the group consisting of:

15

5

241. A compound or salt thereof according to claim 239, wherein the compound corresponds in structure to the following formula:

5 242. A compound or salt thereof according to claim 239, wherein the compound corresponds in structure to the following formula:

243. A compound or a salt thereof, wherein:

the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 (243-1); and

A is selected from the group consisting of -S-, -S(O)-, and -S(O) $_2$ -; and

E² is selected from the group consisting of: -O-, -C(O)-, -C(O)-, -O-C(O)-,

 $-N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -S(O)-, -S(O)_2-, -S(O)-, -S(O)_2-, -S(O)-, -S(O)_2-, -S(O)-, -S(O)_2-, -S$

15 $-N(R^a)-S(O)_2-$, $-S(O)_2-N(R^a)-$, $-O-S(O)_2-$, $-S(O)_2-O-$, -C(NH)-, -C(NOH)-, and a bond; and

E³ is selected from the group consisting of hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

5

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

10

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

15

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfoxyalkyl, heterocyclylsulfonyl, carbocyclylsulfoxyalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxyalkyl, heterocyclylsulfoxyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

25

20

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

- 244. A compound or salt thereof according to claim 243, wherein A is -S-.
- 10 245. A compound or salt thereof according to claim 244, wherein the compound corresponds in structure to the following formula:

246. A compound or salt thereof according to claim 243, wherein A is -S(O)₂-.

£ 64.

÷+

247. A compound or salt thereof according to claim 246, wherein the compound corresponds in structure to the following formula:

5

248. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^4 Z^4 (248-1); and

RX is selected from the group consisting of Rc-oxyalkyl, RcRc-aminoalkyl,

R^cR^c-aminosulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more

substituents independently selected from the group consisting of halogen, hydroxy,

cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl,

alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

 $E^2 \text{ is selected from the group consisting of: -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is selected from the group consisting of hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally

5

10

15

20

substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxyalkyl, heterocyclylsulfoxyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

each R° is independently selected from the group consisting of heterocyclyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

5

10

15

20

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

249. A compound or salt thereof according to claim 248, wherein R^x is selected from the group consisting of heterocyclyl, heterocyclyl-C₁-C₆-alkyl, heterocyclylcarbonyl, heterocyclylsulfonyl, and C₁-C₆-alkoxyheterocyclyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen,

any heterocyclyl of R^x has 5 to 10 ring members, and optionally is substituted with up to 2 oxo.

250. A compound or salt thereof according to claim 249, wherein R^x is
heteroaryl optionally substituted with one or more substituents independently selected
from the group consisting of halogen, cyano, hydroxy, C₁-C₆-alkyl, and C₁-C₆-alkoxy,
wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen.

25

5

10

- 251. A compound or salt thereof according to claim 250, wherein R^x is a 5-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy, wherein:
- the alkyl and alkoxy are optionally substituted with one or more independently selected halogen.

252. A compound or salt thereof according to claim 251, wherein the compound corresponds in structure to a formula selected from the group consisting of:

253. A compound or salt thereof according to claim 250, wherein R^x is a 6-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen.

254. A compound or salt thereof according to claim 253, wherein the heteroaryl of R^x has 1 or 2 nitrogen ring members, with the remaining ring members being carbon.

15

5

255. A compound or salt thereof according to claim 254, wherein the compound corresponds in structure to a formula selected from the group consisting of:

256. A compound or salt thereof according to claim 250, wherein R^x is a 9- or 10-member heteroaryl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen.

257. A compound or salt thereof according to claim 256, wherein the compound corresponds in structure to a formula selected from the group consisting of:

10

5

258. A compound or salt thereof according to claim 249, wherein R^x is heterocycloalkylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy, wherein:

(257-3).

15

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen.

259. A compound or salt thereof according to claim 258, wherein R^x is heterocycloalkylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C_1 - C_6 -alkyl, and C_1 - C_6 -alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen, and

the heterocycloalkyl of the heterocycloalkylalkyl has 5 ring members.

10 260. A compound or salt thereof according to claim 259, wherein the compound corresponds in structure to the following formula:

261. A compound or salt thereof according to claim 258, wherein R^x is

15 heterocycloalkylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen, and

the heterocycloalkyl of the heterocycloalkylalkyl has 6 ring members.

20

262. A compound or salt thereof according to claim 261, wherein the compound corresponds in structure to a formula selected from the group consisting of:

263. A compound or salt thereof according to claim 249, wherein R^x is

heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen, and

the heteroaryl of the heteroarylalkyl has 5 ring members.

264. A compound or salt thereof according to claim 263, wherein the compound corresponds in structure to a formula selected from the group consisting of:

265. A compound or salt thereof according to claim 249, wherein R^x is

heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen, and

the heteroaryl of the heteroarylalkyl has 6 ring members.

266. A compound or salt thereof according to claim 265, wherein the compound corresponds in structure to a formula selected from the group consisting of:

267. A compound or salt thereof according to claim 249, wherein R^x is

5 heteroarylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, cyano, hydroxy, oxo, C₁-C₆-alkyl, and C₁-C₆-alkoxy, wherein:

the alkyl and alkoxy are optionally substituted with one or more independently selected halogen, and

the heteroaryl of the heteroarylalkyl has from 9 to 10 ring members.

268. A compound or salt thereof according to claim 267, wherein the compound corresponds in structure to a formula selected from the group consisting of:

269. A compound or a salt thereof, wherein:

the compound corresponds in structure to a formula selected from the group consisting of:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^4 Z^2 Z^3 Z^4 Z^4

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, R^c-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, cycloalkylalkyl, carbocyclylsulfonyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

15

10

the amino optionally is substituted by up to 2 independently selected alkyl; and

 $E^2 \text{ is selected from the group consisting of: -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is selected from the group consisting of hydrogen, halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

20

25

30

5

10

15

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfoxyalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxyalkyl, heterocyclylsulfoxyalkyl, heterocyclylsulfoxyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

R^c is selected from the group consisting of hydrogen, alkenyl, alkynyl, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkenyl, alkylsulfoxidoalkyl, alkylsulfoxidoalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylthioalkenyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonylalkyl, aminoalkyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

5

10

15

20

270. A compound or salt thereof according to claim 269, wherein the compound corresponds in structure to the following formula:

HO N
$$E^2$$
- E^3 (270-1).

5 271. A compound or salt thereof according to claim 270, wherein the compound corresponds in structure to the following formula:

272. A compound or salt thereof according to claim 269, wherein the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 (272-1).

273. A compound or salt thereof according to claim 272, wherein R^X is selected from the group consisting of alkyl, alkynyl, aminoalkyl, cycloalkyl, aryl, cycloalkylalkyl, wherein:

any member of such group optionally is substituted with one or more independently selected halogen, and

the nitrogen of the aminoalkyl optionally is substituted by up to 2 independently selected alkyl.

274. A compound or salt thereof according to claim 273, wherein RX is aryl.

275. A compound or salt thereof according to claim 274, wherein the compound corresponds in structure to the following formula:

5

15

BNSDOCID: <WO____03091247A2 1 >

10 276. A compound or salt thereof according to claim 273, wherein R^x is selected from the group consisting of haloalkyl, alkynyl, aminoalkyl, cycloalkyl, and cycloalkylalkyl, wherein:

the nitrogen of the aminoalkyl is optionally substituted by 2 independently selected alkyl.

277. A compound or salt thereof according to claim 276, wherein the compound corresponds in structure to a formula selected from the group consisting of:

278. A compound or a salt thereof, wherein:

the compound corresponds in structure to a formula selected from the group consisting of:

HO N H
$$Z^1$$
 Z^2 and Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^3 Z^4 Z^2 Z^2 Z^3 Z^4 Z^4 Z^2 Z^3 Z^4 Z^4

RX is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl,

R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl; and

 $E^2 \text{ is selected from the group consisting of: -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

E³ is haloalkyl; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl,

5

10

15

carbocyclylthioalkenyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylthioalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonylalkyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

279. A compound or salt thereof according to claim 278, wherein the compound corresponds in structure to a formula selected from the group consisting of:

HO
$$_{\rm H}$$
 $_{\rm CH_3}$ $_{\rm CH_3}$ $_{\rm CH_3}$ $_{\rm (279-1)}$ $_{\rm (279-2)}$ $_{\rm (279-2)}$

5

10

280. A compound or a salt thereof, wherein:

the compound corresponds in structure to the a formula selected from the group consisting of:

Z¹ CH₃ CH₄ (280-17),

HO N
$$\mathbb{R}^x$$
 \mathbb{Z}^3 \mathbb{Z}^4 $\mathbb{C}H_3$

(280-10),

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^4 (280-12),

HO N
$$\frac{z^1}{H}$$
 $\frac{z^2}{Z^4}$ $\frac{z^2}{CH_3}$ $\frac{z^3}{Z^4}$ $\frac{z^2}{CH_3}$ $\frac{z^4}{R^2}$ $\frac{z^2}{Z^3}$ $\frac{z^4}{Z^4}$ $\frac{z^2}{CH_3}$ $\frac{z^4}{R^2}$ $\frac{z^4}{Z^3}$ $\frac{z^4}{Z^4}$ $\frac{z^4}{CH_3}$ $\frac{z^4}{Z^4}$ \frac

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl,

5

10

heterocyclylsulfonyl, heterocyclylsulfonylalkyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

281. A compound or salt thereof according to claim 280, wherein the compound corresponds in structure to a formula selected from the group consisting of:

the compound corresponds in structure to the a formula selected from the group consisting of:

HO N H
$$Z^1$$
 HO N Z^1 Z^2 Z^2 Z^3 Z^4 Z^5 Z^6 Z^6

5

10

15

(281-11).

282. A compound or salt thereof according to claim 281, wherein the compound corresponds in structure to a formula selected from the group consisting of:

283. A compound or salt thereof according to claim 282, wherein the compound corresponds in structure to the following formula:

5 284. A compound or salt thereof according to claim 282, wherein the compound corresponds in structure to the following formula:

285. A compound or salt thereof according to claim 282, wherein the compound corresponds in structure to the following formula:

286. A compound or salt thereof according to claim 282, wherein the compound corresponds in structure to the following formula:

287. A compound or a salt thereof, wherein:

the compound corresponds in structure to a formula selected from the group consisting of:

HO N HO N
$$Z^1$$
 and Z^2 and Z^3 Z^4 Z^3 Z^4 Z^3 Z^4 Z^4 Z^4 Z^5 Z^7 Z^8 Z^8 Z^8 Z^8 Z^8 Z^8 Z^8 Z^8 Z^8

R^X is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl,

Ra-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, cycloalkylalkyl,

carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl; and

766

5

10

each R^a is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkenyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylthioalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminoalkyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

4.5

288. A compound or salt thereof according to claim 287, wherein the compound corresponds in structure to the following formula:

25

5

10

15

289. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

as to A^1 and A^2 :

A¹ and A², together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents, or

 A^1 and A^2 are independently selected as follows:

A¹ is selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents, and

A² is selected from the group consisting of alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylalkyl, carbocyclylalkylthioalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl,

25

5

10

15

heterocyclylalkoxyalkyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents; and

each R^X is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino, R^aR^a-aminoalkyl, R^aR^a-aminoalkoxy, R^aR^a-aminoalkyl(R^a)amino, R^aR^a-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl; and

 E^2 is selected from the group consisting of: -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^a)-S(O)₂-, -S(O)₂-N(R^a)-, -O-S(O)₂-, -S(O)₂-O-, -C(NH)-, and -C(NOH)-; and E^3 comprises greater than 3 carbon atoms; and

E³ is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, aminoalkyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy,

5

10

15

20

cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

5

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxyalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

20

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

25

30

 Z^1 , Z^2 , Z^3 , and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

290. A compound or salt thereof according to claim 289, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^2 Z^3 Z^4 (290-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, Ra-oxyalkyl, alkylsulfonyl, RaRa-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

Ţ.,

1

A2 ..

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl.

291. A compound or salt thereof according to claim 290, wherein $-E^2$ - E^3 is 20 alkoxy.

١.,٠

5

10

292. A compound or salt thereof according to claim 291, wherein the compound corresponds in structure to a formula selected from the group consisting of:

$$HO_{N}$$
 and HO_{N} HO_{N}

293. A compound or a salt thereof, wherein:

the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 (293-1); and

as to A^1 and A^2 :

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected \mathbb{R}^{X} substituents, or

 A^1 and A^2 are independently selected as follows:

A¹ is selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

20

15

5

any member of such group optionally is substituted with up to 3 independently selected R^X substituents, and A² is selected from the group consisting of alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclyl, heterocyclylalkyl,

heterocyclylalkenyl, heterocyclylalkynyl, heterocyclyloxyalkyl,

heterocyclylalkoxyalkyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $R^{\rm X}$ substituents; and

each R^X is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkoxy, alkoxy, alkoxyalkyl, alkoxyalkoxy,

R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino,

R^aR^a-aminoalkyl, R^aR^a-aminoalkoxy, R^aR^a-aminoalkyl(R^a)amino, R^aR^a-aminosulfonyl,

carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio,

carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy,

heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently, selected alkyl; and

E³ comprises at least 2 carbon atoms; and

773

5

10

15

20

E³ is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, aminoalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

5

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, alkylsulfonyl, carbocyclyl, and carbocyclylalkyl, wherein:

10

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

15

each R^a is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkenyl, alkylsulfoxidoalkyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylsulfonyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, aminoalkyl, aminoalkyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

25

20

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

Z¹ and Z³ are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and Z^2 and Z^4 are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

the alkoxyalkyl, alkylthio, mono-alkylamino, and di-alkylamino optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

the alkyl and alkoxy comprise at least two carbons and/or are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

294. A compound or salt thereof according to claim 293, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^3 Z^4 (294-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

5

10

15

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted by up to 2 independently selected alkyl.

295. A compound or salt thereof according to claim 294, wherein -E³ is alkyl.

296. A compound or salt thereof according to claim 295, wherein the compound corresponds in structure to the following formula:

20 297. A compound or salt thereof according to claim 295, wherein the compound corresponds in structure to the following formula:

5

10

298. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$Z^1$$
 Z^2 Z^2 Z^3 Z^4 Z^2 (298-1); and

as to A^1 and A^2 :

5

10

15

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, heterocyclylalkylthio, heterocyclylalkylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected R^χ substituents; and

each R^x is independently selected from the group consisting of halogen, cyano,
hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy,
R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino,
R^aR^a-aminoalkyl, R^aR^a-aminoalkoxy, R^aR^a-aminoalkyl(R^a)amino, R^aR^a-aminosulfonyl,
carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio,
carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy,

25 heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

5

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

10

15

20

Y is selected from the group consisting of nitrogen and a carbon bonded to hydrogen; and

 $E^2 \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-, -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond; and$

l

E³ is perhaloalkyl and comprises at least two carbon atoms; each R³ is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylsulfonyl, heterocyclylalkoxyalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group

25

optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl; and

Z¹, Z², Z³, and Z⁴ are independently selected from the group consisting of hydrogen, halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino.

10

299. A compound or salt thereof according to claim 298, wherein E² is -O-.

300. A compound or salt thereof according to claim 298, wherein E³ is perfluroalkyl.

15

301. A compound or salt thereof according to claim 300, wherein the compound corresponds in structure to the following formula:

20

302. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N
$$\mathbb{R}^{1}$$
 \mathbb{R}^{2} \mathbb{R}^{2} \mathbb{R}^{2} \mathbb{R}^{2} \mathbb{R}^{3} (302-1); and

as to A^1 and A^2 :

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally is substituted with up to 3 independently selected $R^{\mathbf{x}}$ substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl,

any member of such group optionally is substituted with up to 3 independently selected $R^{\rm X}$ substituents; and

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino, RaR^a-aminoalkyl, RaR^a-aminoalkoxy, RaR^a-aminoalkyl(Ra)amino, RaRa-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclyloxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

780

5

10

15

20

25

30

wherein:

 E^2 is selected from the group consisting of -C(O)-, -C(O)-O-, -C(O)-N(R^a)-, -S(O)₂-, -S(O)₂-N(R^a)-, -C(NH)-, -C(NOH)-, and a bond; and

E³ is selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, arbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylsulfonylalkyl, heterocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylsulfonyl, heterocyclylsulfonyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

5

10

15

20

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

303. A compound or salt thereof according to claim 302, wherein: the compound corresponds in structure to the following formula:

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl.

304. A compound or salt thereof according to claim 303, wherein E^2 is a bond.

5

10

15

305. A compound or salt thereof according to claim 304, wherein the compound corresponds in structure to the following formula:

5 306. A compound or salt thereof according to claim 304, wherein the compound corresponds in structure to the following formula:

307. A compound or a salt thereof, wherein:

the compound corresponds in structure to the following formula:

HO N
$$A^1 A^2$$
 $E^1 - E^2 - E^3$ (307-1);

as to A^1 and A^2 :

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\rm X}$ substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclyloxyalkyl,

10

carbocyclylalkoxyalkyl, carbocyclylalkylthio, carbocyclylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkoxyalkyl, heterocyclylalkoxyalkyl, heterocyclylalkylthio, heterocyclylthioalkyl, and heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $\mathbb{R}^{\mathbb{X}}$ substituents; and

each R^{X} is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^{a} -oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, $R^{a}R^{a}$ -amino,

RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy, heterocyclyloxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

Y is selected from the group consisting of nitrogen and carbon bonded to hydrogen; and

E¹ is selected from the group consisting of alkyl and alkenyl, wherein:

the alkyl and alkenyl are optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

30

5

10

15

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

E² is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -N(R^a)-C(O)-C(O)-, -S-, -S(O)-, -S(O)₂-, -N(R^a)-S(O)₂-, -S(O)₂-N(R^a)-, -O-S(O)₂-, -S(O)₂-O-, -C(NH)-, and -C(NOH)-; and

E³ is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, aminoalkyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclylsulfonylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxyalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxyl, heterocyclylsulfoxyl, aminoalkyl, aminoalkyl, aminosulfonyl,

5

10

15

20


25

aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

- 308. A compound or salt thereof according to claim 307, wherein E¹ is alkenyl.
 - 309. A compound or salt thereof according to claim 308, wherein E² is -C(O)-.
- 310. A compound or salt thereof according to claim 309, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:



5

- 311. A compound or salt thereof according to claim 308, wherein E^2 is $-C(O)-N(R^a)-$.
- 5 312. A compound or salt thereof according to claim 311, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

- 313. A compound or salt thereof according to claim 307, wherein E¹ is alkyl.
- 10 314. A compound or salt thereof according to claim 313, wherein E¹ is methyl.
 - 315. A compound or salt thereof according to claim 313, wherein E² is -O-.
- 316. A compound or salt thereof according to claim 315, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

BNSDOCID: <WO_____03091247A2_I_>

317. A compound or salt thereof according to claim 315, wherein E³ is selected from the group consisting of alkyl and carbocyclylalkyl, wherein:

the alkyl and carbocyclylalkyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

- 318. A compound or salt thereof according to claim 317, wherein E^3 is alkyl partially substituted with halogen.
- 319. A compound or salt thereof according to claim 318, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

5

10

- 320. A compound or salt thereof according to claim 318, wherein E^3 is alkyl substituted with trifluoromethyl.
- 321. A compound or salt thereof according to claim 320, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

HO
$$_{H}$$
 (321-1), (321-2), (321-2), $_{H}$ (321-2), $_{H}$ (321-4), $_{H}$ (321-5), (321-6), and $_{H}$ (321-7).

322. A compound or salt thereof according to claim 318, wherein E³ is alkyl comprising a carbon bonded to at least one hydrogen and at least one halogen.

323. A compound or salt thereof according to claim 322, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

324. A compound or salt thereof according to claim 317, wherein E³ is phenylalkyl, wherein:

the phenylalkyl optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino, alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino.

15

5


10

325. A compound or salt thereof according to claim 324, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

- 326. A compound or salt thereof according to claim 313, wherein E^2 is -C(O)-.
- 327. A compound or salt thereof according to claim 311, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

328. A compound or salt thereof according to claim 311, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

- 329. A compound or salt thereof according to claim 313, wherein E^2 is -C(O)-N(R a)-.
- 5 330. A compound or salt thereof according to claim 329, wherein R^a is selected from the group consisting of hydrogen, methyl, phenyl, and halophenyl.
 - 331. A compound or salt thereof according to claim 330, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:



332. A compound or salt thereof according to claim 330, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

HO N
$$CH_3$$
 and HO CH_3 CH_3

- 333. A compound or salt thereof according to claim 313, wherein E^2 is $-N(R^a)-C(O)$ -.
 - 334. A compound or salt thereof according to claim 333, wherein the compound corresponds in structure to the following formula:

- 10
- 335. A compound or salt thereof according to claim 313, wherein E² is -C(O)-O-
- 336. A compound or salt thereof according to claim 335, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

HO N HO
$$_{\rm H}$$
 $_{\rm CH_3}$ and $_{\rm HO}$ $_{\rm H}$ $_{\rm H}$ $_{\rm CH_3}$ $_{\rm CH_3}$ $_{\rm CH_3}$

337. A compound or salt thereof according to claim 313, wherein E^2 is $-N(R^a)-C(O)-C(O)-$.

338. A compound or salt thereof according to claim 337, wherein the compound corresponds in structure to the following formula:

5 339. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

as to A^1 and A^2 :

A¹ and A², together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkynyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkoxyalkyl, heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $\mathbb{R}^{\mathbf{X}}$ substituents; and

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkoxy, alkoxy, alkoxyalkyl, alkoxyalkoxy,

10

15

Ra-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, RaRa-amino, RaRa-aminoalkyl, RaRa-aminoalkoxy, RaRa-aminoalkyl(Ra)amino, RaRa-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy,

5 heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

Y is selected from the group consisting of nitrogen and carbon bonded to hydrogen; and

E³ is selected from the group consisting of alkenyl and alkynyl, wherein:

the alkenyl and alkynyl optionally are substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxyalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl,

10

15

20

25

carbocyclylthioalkenyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonylalkyl, heterocyclyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonylalkyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

- 340. A compound or salt thereof according to claim 339, wherein E³ is alkenyl.
- 341. A compound or salt thereof according to claim 340, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

5

10

342. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO N A A A A
$$E^1-E^2-E^3$$
 (342-1);

as to A^1 and A^2 :

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents, or

10

5

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkylthioalkyl, heterocyclylalkylthioalkyl, wherein:

15

any member of such group optionally is substituted with up to 3 independently selected $R^{\mathbf{X}}$ substituents; and

20

25

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino, RaR^a-aminoalkyl, RaR^a-aminoalkoxy, RaR^a-aminoalkyl(Ra)amino, RaR^a-aminosulfonyl, carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclyloxy, heterocyclyloxy, heterocyclyloxy, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

5

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

10

Y is selected from the group consisting of nitrogen and carbon bonded to hydrogen; and

 $-E^{1}-E^{2} \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-, -N(R^{a})-, -C(O)-N(R^{a})-, -N(R^{a})-C(O)-, -C(O)-N(R^{a})-N(R^{a})-C(O)-, -S-, -S(O)-, -S(O)_{2}-, -N(R^{a})-S(O)_{2}-, -S(O)_{2}-N(R^{a})-, -O-S(O)_{2}-, -S(O)_{2}-O-, -C(NH)-, -C(NOH)-, and alkyl, -N(R^{a})-S(O)_{2}-, -S(O)_{2}-N(R^{a})-, -O-S(O)_{2}-, -S(O)_{2}-O-, -C(NH)-, -C(NOH)-, -C($

15 wherein:

the alkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

20

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and

E³ comprises at least 5 carbon atoms and is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkoxyalkylthioalkyl, and aminoalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, amino (optionally substituted with up to two substituents independently selected from alkyl and

30

carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxyalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxyalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylsulfonylalkyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

- 343. A compound or salt thereof according to claim 342, wherein E^3 is C_6 - C_{12} -25 alkyl.
 - 344. A compound or salt thereof according to claim 342, wherein $-E^1-E^2$ is alkyl.
- 345. A compound or salt thereof according to claim 344, wherein $-E^1-E^2$ is methyl.

5

10

15

346. A compound or salt thereof according to claim 345, wherein the compound corresponds in structure to the following formula:

- 5 347. A compound or salt thereof according to claim 344, wherein E³ is alkyl partially substituted with halogen.
 - 348. A compound or salt thereof according to claim 347, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

10

349. A compound or salt thereof according to claim 351, wherein E³ is carbocyclylalkyl.

350. A compound or salt thereof according to claim 349, wherein the compound corresponds in structure to the following formula:

- 351. A compound or salt thereof according to claim 342, wherein -E¹-E² is -O-.
- 352. A compound or salt thereof according to claim 351, wherein the compound corresponds in structure to the following formula:

10

5

- 353. A compound or salt thereof according to claim 351, wherein E³ is alkyl partially substituted with halogen.
- 354. A compound or salt thereof according to claim 353, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

HO
$$\frac{1}{H}$$
 $\frac{1}{H}$ \frac

355. A compound or salt thereof according to claim 351, wherein E³ is selected from the group consisting of alkyl, alkenyl, alkoxyalkyl, and carbocyclylalkyl.

356. A compound or salt thereof according to claim 355, wherein the compound corresponds in structure to the following formula:

357. A compound or salt thereof according to claim 355, wherein the compound corresponds in structure to the following formula:

10 358. A compound or salt thereof according to claim 355, wherein the compound corresponds in structure to the following formula:

.

359. A compound or salt thereof according to claim 355, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

803

360. A compound or a salt thereof, wherein: the compound corresponds in structure to the following formula:

HO
$$R^x$$
 E^1 - E^2 - E^3 (360-1); and

5 as to A^1 and A^2 :

 A^1 and A^2 , together with the carbon to which they are bonded, form heterocyclyl or carbocyclyl, wherein:

the heterocyclyl and carbocyclyl optionally are substituted with up to 3 independently selected $R^{\rm X}$ substituents, or

A¹ and A² are independently selected from the group consisting of hydrogen, alkyl, alkoxyalkyl, alkylthioalkyl, alkenyl, alkynyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkenyl, carbocyclylalkynyl, carbocyclylalkyl, carbocyclylalkylthio, carbocyclylalkylthioalkyl, carbocyclylalkylthioalkyl, heterocyclylalkyl, heterocyclylalkyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkynyl, heterocyclylalkyl, heterocyclylalkylthioalkyl, wherein:

any member of such group optionally is substituted with up to 3 independently selected $R^{\rm X}$ substituents; and

each R^x is independently selected from the group consisting of halogen, cyano, hydroxy, nitro, nitroso, oxo, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, alkoxyalkoxy, R^a-oxyalkyl, alkenyloxy, alkynyloxy, alkylthio, alkylsulfonyl, R^aR^a-amino, R^aR^a-aminoalkyl, R^aR^a-aminoalkoxy, R^aR^a-aminoalkyl(R^a)amino, R^aR^a-aminosulfonyl,

10

carbocyclyl, carbocyclylalkyl, carbocyclyloxy, carbocyclyloxyalkoxy, carbocyclylthio, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, heterocyclyloxy, heterocyclyloxyalkoxy, heterocyclylthio, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

the amino optionally is substituted with up to 2 independently selected alkyl; and

Y is selected from the group consisting of:

nitrogen, and carbon bonded to hydrogen, and carbon bonded to R^x; and

 E^1 is $-E^{1A}-E^{1B}$; and

 $E^{1A} \text{ is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-,}\\ -N(R^a)-, -C(O)-N(R^a)-, -N(R^a)-C(O)-, -C(O)-N(R^a)-N(R^a)-C(O)-, -S-, -S(O)-, -S(O)_2-,\\ -N(R^a)-S(O)_2-, -S(O)_2-N(R^a)-, -O-S(O)_2-, -S(O)_2-O-, -C(NH)-, -C(NOH)-, and a bond;}$

 $-N(R^a)-S(O)_2-$, $-S(O)_2-N(R^a)-$, $-O-S(O)_2-$, $-S(O)_2-O-$, -C(NH)-, -C(NOH)-, and a bond and

٠..

E^{1B} is heterocylcylalkyl optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino; and E^2 is selected from the group consisting of -O-, -C(O)-, -C(O)-O-, -O-C(O)-,

30 $-N(R^a)$ -, $-C(O)-N(R^a)$ -, $-N(R^a)-C(O)$ -, $-C(O)-N(R^a)-N(R^a)-C(O)$ -, -S-, -S(O)-, -S(O)2-,

5

10

15

20

 $-N(R^a)-S(O)_2-$, $-S(O)_2-N(R^a)-$, $-O-S(O)_2-$, $-S(O)_2-O-$, -C(NH)-, -C(NOH)-, and a bond; and

E³ is selected from the group consisting of halogen, cyano, alkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, alkylthioalkyl, carbocyclyl, carbocyclylalkyl, heterocyclyl, and heterocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, hydroxyimino, amino (optionally substituted with up to two substituents independently selected from alkyl and carbocyclylalkyl), alkyl, alkoxy, alkylthio, carbocyclyl, and carbocyclylalkyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, aminocarbonyl, and amino; and

each R^a is independently selected from the group consisting of hydrogen, hydroxy, alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, bisalkoxyalkyl, alkylthioalkyl, alkylthioalkyl, alkylsulfoxidoalkyl, alkylsulfonyl, alkylsulfonylalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylalkoxyalkyl, carbocyclylthioalkyl, carbocyclylsulfoxidoalkyl, carbocyclylsulfonyl, carbocyclylsulfonyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, heterocyclylalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfoxidoalkyl, heterocyclylsulfonyl, aminoalkyl, aminosulfonyl, aminoalkylsulfonyl, and alkoxyalkylaminoalkyl, wherein any member of such group optionally is substituted:

on any carbon atom(s) capable of such substitution with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, and imino, and

5

10

15

20

on any amino nitrogen atom with up to 2 substituents independently selected from the group consisting of alkyl, alkylcarbonyl, carbocyclyl, and carbocyclylalkyl.

5 361. A compound or salt thereof according to claim 360, wherein the compound corresponds in structure to the following formula:

HO N
$$A^1 A^2$$
 $E^1 - E^2 - E^3$ (361-1).

362. A compound or salt thereof according to claim 361, wherein: the compound corresponds in structure to the following formula:

HO N
$$E^{1}-E^{2}-E^{3}$$
 (362-1); and

A is selected from the group consisting of -O-, -N(H)-, -N(\mathbb{R}^{x})-, -S-, -S(O)-, and -S(O)₂-; and

R^x is selected from the group consisting of alkyl, alkenyl, alkynyl, alkoxy, alkoxyalkyl, R^a-oxyalkyl, alkylsulfonyl, R^aR^a-aminoalkyl, carbocyclyl, carbocyclylalkyl, carbocyclylsulfonyl, heterocyclyl, heterocyclylalkyl, and heterocyclylsulfonyl, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, amino, carboxy, thiol, sulfo, nitro, nitroso, oxo, thioxo, imino, alkyl, alkoxy, alkoxyalkyl, and alkoxyalkoxy, wherein:

...

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen and hydroxy, and

10

15

the amino optionally is substituted with up to 2 independently selected alkyl.

A compound or salt thereof according to claim 362, wherein E1 is selected 363. from the group consisting of pyrazinyl-C2-C6-alkyl, pyrimidyl-C2-C6-alkyl, pyridazinyl-5 C2-C6-alkyl, furanyl-C2-C6-alkyl, thienyl-C2-C6-alkyl, pyrrolyl-C2-C6-alkyl, imidazolyl- $C_2\text{-}C_6\text{-}alkyl, pyrazolyl-}C_2\text{-}C_6\text{-}alkyl, triazolyl-}C_2\text{-}C_6\text{-}alkyl, oxazolyl-}C_2\text{-}C_6\text{-}alkyl, pyrazolyl-}C_2\text{-}C_6\text{-}alkyl, pyrazoly$ $isoxazolyl-C_2-C_6-alkyl,\ thiazolyl-C_2-C_6-alkyl,\ isothiazolyl-C_2-C_6-alkyl,\ thiodiazolyl-C_2-C_6-alkyl,\ thiazolyl-C_2-C_6-alkyl,\ thiazolyl$ $C_6\text{-alkyl, oxathiazolyl-} C_2\text{-}C_6\text{-alkyl, oxadiazolyl-} C_2\text{-}C_6\text{-alkyl, oxathiolyl-} C_2\text{-}C_6\text{-alkyl, oxathiazolyl-} C_2\text{-}C_6\text{-alkyl, oxat$ $pyranyl-C_2-C_6-alkyl,\ pyridinyl-C_2-C_6-alkyl,\ triazinyl-C_2-C_6-alkyl,\ tetrazolyl-C_2-C_6-alkyl,\ triazinyl-C_2-C_6-alkyl,\ triazinyl-C_2-C_6$ 10 oxazinyl-C2-C6-alkyl, azepinyl-C2-C6-alkyl, diazepinyl-C2-C6-alkyl, pyrazinyl-C1-C5alkoxy, pyrimidyl- C_1 - C_5 -alkoxy, pyridazinyl- C_1 - C_5 -alkoxy, furanyl- C_1 - C_5 -alkoxy, thienyl- $C_1\text{-}C_5\text{-}alkoxy, pyrrolyl-}C_1\text{-}C_5\text{-}alkoxy, imidazolyl-}C_1\text{-}C_5\text{-}alkoxy, pyrazolyl-}C_1\text{-}C_5\text{-}alkoxy, pyrazolyl$ $triazolyl-C_1-C_5-alkoxy,\ oxazolyl-C_1-C_5-alkoxy,\ isoxazolyl-C_1-C_5-alkoxy,\ thiazolyl-C_1-C_5-alkoxy,\ description and the control of the control of$ $alkoxy, isothiazolyl-C_1-C_5-alkoxy, thiodiazolyl-C_1-C_5-alkoxy, oxathiazolyl-C_1-C_5-alkoxy, alkoxy, alkox$ 15 $oxadiazolyl-C_1-C_5-alkoxy,\ oxathiolyl-C_1-C_5-alkoxy,\ pyranyl-C_1-C_5-alkoxy,\ pyridinyl-C_1-C_5-alkoxy,\ pyridinyl-C_1-C_5 C_5\text{-alkoxy triazinyl-} C_1\text{-}C_5\text{-alkoxy, tetrazolyl-} C_1\text{-}C_5\text{-alkoxy, oxazinyl-} C$ azepinyl-C1-C5-alkoxy, and diazepinyl-C1-C5-alkoxy, wherein:

each such substituent is optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, amino, mono-alkylamino, di-alkylamino, nitro, nitroso, alkyl, alkoxy, alkoxyalkyl, and alkylthio, wherein:

any member of such group optionally is substituted with one or more substituents independently selected from the group consisting of halogen, hydroxy, cyano, carboxy, thiol, sulfo, nitro, nitroso, thioxo, and imino.

364. A compound or salt thereof according to claim 363, wherein E¹ is selected from the group consisting of pyrazinyl-C₃-C₄-alkyl, pyrimidinyl-C₃-C₄-alkyl, pyridazinyl-C₃-C₄-alkyl, furanyl-C₃-C₄-alkyl, thienyl-C₃-C₄-alkyl, pyrrolyl-C₃-C₄-alkyl, imidazolyl-C₃-C₄-alkyl, pyrazolyl-C₃-C₄-alkyl, triazolyl-C₃-C₄-alkyl, oxazolyl-C₃-C₄-alkyl,

20

isoxazolyl-C₃-C₄-alkyl, thiazolyl-C₃-C₄-alkyl, isothiazolyl-C₃-C₄-alkyl, thiodiazolyl-C₃-C₄-alkyl, oxathiazolyl-C₃-C₄-alkyl, oxathiolyl-C₃-C₄-alkyl, pyridinyl-C₃-C₄-alkyl, triazinyl-C₃-C₄-alkyl, tetrazolyl-C₃-C₄-alkyl, oxazinyl-C₃-C₄-alkyl, azepinyl-C₃-C₄-alkyl, diazepinyl-C₃-C₄-alkyl, pyrazinyl-C₂-C₃-alkoxy, pyrimidinyl-C₂-C₃-alkoxy, pyridazinyl-C₂-C₃-alkoxy, furanyl-C₂-C₃-alkoxy, thienyl-C₂-C₃-alkoxy pyrrolyl-C₂-C₃-alkoxy, imidazolyl-C₂-C₃-alkoxy, pyrazolyl-C₂-C₃-alkoxy, triazolyl-C₂-C₃-alkoxy, oxazolyl-C₂-C₃-alkoxy, isothiazolyl-C₂-C₃-alkoxy, thiodiazolyl-C₂-C₃-alkoxy, oxathiazolyl-C₂-C₃-alkoxy, oxathiazolyl-C₂-C₃-alkoxy, oxathiazolyl-C₂-C₃-alkoxy, pyridinyl-C₂-C₃-alkoxy, triazinyl-C₂-C₃-alkoxy, tetrazolyl-C₂-C₃-alkoxy, oxazinyl-C₂-C₃-alkoxy, azepinyl-C₂-C₃-alkoxy, and diazepinyl-C₂-C₃-alkoxy.

- 365. A compound or salt thereof according to claim 363, wherein E² is a bond.
- 15 366. A compound or salt thereof according to claim 365, wherein E¹ is selected from the group consisting of oxadiazolyl-C₃-C₄-alkyl, tetrazolyl-C₃-C₄-alkyl, oxadiazolyl-C₂-C₃-alkoxy, and tetrazolyl-C₂-C₃-alkoxy.
- 367. A compound or salt thereof according to claim 366, wherein the compound corresponds in structure to a formula selected from the group consisting of the following:

368. A compound or salt thereof according to claim 366, wherein the compound corresponds in structure to the following formula:

5

PCT/US03/13123 WO 03/091247

369. A method for treating a condition associated with pathological matrix metalloprotease activity in a mammal, wherein:

the method comprises administering a compound or a pharmaceutically acceptable salt thereof in a therapeutically-effective amount to the mammal; and

the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360.

10

5

370. A method according to claim 369, wherein the compound or salt inhibits the activity of one or more of MMP-2, MMP-9, and MMP-13, while exhibiting substantially less inhibitory activity against MMP-1.

15

371. A method according to claim 370, wherein the compound or salt inhibits the activity of MMP-2, while exhibiting substantially less inhibitory activity against MMP-1.

372. A method according to claim 370, wherein the compound or salt inhibits the activity of MMP-9, while exhibiting substantially less inhibitory activity against MMP-1.

20

373. A method according to claim 372, wherein the compound or salt inhibits the activity of MMP-2, while exhibiting substantially less inhibitory activity against MMP-1.

25

374. A method according to claim 373, wherein the pathological condition comprises cancer.

375. A method according to claim 373, wherein the pathological condition comprises a cardiovascular condition.

- 376. A method according to claim 373, wherein the pathological condition
 5 comprises an ophthalmologic condition.
 - 377. A method according to claim 370, wherein the compound or salt inhibits the activity of MMP-13, while exhibiting substantially less inhibitory activity against MMP-1.
- 378. A method according to claim 377, wherein the pathological condition comprises arthritis.
 - 379. A method according to claim 377, wherein the pathological condition comprises a cardiovascular condition.
 - 380. A method according to claim 370, wherein the compound or salt inhibits the activity of MMP-2, while exhibiting substantially less inhibitory activity against MMP-1 and MMP-14.
- 381. A method according to claim 370, wherein the compound or salt inhibits the activity of MMP-9, while exhibiting substantially less inhibitory activity against MMP-1 and MMP-14.
- 382. A method according to claim 381, wherein the compound or salt inhibits the activity of MMP-2, while exhibiting substantially less inhibitory activity against MMP-1.
 - 383. A method according to claim 382, wherein the pathological condition comprises cancer.
- 384. A method according to claim 382, wherein the pathological condition comprises a cardiovascular condition.

385. A method according to claim 382, wherein the pathological condition comprises an ophthalmologic condition.

- 5 386. A method according to claim 370, wherein the compound or salt inhibits the activity of MMP-13, while exhibiting substantially less inhibitory activity against MMP-1 and MMP-14.
- 387. A method according to claim 386, wherein the pathological condition comprises arthritis.
 - 388. A method according to claim 386, wherein the pathological condition comprises a cardiovascular condition.
- 15 389. A method according to claim 369, wherein the compound or salt inhibits the activity of one or more of MMP-2, MMP-9, and MMP-13, while exhibiting substantially less inhibitory activity against MMP-14.
- 390. A method according to claim 389, wherein the compound or salt inhibits the activity of MMP-2, while exhibiting substantially less inhibitory activity against MMP-14.
 - 391. A method according to claim 389, wherein the compound or salt inhibits the activity of MMP-9, while exhibiting substantially less inhibitory activity against MMP-14.
- 25 392. A method according to claim 389, wherein the compound or salt inhibits the activity of MMP-13, while exhibiting substantially less inhibitory activity against MMP-14.
- 393. A method for treating a pathological condition associated with
 30 pathological TNF-α convertase activity in a mammal, wherein:

the method comprises administering a compound or a pharmaceutically acceptable salt thereof in a therapeutically-effective amount to the mammal; and

the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360.

394. A method for treating a pathological condition associated with pathological aggrecanase activity in a mammal, wherein:

the method comprises administering a compound or a pharmaceutically acceptable salt thereof in a therapeutically-effective amount to the mammal; and

the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360.

- 395. A method according to claim 393, wherein the pathological condition is selected from the group consisting of inflammation, a pulmonary disease, a cardiovascular disease, an autoimmune disease, graft rejection, a fibrotic disease, multiple sclerosis, cancer, an infectious disease, fever, psoriasis, hemorrhage, coagulation, radiation damage, acute-phase responses of shock and sepsis, anorexia, and cachexia.
 - 396. A method for treating a pathological condition in a mammal, wherein:
 the method comprises administering a compound or a pharmaceutically acceptable
 salt thereof in a therapeutically-effective amount to the mammal; and

the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360; and

the pathological condition is selected from the group consisting of tissue destruction, a fibrotic disease, matrix weakening, defective injury repair, a cardiovascular disease, a pulmonary disease, a kidney disease, a liver disease, an ophthalmologic disease, and a central nervous system disease.

30

5

10

397. A method according to claim 396, wherein the condition comprises an ophthalmologic condition.

398. A method for treating a pathological condition in a mammal, wherein: the method comprises administering a compound or a pharmaceutically acceptable salt thereof in a therapeutically-effective amount to the mammal; and

the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360; and

the pathological condition is selected from the group consisting of osteoarthritis, rheumatoid arthritis, septic arthritis, tumor invasion, tumor metastasis, tumor angiogenesis, a decubitis ulcer, a gastric ulcer, a corneal ulcer, periodontal disease, liver cirrhosis, fibrotic lung disease, otosclerosis, atherosclerosis, multiple sclerosis, dilated cardiomyopathy, epidermal ulceration, epidermolysis bullosa, aortic aneurysm, defective injury repair, an adhesion, scarring, congestive heart failure, post myocardial infarction, coronary thrombosis, emphysema, proteinuria, Alzheimer's disease, bone disease, and chronic obstructive pulmonary disease.

- 20 399. A method according to claim 398, wherein the condition comprises arthritis.
 - 400. A method according to claim 398, wherein the condition comprises tumor invasion, tumor metastasis, or tumor angiogenesis.
- 25 401. A method according to claim 398, wherein the condition comprises periodontal disease.
 - 402. A method according to claim 398, wherein the condition comprises atherosclerosis.

30

5

10

403. A method according to claim 398, wherein the condition comprises multiple sclerosis.

- 404. A method according to claim 398, wherein the condition comprises dilated 5 cardiomyopathy.
 - 405. A method according to claim 398, wherein the condition comprises post myocardial infarction.
- 10 406. A method according to claim 398, wherein the condition comprises congestive heart failure.
 - 407. A method according to claim 398, wherein the condition comprises chronic obstructive pulmonary disease.

408. A pharmaceutical composition comprising a therapeutically-effective amount of a compound or a pharmaceutically-acceptable salt thereof, wherein the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298,

- 20 302, 307, 339, 342, and 360.
 - 409. A use of a compound or a pharmaceutically acceptable salt thereof to prepare a medicament for treating a condition associated with pathological matrix metalloprotease activity, wherein the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360.
 - 410. A use of a compound or a pharmaceutically acceptable salt thereof to prepare a medicament for treating a condition associated with pathological TNF- α convertase activity, wherein the compound is selected from the group of compounds

15

25

PCT/US03/13123 WO 03/091247

recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360.

- 411. A use of a compound or a pharmaceutically acceptable salt thereof to prepare a medicament for treating a condition associated with pathological aggrecanase 5 activity, wherein the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360.
- 412. A use of a compound or a pharmaceutically acceptable salt thereof to 10 prepare a medicament for treating a pathological condition, wherein:

the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360; and

- the pathological condition is selected from the group consisting of tissue destruction, a fibrotic disease, matrix weakening, defective injury repair, a cardiovascular disease, a pulmonary disease, a kidney disease, a liver disease, an ophthalmologic disease, and a central nervous system disease.
- 413. A use of a compound or a pharmaceutically acceptable salt thereof to 20 prepare a medicament for treating a pathological condition, wherein:

the compound is selected from the group of compounds recited in claims 1, 43, 95, 126, 139, 149, 154, 171, 209, 223, 227, 232, 235, 239, 243, 248, 269, 278, 280, 287, 289, 293, 298, 302, 307, 339, 342, and 360; and

the pathological condition is selected from the group consisting of osteoarthritis, rheumatoid arthritis, septic arthritis, tumor invasion, tumor metastasis, tumor angiogenesis, a decubitis ulcer, a gastric ulcer, a corneal ulcer, periodontal disease, liver cirrhosis, fibrotic lung disease, otosclerosis, atherosclerosis, multiple sclerosis, dilated cardiomyopathy, epidermal ulceration, epidermolysis bullosa, aortic aneurysm, defective

injury repair, an adhesion, scarring, congestive heart failure, post myocardial infarction, 30

15

coronary thrombosis, emphysema, proteinuria, Alzheimer's disease, bone disease, and chronic obstructive pulmonary disease.



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	
Пожиль	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)